

The `I3pdfmeta` module

PDF standards

L^AT_EX PDF management testphase bundle

The L^AT_EX Project*

Version 0.961, released 2024-09-13

1 I3pdfmeta documentation

This module sets up some tools and commands needed for PDF standards in general. The goal is to collect the requirements and to provide code to check and fulfill them.

1.1 Verifying requirements of PDF standards

Standards like pdf/A set requirements on a PDF: Some things have to be in the PDF, e.g. the catalog has to contain a /Lang entry and an colorprofile and an /OutputIntent, some other things are forbidden or restricted, e.g. the action dictionary of an annotation should not contain Javascript.

The `I3pdfmeta` module collects a number of relevant requirements, tries to enforce the ones which can be enforced and offers some tools for package authors to test if an action is allowed in the standard or not.

This is work in progress and more tests will be added. But it should be noted that it will probably never be possible to prevent all forbidden actions or enforce all required ones or even to simply check all of them. The commands here don't replace a check with an external validator.

Verifying against a PDF-standard involves two different tasks:

- Check if you are allowed to ignore the requirement.
- Decide which action to take if the answer to the first question is NO.

The following conditionals address the first task. Because of the second task a return value `FALSE` means that the standard requires you to do some special action. `TRUE` means that you can ignore this requirement.¹

In most cases it only matters if a requirement is in the standard, for example `Catalog_no_OCProperties` means "don't use /OCProperties in the catalog". For a small number of requirements it is also needed to test a user value against a standard value. For example, `named_actions` restricts the allowed named actions in an annotation

*E-mail: latex-team@latex-project.org

¹One could also make the logic the other way round—there are arguments for both—but I had to decide.

of subtype `/Named`, in this case it is needed to check not only if the requirement is in the standard but also if the user value is in the allowed list.

```
\pdfmeta_standard_verify_p:n * \pdfmeta_standard_verify:n{<requirement>}
\pdfmeta_standard_verify:nTF *
```

This checks if `<requirement>` is listed in the standard. FALSE as result means that the requirement is in the standard and that probably some special action is required—which one depends on the requirement, see the descriptions below. TRUE means that the requirement is not there and so no special action is needed. This check can be used for simple requirements where neither a user nor a standard value is of importance.

```
\pdfmeta_standard_verify:nnTF \pdfmeta_standard_verify:nn{<requirement>}{<value>}
```

This checks if `<requirement>` is listed in the standard, if yes it tries to find a pre-defined test handler for the requirement and passes `<value>` and the value recorded in the standard to it. The handler returns FALSE if some special action is needed (e.g. if `<value>` violates the rule) and TRUE if no special action is needed. If no handler exists this command works like `\pdfmeta_standard_verify:n`.

In some cases one needs to query the value in the standard, e.g. to correct a wrong minimal PDF version you need to know which version is required by `min_pdf_version`. For this two commands to access the value are provided:

```
\pdfmeta_standard_item:n * \pdfmeta_standard_item:n{<requirement>}
```

This retrieves the value of `<requirement>` and leaves it in the input. If the requirement isn't in the standard the result is empty, that means that requirements not in the standard and requirement without values can not be distinguished here.

```
\pdfmeta_standard_get:nn \pdfmeta_standard_get:nn{<requirement>} <t1 var>
```

This retrieves the value of `<requirement>` and stores it in the `<token list variable>`. If the `<requirement>` is not found the special value `\q_no_value` is used. The `<token list variable>` is assigned locally.

The following describe the requirements which can be currently tested. Requirements with a value should use `\pdfmeta_standard_verify:nn` or `\pdfmeta_standard_verify:nnN` to test a local value against the standard. The rule numbers refer to <https://docs.verapdf.org/validation/pdfa-part1/>

1.1.1 Simple tests without handler

`outputintent_A` requires to embed a color profile and reference it in a `/OutputIntent` and that all output intents reference the same colorprofile. The value stores the subtype. *This requirement is detected and fulfilled by l3pdfmeta if the provided interface in \DocumentMetadata is used, see below.*

`annot_flags` in annotations the `Print` flag should be true, `Hidden`, `Invisible`, `NoView` should be false. *This requirement is detected and set by l3pdfmeta for annotations created with the l3pdffannot. A new check is only needed if the flags are changed or if links are created by other means.*

`no_encryption` don't encrypt

`no_external_content` no /F, /FFilter, or /FDecodeParms in stream dictionaries

`no_embed_content` no /EF key in filespec, no /Type/EmbeddedFiles. This will be checked in future by l3pdffiles for the files it embeds. The restriction is set for only PDF/A-1b. PDF/A-2b and PDF/A3-b lifted this restriction: PDF/A-2b allows to embed other PDF documents conforming to either PDF/A-1 or PDF/A-2, and PDF/A-3 allows any embedded files. I don't see a way to test the PDF/A-2b requirement so currently it will simply allow everything. Perhaps a test for at least the PDF-format will be added in future.

`Catalog_no_OCProperties` don't add /OCProperties to the catalog *l3pdfmeta removes this entry at the end of the document*

`Catalog_OCProperties_no_AS` do not use /AS optional content configuration dictionary.

`Catalog_EMBEDDEDFILES` ensure that an EmbeddedFiles name tree is in the catalog. This is required for PDF/A-4f.

`annot_widget_no_AA` (rule 6.6.2-1) no AA dictionary in widget annotation, this will e.g. be checked by the new hyperref driver.

`annot_widget_no_A_AA` (rule 6.9-2) no A and AA dictionary in widget.

`form_no_AA` (6.9-3) no /AA dictionary in form field

`unicode` that is set in the U-standards, A-2u and A-3u and means that every text should be in unicode. This is not something that can be enforced or tested from TeX, but in a current LaTeX normally ToUnicode are set for all fonts.

`tagged` that is set in A-2a and A-3a and means that the pdf must be tagged. This is currently neither tested nor enforced somewhere.

`no_CharSet` CharSet is deprecated in pdf 2.0 and should not be used in A-4. l3pdfmeta will therefore suppress it for the engines pdftex and luatex (the other engines have no suitable option)

`omit_CID` This avoids with PDF/A-2 and newer a failure because of with missing CID identifications (e.g. from rule ISO 19005-2:2011, Clause: 6.2.11.4.2) It has only with luatex an effect.

`Trailer_no_Info` The Info dictionary has been deprecated since quite some time. Metadata should be set with XMP-data instead. In PDF A-4 now the Info dictionary shall not be present in the trailer dictionary at all (unless there exists a PieceInfo entry in the Catalog). And if it is present it should only contain the /ModDate entry. In texlive 2023 the engines pdftex and luatex have primitives to suppress the dictionary and l3pdfmeta will make use of it.

1.1.2 Tests with values and special handlers

`min_pdf_version` stores the minimal PDF version needed for a standard. It should be checked against the current PDF version (`\pdf_version:`). A failure means that the version should be changed. Currently there is only one hard requirement which leads to a failure in a validator like verapdf: The A-4 standard should use PDF 2.0. As PDF A-1 is based on PDF 1.4 and PDF A-2 and A-3 are based on PDF

1.7 `\l3pdfmeta` also sets these versions also as requirements. These requirements are checked by `\l3pdfmeta` when the version is set with `\DocumentMetadata` and a warning is issued (but the version is not changed). More checks are only needed if the version is changed later.

`max_pdf_version` stores the maximal PDF version. It should be checked against the current PDF version (`\pdf_version:`). A failure means that the version should be changed. The check is currently relevant only for the A-1 to A-3 standards: PDF 2.0 leads to a failure in a validator like verapdf so the maximal version should be PDF 1.7. This requirement is checked by `\l3pdfmeta` when the version is set with `\DocumentMetadata` and a warning is issued (but the version is not changed). More checks are only needed if the version is changed later.

`named_actions` this requirement restricts the list of allowed named actions to `NextPage`, `PrevPage`, `FirstPage`, `LastPage`. The check should supply the named action without slash (e.g. `View` (failure) or `NextPage` (pass)).

`annot_action_A` (rule 6.6.1-1) this requirement restricts the allowed subtypes of the `/A` dictionary of an action. The check should supply the user subtype without slash e.g. as `GoTo` (pass) or `Movie` (failure).

1.2 Colorprofiles and OutputIntent

The pdf/A standards require that a color profile is embedded and referenced in the catalog in the `/OutputIntent` array.

The problem is that the pdf/A standards also require, that if the PDF has more than one entry in the `/OutputIntent` array (which is allowed), their `/DestOutputProfile` should all reference the same color profile².

Enforcing this fully is impossible if entries are added manually by users or packages with `\pdfmanagement_add:nnn {Catalog}{OutputIntents}{\{object reference\}}` as it is difficult to inspect and remove entries from the `/OutputIntent` array.

So we provide a dedicated interface to avoid the need of manual user settings and allow the code to handle the requirements of the standard. The interface doesn't handle yet all finer points for PDF/X standards, e.g. named profiles, it is meant as a starting point to get at least PDF/A validation here.

The interface looks like this

```
\DocumentMetadata
{
    %other options for example pdfstandard
    colorprofiles=
    {
        A = sRGB.icc, %or a or longer GTS_PDFA1 = sRGB.icc
        X = FOGRA39L_coated.icc, % or x or longer GTS_PDFX
        ISO_PDFE1 = whatever.icc
    }
}
```

²see rule 6.2.2-2 at <https://docs.verapdf.org/validation/pdfa-part1/>

`sRGB.icc` and `FOGRA39L_coated.icc` (from the `colorprofiles` package) are predefined and will work directly³. `whatever.icc` will need special setup in the document preamble to declare the values for the `OutputIntent` dictionary, but the interface hasn't been added yet. This will be decided later.

If an A-standard is detected or set which requires that all `/DestOutputProfile` reference the same color profile, the setting is changed to the equivalent of

```
\DocumentMetadata
{
    %other options
    pdfstandard=A-2b,
    colorprofiles=
    {
        A = sRGB.icc, %or longer GTS_PDFA1 = sRGB.icc
        X = sRGB.icc,
        ISO_PDFE1 = sRGB.icc
    }
}
```

The pdf/A standards will use `A=sRGB.icc` by default, so this doesn't need to be declared explicitly.

1.3 Regression tests

When doing regression tests one has to set various metadata to fix values.

`\pdfmeta_set_regression_data: \pdfmeta_set_regression_data:`

This sets various metadata to values needed by the L^AT_EX regression tests. It also sets the seed for random functions. If a current l3backend is used and `\c_sys_timestamp_str` is available, the command does not set dates, but assumes that the environment variable `SOURCE_DATE_EPOCH` is used.

2 XMP-metadata

XMP-metadata are data in XML format embedded in a stream inside the PDF and referenced from the `/Catalog`. Such a XMP-metadata stream contains various document related data, is required by various PDF standards and can replace or extend the data in the `/Info` dictionary. In PDF 2.0 the `/Info` dictionary is actually deprecated and only XMP-metadata should be used for the metadata of the PDF.

The content of a XMP-metadata stream is not a fixed set of data. Typically fields like the title, the author, the language and keywords will be there. But standards like e.g. ZUGferd (a standard for electronic bills) can require to add more fields, and it is also possible to define and add purely local data.

In some workflows (e.g. if dvips + ghostscript is used) a XMP-metadata stream with some standard content is added automatically by the backend, but normally it must be created with code.

³The `dvips` route will require that `ps2pdf` is called with `-dNOSAFER`, and that the color profiles are in the current folder as `ps2pdf` doesn't use `kpathsea` to find them.

For this task the packages `hyperxmp`, `xmpincl` or `pdfx` (which uses `xmpincl`) can be used, but all these packages are not compatible with the `pdfmanagement`⁴. The following code is meant as replacement for these packages.

`hyperxmp` uses `\hypersetup` as user interface to enter the XMP-metadata. This syntax is also supported by the new code⁵, so if `hyperref` has been loaded, e.g. `pdftitle=xxx` can be used to set the title. But XMP-metadata shouldn't require to use `hyperref` and in a future version an interface without `hyperref` will be added.

There is currently no full user interface command to extend the XMP-metadata with for example the code needed for ZUGferd, they will be added in a second step.

2.1 Debug option

The resulting XMP-packet can be written to an external file by activating a debug option

```
\DocumentMetadata{debug={xmp-export}}
%or
\DocumentMetadata{debug={xmp-export=true}}
%or
\DocumentMetadata{debug={xmp-export=filename}}
```

By default the data are written to `\jobname.xmpi`, if a `filename` is given, then `filename.xmpi` is used instead. `xmp-export=false` deactivates the export.

2.2 Encoding and escaping

XMP-metadata are stored as UTF-8 in the PDF. This mean if you open a PDF in an editor a content like "grüße" will be shown probably as "grÃ¼ÃŸe". As XMP-metadata are in XML format special chars like <, >, and & and „ must be escaped.

`hyperxmp` hooks into `hyperref` and passes all input through `\pdfstringdef`. This means a word like "hallo" is first converted by `\pdfstringdef` into `\376\377\000h\000a\0001\0001\000o` and then back to UTF-8 by `hyperxmp` and in the course of this action the XML-escapings are applied. `pdfx` uses `\pdfstringdef` together with a special fontencoding (similar to the PU-encoding of `hyperref`) for a similar aim. The code here is based on `\text_purify:n` followed by a few replacements for the escaping.

User data should normally be declared in the preamble (or even in the `\DocumentMetadata` command), and consist of rather simple text; & can be entered as `\&` (but directly & will normally work too), babel shorthands should not be used. Some data are interpreted as comma lists, in this cases commas which are part of the text should be protected by braces. In some cases a text in brackets like [en] is interpreted as language tag, if they are part of a text they should be protected by braces too. XMP-metadata are stored uncompressed in the PDF so if you are unsure if a value has been passed correctly, open the PDF in an editor, copy the whole block and pass it to a validator, e.g. <https://www.w3.org/RDF/Validator/>.

⁴`hyperxmp` was partly compatible as the `pdfmanagement` contained some patches for it, but these patches have now been removed.

⁵with a number of changes which are discussed in more details below

2.3 User interfaces and differences to `hyperxmp`

2.3.1 PDF standards

The `hyperxmp/hyperref` keys `pdfapart`, `pdfaconformance`, `pdfuapart`, `pdfxstandard` and `pdfa` are ignored by this code. Standards must be set with the `pdfstandard` key of `\DocumentMetadata`. This key can be used more than once, e.g.

`pdfstandard=A-2b, pdfstandard=X-4, pdfstandard=UA-1`.

Note that using these keys doesn't mean that the document actually follows the standard. L^AT_EX can neither ensure nor check all requirements of a standard, and not everything it can do theoretically has already been implemented. When setting an A standard, the code will e.g. insert a color profile and warn if the PDF version doesn't fit, but X and UA currently only adds the relevant declarations to the XMP-metadata. It is up to the author to ensure and validate that the document actually follows the standard.

2.3.2 Declarations

PDF knows beside standards also a more generic method to declare conformance to some specification by adding a declaration, see <https://pdfa.org/wp-content/uploads/2019/09/PDF-Declarations.pdf>). Such declarations can be added as a simple url which identify the specification or with additional details regarding date and credentials. An example would be

```
\DocumentMetadata{}
\documentclass{article}
\ExplSyntaxOn
\pdfmeta_xmp_add_declarati:e {https://pdfa.org/declarations\c_hash_str iso32005}
\pdfmeta_xmp_add_declarati:ennnn
{https://pdfa.org/declarations\c_hash_str wcag21A}{}{2023-11-20}{}{}
\pdfmeta_xmp_add_declarati:nnnnn
{https://github.com/TikZlings/no-duck-harmed}
{Ulrike~Fischer}{2023-11-20}{Bär}{https://github.com/u-fischer/bearwear}
\pdfmeta_xmp_add_declarati:nnnnn
{https://github.com/TikZlings/no-duck-harmed}
{Ulrike~Fischer}{2023-11-20}{Paulo}{https://github.com/cereda/sillypage}
\ExplSyntaxOff
\begin{document}
  text
\end{document}
```

2.3.3 Dates

- The dates `xmp:CreateDate`, `xmp:ModifyDate`, `xmp:MetadataDate` are normally set automatically to the current date/time when the compilation started. If they should be changed (e.g. for regression tests to produce reproducible documents) they can be set with `\hypersetup` with the keys `pdfcreationdate`, `pdfmoddate` and `pdfmetadate`.

```
\hypersetup{pdfcreationdate=D:20010101205959-00'00'}
```

The format should be a full date/time in PDF format, so one of these (naturally the numbers can change):

```
D:20010101205959-00'00'  
D:20010101205959+00'00'  
D:20010101205959Z
```

- The date `dc:date` is an “author date” and so should normally be set to the same date as given by `\date`. This can be done with the key `pdfdate`⁶. The value should be a date in ISO 8601 format:

```
2022          %year  
2022-09-04    %year-month-day  
2022-09-04T19:20 %year-month-day hour:minutes  
2022-09-04T19:20:30 % year-month-day hour:minutes:second  
2022-09-04T19:20:30.45 % year-month-day hour:minutes:second with fraction  
2022-09-04T19:20+01:00 % with time zone designator  
2022-09-04T19:20-02:00 % time zone designator  
2022-09-04T19:20Z      % time zone designator
```

It is also possible to give the date as a full date in PDF format as described above. If not set the current date/time is used.

2.4 Language

The code assumes that a default language is always declared (as the `pdfmanagement` gives the `/Lang` entry in the catalog a default value) This language can be changed with the `\DocumentMetadata` key `lang` (preferred) but the `hyperref` key `pdflang` is also honored. Its value should be a simple language tag like `de` or `de-DE`.

The main language is also used in a number of attributes in the XMP data, if wanted a different language can be set here with the `hyperref/hyperxmp` key `pdfmetalang`.

A number of entries can be given a language tag. Such a language is given by using an “optional argument” before the text:

```
\hypersetup{pdftitle={[en]english,[de]deutsch}}  
\hypersetup{pdfsubtitle={[en]subtitle in english}}
```

2.5 Rights

The keys `pdfcopyright` and `pdflicenseurl` work similar as in `hyperxmp`. But differently to `hyperxmp` the code doesn’t set the `xmpRights:Marked` property, as I have some doubts that one deduce its value simply by checking if the other keys have been used; if needed it can be added by using one of these settings (true means with copyright, false means public domain).

```
\AddToDocumentProperties[document]{copyright}{true}  
\AddToDocumentProperties[document]{copyright}{false}
```

⁶Extracting the value automatically from `\date` is not really possible as authors often put formatting or additional info in this command.

2.6 PDF related data

The PDF producer is for all engines by default built from the engine name and the engine version and doesn't use the banners as with `hyperxmp` and `pdfx`, it can be set manually with the `pdfproducer` key.

The key `pdftrapped` is ignored. `Trapped` is deprecated in PDF 2.0.

2.7 Document data

The authors should be given with the `pdfauthor` key, separated by commas. If an author contains a comma, protect/hide it by a brace.

2.8 User commands

The XMP-meta data are added automatically. This can be suppressed with the `\DocumentMetadata` key `xmp`.

```
\pdfmeta_xmp_add:n \pdfmeta_xmp_add:n{<XML>}
```

With this command additional XML code can be added to the Metadata. The content is added unchanged, and not sanitized.

```
\pdfmeta_xmp_xmlns_new:nn \pdfmeta_xmp_xmlns_new:nn{<prefix>}{<uri>}
```

With this command a xmlns name space can be added. The `<uri>` argument is expanded, a hash can be input with `\c_hash_str`.

With the two following commands PDF declarations can be added to the XMP metadata (see <https://pdfa.org/wp-content/uploads/2019/09/PDF-Declarations.pdf>).

```
\pdfmeta_xmp_add_declaratiion:n \pdfmeta_xmp_add_declaratiion:n{<uri>}\pdfmeta_xmp_add_declaratiion:e
```

This add a PDF declaration with the required `conformsTo` property to the XMP metadata. `<uri>` should not be empty and is a URI specifying the standard or profile referred to by the PDF Declaration. If the uri contains a hash, use `\c_hash_str` to escape it and use the `e` variant to expand it.

```
\pdfmeta_xmp_add_declaratiion:nnnnn \pdfmeta_xmp_add_declaratiion:nnnnn{<uri>}{<By>}{<Date>}{<Credentials>}{<Report>}\pdfmeta_xmp_add_declaratiion:(ennnn|eeenn)
```

This add a PDF declaration to the XMP metadata similar to `\pdfmeta_xmp_add_declaratiion:n`. With `<By>`, `<Date>`, `<Credentials>`, `<Report>` the optional fields `claimBy` (text), `claimDate` (iso date), `claimCredentials` (text) and `claimReport` (uri) of the `claimData` property can be given. If `\pdfmeta_xmp_add_declaratiion:nnnnn` is used twice with the same `<uri>` argument the `claimData` are concatenated. There is no check if the `claimData` are identical.

The following two commands can be used to extend the schema declarations in the XMP metadata. This is for example needed to implement a standard like ZUGferd/Faktur X for invoices. A schema declaration should be added only once but as this task is probably not needed frequently only light guards are there to avoid duplicated entries.

```
\pdfmeta_xmp_schema_new:n \pdfmeta_xmp_schema_new:nnn{\text}{\prefix}{\uri}
```

`\pdfmeta_xmp_schema_new:n` is some string describing the schema, e.g. PDF/A-Identification-Schema, `\prefix` is the unique prefix used by the schema. This prefix must be declared first with `\pdfmeta_xmp_xmlns_new:nn`. If a schema with this prefix has already been declared, it will currently be ignored with a warning. The `\uri` is expanded, so a hash can for example be given as `\c_hash_str`.

```
\pdfmeta_xmp_property_new:nnnn \pdfmeta_xmp_property_new:nnnnn{\schema
prefix}{\name}{\type}{\category}{\description}
```

If the new property already exists in the schema (as identified by the combination of `\schema_prefix` and `\name`) the property is silently ignore. `\schema_prefix` is the prefix declared with the previous command. `\schema`, e.g. PDF/A-Identification-Schema, `\name` is a short string that identifies the property, e.g. xmpMM or year. It must be unique in the properties of a schema. `\type` is e.g. URI or Integer or Text, `\category` is e.g. internal or external, `\description` is a free description string.

3 I3pdfmeta implementation

```
1 <@=pdfmeta>
2 <*header>
3 \ProvidesExplPackage{13pdfmeta}{2024-09-13}{0.961}
4   {PDF-Standards---LaTeX PDF management testphase bundle}
5 </header>
```

Message for unknown standards

```
6 <*package>
7 \msg_new:nnn {pdf }{unknown-standard}{The~standard~'#1'~is~unknown~and~has~been~ignored}
```

Message for not fitting pdf version

```
8 \msg_new:nnn {pdf }{wrong-pdfversion}
9   {PDF~version~#1~is~too~#2~for~standard~'#3'.}
```

```
\l__pdfmeta_tma_t1
\l__pdfmeta_tma_t1
\l__pdfmeta_tma_str
\g__pdfmetatma_str
\l__pdfmeta_tma_seq
\l__pdfmeta_tma_seq
\l__pdfmeta_tmb_t1
\l__pdfmeta_tmb_t1
\l__pdfmeta_tmb_str
\l__pdfmeta_tmb_seq
\l__pdfmeta_tmb_seq
```

(End of definition for `\l__pdfmeta_tma_t1` and others.)

3.1 Standards (work in progress)

3.1.1 Tools and tests

This internal property will contain for now the settings for the document.

```
\g__pdfmeta_standard_prop
16 \prop_new:N \g__pdfmeta_standard_prop
(End of definition for \g__pdfmeta_standard_prop.)
```

3.1.2 Functions to check a requirement

At first two commands to get the standard value if needed:

\pdfmeta_standard_item:n

```
17 \cs_new:Npn \pdfmeta_standard_item:n #1
18 {
19     \prop_item:Nn \g__pdfmeta_standard_prop {#1}
20 }
```

(End of definition for \pdfmeta_standard_item:n. This function is documented on page 2.)

\pdfmeta_standard_get:nN

```
21 \cs_new_protected:Npn \pdfmeta_standard_get:nN #1 #2
22 {
23     \prop_get:NnN \g__pdfmeta_standard_prop {#1} #2
24 }
```

(End of definition for \pdfmeta_standard_get:nN. This function is documented on page 2.)

Now two functions to check the requirement. A simple and one value/handler based.

\pdfmeta_standard_verify_p:n

This is a simple test is the requirement is in the prop.

```
25 \prg_new_conditional:Npnn \pdfmeta_standard_verify:n #1 {T,F,TF}
26 {
27     \prop_if_in:NnTF \g__pdfmeta_standard_prop {#1}
28     {
29         \prg_return_false:
30     }
31     {
32         \prg_return_true:
33     }
34 }
```

(End of definition for \pdfmeta_standard_verify:n. This function is documented on page 2.)

\pdfmeta_standard_verify:nTF

This allows to test against a user value. It calls a test handler if this exists and passes the user and the standard value to it. The test handler should return true or false.

```
35 \prg_new_protected_conditional:Npnn \pdfmeta_standard_verify:nn #1 #2 {T,F,TF}
36 {
37     \prop_if_in:NnTF \g__pdfmeta_standard_prop {#1}
38     {
39         \cs_if_exist:cTF {\_pdfmeta_standard_verify_handler_#1:nn}
40         {
41             \exp_args:Nnne
42             \use:c
43             {\_pdfmeta_standard_verify_handler_#1:nn}
44             { #2 }
45             { \prop_item:Nn \g__pdfmeta_standard_prop {#1} }
46         }
47         {
48             \prg_return_false:
49         }
50     }
51     {
52         \prg_return_true:
53     }
54 }
```

(End of definition for `\pdfmeta_standard_verify:nnTF`. This function is documented on page 2.)

Now we setup a number of handlers.

The first actually ignores the user values and tests against the current pdf version. If this is smaller than the minimum we report a failure. #1 is the user value, #2 the reference value from the standard.

```
_standard_verify_handler_min_pdf_version:nn
```

```
55 %
56 \cs_new_protected:Npn \__pdfmeta_standard_verify_handler_min_pdf_version:nn #1 #2
57 {
58     \pdf_version_compare:NnTF <
59     { #2 }
60     {\prg_return_false:}
61     {\prg_return_true:}
62 }
```

(End of definition for `__pdfmeta_standard_verify_handler_min_pdf_version:nn`.)

The next is the counter part and checks that the version is not to high

```
_standard_verify_handler_max_pdf_version:nn
```

```
63 %
64 \cs_new_protected:Npn \__pdfmeta_standard_verify_handler_max_pdf_version:nn #1 #2
65 {
66     \pdf_version_compare:NnTF >
67     { #2 }
68     {\prg_return_false:}
69     {\prg_return_true:}
70 }
```

(End of definition for `__pdfmeta_standard_verify_handler_max_pdf_version:nn`.)

The next checks if the user value is in the list and returns a failure if not.

```
ta_standard_verify_handler_named_actions:nn
```

```
71
72 \cs_new_protected:Npn \__pdfmeta_standard_verify_handler_named_actions:nn #1 #2
73 {
74     \tl_if_in:nnTF { #2 }{ #1 }
75     {\prg_return_true:}
76     {\prg_return_false:}
77 }
```

(End of definition for `__pdfmeta_standard_verify_handler_named_actions:nn`.)

The next checks if the user value is in the list and returns a failure if not.

```
a_standard_verify_handler_annot_action_A:nn
```

```
78 \cs_new_protected:Npn \__pdfmeta_standard_verify_handler_annot_action_A:nn #1 #2
79 {
80     \tl_if_in:nnTF { #2 }{ #1 }
81     {\prg_return_true:}
82     {\prg_return_false:}
83 }
```

(End of definition for `__pdfmeta_standard_verify_handler_annot_action_A:nn`.)

This check is probably not needed, but for completeness

```

dard_verify_handler_outputintent_subtype:nn
84 \cs_new_protected:Npn \__pdfmeta_standard_verify_handler_outputintent_subtype:nn #1 #2
85 {
86     \tl_if_eq:nnTF { #2 }{ #1 }
87     {\prg_return_true:}
88     {\prg_return_false:}
89 }

```

(End of definition for `__pdfmeta_standard_verify_handler_outputintent_subtype:nn`.)

3.1.3 Enforcing requirements

A number of requirements can sensibly be enforced by us.

Annot flags pdf/A require a number of settings here, we store them in a command which can be added to the property of the standard:

```

90 \cs_new_protected:Npn \__pdfmeta_verify_pdfa_annot_flags:
91 {
92     \bitset_set_true:Nn \l_pdfannot_F_bitset {Print}
93     \bitset_set_false:Nn \l_pdfannot_F_bitset {Hidden}
94     \bitset_set_false:Nn \l_pdfannot_F_bitset {Invisible}
95     \bitset_set_false:Nn \l_pdfannot_F_bitset {NoView}
96     \pdfannot_dict_put:nmm {link/URI}{F}{ \bitset_to_arabic:N \l_pdfannot_F_bitset }
97     \pdfannot_dict_put:nmm {link/GoTo}{F}{ \bitset_to_arabic:N \l_pdfannot_F_bitset }
98     \pdfannot_dict_put:nnn {link/GoToR}{F}{ \bitset_to_arabic:N \l_pdfannot_F_bitset }
99     \pdfannot_dict_put:nnn {link/Launch}{F}{ \bitset_to_arabic:N \l_pdfannot_F_bitset }
100    \pdfannot_dict_put:nnn {link/Named}{F}{ \bitset_to_arabic:N \l_pdfannot_F_bitset }
101 }

```

At begin document this should be checked:

```

102 \hook_gput_code:nnn {begindocument} {pdf}
103 {
104     \pdfmeta_standard_verify:nF { annot_flags }
105     { \__pdfmeta_verify_pdfa_annot_flags: }
106     \pdfmeta_standard_verify:nF { Trailer_no_Info }
107     { \__pdf_backend_omit_info:n {1} }
108     \pdfmeta_standard_verify:nF { no_CharSet }
109     { \__pdf_backend_omit_charset:n {1} }
110     \pdfmeta_standard_verify:nF { omit_CID }
111     { \__pdf_backend_omit_cidset:n {1} }
112     \pdfmeta_standard_verify:nnF { min_pdf_version }
113     { \pdf_version: }
114     { \msg_warning:nneee {pdf}{wrong-pdfversion}
115         {\pdf_version:}{low}
116         {
117             \pdfmeta_standard_item:n{type}
118             -
119             \pdfmeta_standard_item:n{level}
120         }
121     }
122     \pdfmeta_standard_verify:nnF { max_pdf_version }
123     { \pdf_version: }
124     { \msg_warning:nneee {pdf}{wrong-pdfversion}
125         {\pdf_version:}{high}

```

```

126     {
127         \pdfmeta_standard_item:n{type}
128         -
129         \pdfmeta_standard_item:n{level}
130     }
131 }
132 }
```

3.1.4 pdf/A

We use global properties so that follow up standards can be copied and then adjusted. Some note about requirements for more standard can be found in info/pdfstandard.tex.

```

\g_pdfmeta_standard_pdf/A-1B_prop
\g_pdfmeta_standard_pdf/A-2A_prop
\g_pdfmeta_standard_pdf/A-2B_prop
\g_pdfmeta_standard_pdf/A-2U_prop
\g_pdfmeta_standard_pdf/A-3A_prop
\g_pdfmeta_standard_pdf/A-3B_prop
\g_pdfmeta_standard_pdf/A-3U_prop
\g_pdfmeta_standard_pdf/A-4_prop

133 \prop_new:c { g_pdfmeta_standard_pdf/A-1B_prop }
134 \prop_gset_from_keyval:cn { g_pdfmeta_standard_pdf/A-1B_prop }
135 {
136     ,name          = pdf/A-1B
137     ,type          = A
138     ,level         = 1
139     ,conformance   = B
140     ,year          = 2005
141     ,min_pdf_version = 1.4      %minimum
142     ,max_pdf_version = 1.4      %minimum
143     ,no_encryption  =
144     ,no_external_content = % no F, FFILTER, or FDecodeParms in stream dicts
145     ,no_embed_content = % no EF key in filespec, no /Type/EmbeddedFiles
146     ,max_string_size  = 65535
147     ,max_array_size   = 8191
148     ,max_dict_size    = 4095
149     ,max_obj_num      = 8388607
150     ,max_nest_qQ       = 28
151     ,named_actions     = {NextPage, PrevPage, FirstPage, LastPage}
152     ,annot_flags       =
%booleans. Only the existence of the key matter.
%If the entry is added it means a requirements is there
%(in most cases "don't use ...")
%
=====
% Rule 6.1.13-1 CosDocument, isOptionalContentPresent == false
,Catalog_no_OCPProperties =
% Rule 6.9-4 The AS key shall not appear in any optional content configuration dictionary
% actually only starting with A-2 but doesn't harm here either
,Catalog_OCPProperties_no_AS=
=====
% Rule 6.6.1-1: PDAction, S == "GoTo" || S == "GoToR" || S == "Thread"
%           || S == "URI" || S == "Named" || S == "SubmitForm"
% means: no /S/Launch, /S/Sound, /S/Movie, /S/ResetForm, /S/ImportData,
%        /S/JavaScript, /S/Hide
,annot_action_A      = {GoTo, GoToR, Thread, URI, Named, SubmitForm}
=====
% Rule 6.6.2-1: PDA annot, Subtype != "Widget" || AA_size == 0
% means: no AA dictionary
,annot_widget_no_AA  =
```

```

173 %=====
174 % Rule 6.9-2: PDAnnot, Subtype != "Widget" || (A_size == 0 && AA_size == 0)
175 % (looks like a tightening of the previous rule)
176 ,annot_widget_no_A_AA =
177 %=====
178 % Rule 6.9-1 PDAcroForm, NeedAppearances == null || NeedAppearances == false
179 ,form_no_NeedAppearances =
180 %=====
181 %Rule 6.9-3 PDFFormField, AA_size == 0
182 ,form_no_AA =
183 %=====
184 % to be continued https://docs.verapdf.org/validation/pdfa-part1/
185 % - Outputintent/colorprofiles requirements
186 % an outputintent should be loaded and is unique.
187 ,outputintent_A = {GTS_PDF1}
188 % - no Alternates key in image dictionaries
189 % - no OPI, Ref, Subtype2 with PS key in xobjects
190 % - Interpolate = false in images
191 % - no TR, TR2 in ExtGstate
192 }
193
194 %A-2b =====
195 \prop_new:c { g__pdfmeta_standard_pdf/A-2B_prop }
196 \prop_gset_eq:cc
197 { g__pdfmeta_standard_pdf/A-2B_prop }
198 { g__pdfmeta_standard_pdf/A-1B_prop }
199 \prop_gput:cnn
200 { g__pdfmeta_standard_pdf/A-2B_prop }{name}{pdf/A-2B}
201 \prop_gput:cnn
202 { g__pdfmeta_standard_pdf/A-2B_prop }{year}{2011}
203 \prop_gput:cnn
204 { g__pdfmeta_standard_pdf/A-2B_prop }{level}{2}
205 % embedding files is allowed (with restrictions)
206 \prop_gremove:cn
207 { g__pdfmeta_standard_pdf/A-2B_prop }
208 { embed_content}
209 \prop_gput:cnn
210 { g__pdfmeta_standard_pdf/A-2B_prop }{max_pdf_version}{1.7}
211 \prop_gput:cnn
212 { g__pdfmeta_standard_pdf/A-2B_prop }{omit_CID}{}
213 % OCG layers are allowed (with restrictions)
214 \prop_gremove:cn
215 { g__pdfmeta_standard_pdf/A-2B_prop }
216 { Catalog_no_OCPproperties }

217
218 %A-2u =====
219 \prop_new:c { g__pdfmeta_standard_pdf/A-2U_prop }
220 \prop_gset_eq:cc
221 { g__pdfmeta_standard_pdf/A-2U_prop }
222 { g__pdfmeta_standard_pdf/A-2B_prop }
223 \prop_gput:cnn
224 { g__pdfmeta_standard_pdf/A-2U_prop }{name}{pdf/A-2U}
225 \prop_gput:cnn
226 { g__pdfmeta_standard_pdf/A-2U_prop }{conformance}{U}

```

```

227 \prop_gput:cnn
228   { g__pdfmeta_standard_pdf/A-2U_prop }{unicode}{}
229
230 %A-2a =====
231 \prop_new:c { g__pdfmeta_standard_pdf/A-2A_prop }
232 \prop_gset_eq:cc
233   { g__pdfmeta_standard_pdf/A-2A_prop }
234   { g__pdfmeta_standard_pdf/A-2B_prop }
235 \prop_gput:cnn
236   { g__pdfmeta_standard_pdf/A-2A_prop }{name}{pdf/A-2A}
237 \prop_gput:cnn
238   { g__pdfmeta_standard_pdf/A-2A_prop }{conformance}{A}
239 \prop_gput:cnn
240   { g__pdfmeta_standard_pdf/A-2A_prop }{tagged}{}
241
242
243 %A-3b =====
244 \prop_new:c { g__pdfmeta_standard_pdf/A-3B_prop }
245 \prop_gset_eq:cc
246   { g__pdfmeta_standard_pdf/A-3B_prop }
247   { g__pdfmeta_standard_pdf/A-2B_prop }
248 \prop_gput:cnn
249   { g__pdfmeta_standard_pdf/A-3B_prop }{name}{pdf/A-3B}
250 \prop_gput:cnn
251   { g__pdfmeta_standard_pdf/A-3B_prop }{year}{2012}
252 \prop_gput:cnn
253   { g__pdfmeta_standard_pdf/A-3B_prop }{level}{3}
254 % embedding files is allowed (with restrictions)
255 \prop_gremove:cnn
256   { g__pdfmeta_standard_pdf/A-3B_prop }
257   { embed_content}
258 %A-3u =====
259 \prop_new:c { g__pdfmeta_standard_pdf/A-3U_prop }
260 \prop_gset_eq:cc
261   { g__pdfmeta_standard_pdf/A-3U_prop }
262   { g__pdfmeta_standard_pdf/A-3B_prop }
263 \prop_gput:cnn
264   { g__pdfmeta_standard_pdf/A-3U_prop }{name}{pdf/A-3U}
265 \prop_gput:cnn
266   { g__pdfmeta_standard_pdf/A-3U_prop }{conformance}{U}
267 \prop_gput:cnn
268   { g__pdfmeta_standard_pdf/A-3U_prop }{unicode}{}
269
270 %A-3a =====
271 \prop_new:c { g__pdfmeta_standard_pdf/A-3A_prop }
272 \prop_gset_eq:cc
273   { g__pdfmeta_standard_pdf/A-3A_prop }
274   { g__pdfmeta_standard_pdf/A-3B_prop }
275 \prop_gput:cnn
276   { g__pdfmeta_standard_pdf/A-3A_prop }{name}{pdf/A-3A}
277 \prop_gput:cnn
278   { g__pdfmeta_standard_pdf/A-3A_prop }{conformance}{A}
279 \prop_gput:cnn
280   { g__pdfmeta_standard_pdf/A-3A_prop }{tagged}{}

```

```

281 %A-4 =====
282 \prop_new:c { g__pdfmeta_standard_pdf/A-4_prop }
283 \prop_gset_eq:cc
284   { g__pdfmeta_standard_pdf/A-4_prop }
285   { g__pdfmeta_standard_pdf/A-3U_prop }
286 \prop_gput:cnn
287   { g__pdfmeta_standard_pdf/A-4_prop }{name}{pdf/A-4}
288 \prop_gput:cnn
289   { g__pdfmeta_standard_pdf/A-4_prop }{level}{4}
290 \prop_gput:cnn
291   { g__pdfmeta_standard_pdf/A-4_prop }{min_pdf_version}{2.0}
292 \prop_gput:cnn
293   { g__pdfmeta_standard_pdf/A-4_prop }{year}{2020}
294 \prop_gput:cnn
295   { g__pdfmeta_standard_pdf/A-4_prop }{no_CharSet}{}
296 \prop_gput:cnn
297   { g__pdfmeta_standard_pdf/A-4_prop }{Trailer_no_Info}{}
298 \prop_gremove:cn
299   { g__pdfmeta_standard_pdf/A-4_prop }{conformance}
300 \prop_gremove:cn
301   { g__pdfmeta_standard_pdf/A-4_prop }{max_pdf_version}
302 \prop_gremove:cn
303   { g__pdfmeta_standard_pdf/A-4_prop }{Catalog_0CProperties_no_AS}
304 %A-4f =====
305 \prop_new:c { g__pdfmeta_standard_pdf/A-4F_prop }
306 \prop_gset_eq:cc
307   { g__pdfmeta_standard_pdf/A-4F_prop }
308   { g__pdfmeta_standard_pdf/A-4F_prop }
309 \prop_gput:cnn
310   { g__pdfmeta_standard_pdf/A-4F_prop }{conformance}{F}
311 % containsEmbeddedFiles == true ISO 19005-4:2020, Clause: 6.9, Test number: 5
312 \prop_gput:cnn
313   { g__pdfmeta_standard_pdf/A-4F_prop }{Catalog_EmbeddedFiles}{}

(End of definition for \g__pdfmeta_standard_pdf/A-1B_prop and others.)

```

3.1.5 Embedded Files

Standard 4-AF is needed if we add AF files for tagging but it also requires an Embedded-Files name tree, so we test at the end if the name tree is empty and add a small readme if yes

```

315 \AddToHook{begindocument/end}
316 {
317   \pdfmeta_standard_verify:nF{Catalog_EmbeddedFiles}
318   {
319     \tl_gput_right:Nn\g__kernel_pdfmanagement_end_run_code_tl
320     {
321       \bool_if:NT \g__pdfmanagement_active_bool
322       {
323         \pdfdict_if_empty:nT { g__pdf_Core/Catalog/Names/EmbeddedFiles }
324         {
325           \group_begin:
326             \pdfdict_put:nne {l_pdffile/Filespec} {Desc}{(note-about-PDF/A-4F)}

```

```

327     \pdfdict_put:nnn { l_pdffile/Filespec }{AFRelationship} { /Unspecified }
328     \pdffile_embed_stream:nnN {PDF~standard~A-4F~requires~a~file}{readme.txt}\l__pdfmeta_
329     \exp_args:Nne \__pdf_backend_Names_gpush:nn{EmbeddedFiles}{(readme)~\l__pdfmeta_
330     \group_end:
331     }
332   }
333 }
334 }
335 }
```

3.1.6 Colorprofiles and Outputintents

The following provides a minimum of interface to add a color profile and an outputintent need for PDF/A for now. There will be need to extend it later, so we try for enough generality.

Adding a profile and an intent is technically easy:

1. Embed the profile as stream with

```
\pdf_object_unnamed_write:nn{fstream} {{/N~4}{XXX.icc}}
```

2. Write a /OutputIntent dictionary for this

```
\pdf_object_unnamed_write:ne {dict}
{
  /Type /OutputIntent
  /S /GTS_PDFA1 % or GTS_PDFX or ISO_PDFE1 or ...
  /DestOutputProfile \pdf_object_ref_last: % ref the color profile
  /OutputConditionIdentifier ...
  ... %more info
}
```

3. Reference the dictionary in the catalog:

```
\pdfmanagement_add:nne {Catalog}{OutputIntents}{\pdf_object_ref_last:}
```

But we need to do a bit more work, to get the interface right. The object for the profile should be named, to allow l3color to reuse it if needed. And we need container to store the profiles, to handle the standard requirements.

`\g__pdfmeta_outputintents_prop`

This variable will hold the profiles for the subtypes. We assume that every subtype has only one color profile.

```
336 \prop_new:N \g__pdfmeta_outputintents_prop
```

(End of definition for `\g__pdfmeta_outputintents_prop`.)

Some keys to fill the property.

```

337 \keys_define:nn { document / metadata }
338 {
339   colorprofiles .code:n =
340   {
341     \keys_set:nn { document / metadata / colorprofiles }{#1}
342   }
343 }
344 \keys_define:nn { document / metadata / colorprofiles }
```

```

345  {
346      ,A .code:n =
347      {
348          \tl_if_blank:nF {#1}
349          {
350              \prop_gput:Nnn \g__pdfmeta_outputintents_prop
351                  { GTS_PDFA1 } {#1}
352          }
353      }
354      ,a .code:n =
355      {
356          \tl_if_blank:nF {#1}
357          {
358              \prop_gput:Nnn \g__pdfmeta_outputintents_prop
359                  { GTS_PDFA1 } {#1}
360          }
361      }
362      ,X .code:n =
363      {
364          \tl_if_blank:nF {#1}
365          {
366              \prop_gput:Nnn \g__pdfmeta_outputintents_prop
367                  { GTS_PDFX } {#1}
368          }
369      }
370      ,x .code:n =
371      {
372          \tl_if_blank:nF {#1}
373          {
374              \prop_gput:Nnn \g__pdfmeta_outputintents_prop
375                  { GTS_PDFX } {#1}
376          }
377      }
378      ,unknown .code:n =
379      {
380          \tl_if_blank:nF {#1}
381          {
382              \exp_args:NNo
383              \prop_gput:Nnn \g__pdfmeta_outputintents_prop
384                  { \l_keys_key_str } {#1}
385          }
386      }
387  }

```

At first we setup our two default profiles. This is internal as the public interface is still undecided.

```

388 \pdfdict_new:n  {l_pdfmeta/outputintent}
389 \pdfdict_put:nnn {l_pdfmeta/outputintent}
390   {Type}{/OutputIntent}
391 \prop_const_from_keyval:cn { c__pdfmeta_colorprofile_sRGB.icc}
392   {
393       ,OutputConditionIdentifier=IEC~sRGB
394       ,Info=IEC~61966-2.1~Default~RGB~colour~space---sRGB
395       ,RegistryName=http://www.iec.ch

```

```

396     ,N = 3
397   }
398 \prop_const_from_keyval:cn { c__pdfmeta_colorprofile_FOGRA39L_coated.icc}
399   {
400     ,OutputConditionIdentifier=FOGRA39L~Coated
401     ,Info={Offset-printing,-according-to-ISO-12647-2:2004/Amd~1,~OFCOM,~%
402             paper-type~1~or~2~-coated-art,~115~g/m2,~tone~value~increase~%
403             curves~A~(CMY)~and~B~(K)}
404     ,RegistryName=http://www.fogra.org
405     ,N = 4
406   }

```

_pdfmeta_embed_colorprofile:
_pdfmeta_write_outputintent:nn

The commands embed the profile, and write the dictionary and add it to the catalog. The first command should perhaps be moved to l3color as it needs such profiles too. We used named objects so that we can check if the profile is already there. This is not foolproof if paths are used.

```

407 \cs_new_protected:Npn \_pdfmeta_embed_colorprofile:n #1%#1 file name
408   {
409     \pdf_object_if_exist:nF { __color_icc_ #1 }
410     {
411       \pdf_object_new:n { __color_icc_ #1 }
412       \pdf_object_write:nne { __color_icc_ #1 } { fstream }
413       {
414         /N\c_space_tl
415         \prop_item:cn{c__pdfmeta_colorprofile_#1}{N}
416       }
417       {#1}
418     }
419   }
420 }
421
422 \cs_new_protected:Npn \_pdfmeta_write_outputintent:nn #1 #2 %#1 file name, #2 subtype
423   {
424     \group_begin:
425     \pdfdict_put:nne {l_pdfmeta/outputintent}{S}{/\str_convert_pdfname:n{#2}}
426     \pdfdict_put:nne {l_pdfmeta/outputintent}
427       {DestOutputProfile}
428       {\pdf_object_ref:n{ __color_icc_ #1 }}
429     \clist_map_inline:nn { OutputConditionIdentifier, Info, RegistryName }
430     {
431       \prop_get:cnNT
432         { c__pdfmeta_colorprofile_#1}
433         { ##1 }
434       \l__pdfmeta_tmpa_tl
435       {
436         \pdf_string_from_unicode:nVN {utf8/string}\l__pdfmeta_tmpa_tl\l__pdfmeta_tmpa_st
437         \pdfdict_put:nne
438           {l_pdfmeta/outputintent}{##1}{\l__pdfmeta_tmpa_str}
439       }
440     }
441     \pdf_object_unnamed_write:ne {dict}{\pdfdict_use:n {l_pdfmeta/outputintent} }
442     \pdfmanagement_add:nne {Catalog}{OutputIntents}{\pdf_object_ref_last:}
443   \group_end:
444 }

```

(End of definition for `_pdfmeta_embed_colorprofile:n` and `_pdfmeta_write_outputintent:nn`.)
Now the verifying code. If no requirement is set we simply loop over the property

```

445   \AddToHook{begindocument/end}
446   {
447     \pdfmeta_standard_verify:nTF {outputintent_A}
448     {
449       \prop_map_inline:Nn \g__pdfmeta_outputintents_prop
450       {
451         \prop_if_exist:cTF {c__pdfmeta_colorprofile_#2}
452         {
453           \_pdfmeta_embed_colorprofile:n
454             {#2}
455           \_pdfmeta_write_outputintent:nn
456             {#2}
457             {#1}
458         }
459       }
460       {
461         \msg_warning:nnn{pdfmeta}{colorprofile-undefined}{#2}
462       }
463     }
464   }

```

If an output intent is required for pdf/A we need to ensure, that the key of default subtype has a value, as default we take sRGB.icc. Then we loop but take always the same profile.

```

465   {
466     \exp_args:NNe
467     \prop_if_in:Nnf
468       \g__pdfmeta_outputintents_prop
469       { \pdfmeta_standard_item:n { outputintent_A } }
470     {
471       \exp_args:NNe
472       \prop_gput:Nnn
473         \g__pdfmeta_outputintents_prop
474         { \pdfmeta_standard_item:n { outputintent_A } }
475         { sRGB.icc }
476     }
477     \exp_args:NNe
478     \prop_get:Nnn
479       \g__pdfmeta_outputintents_prop
480       { \pdfmeta_standard_item:n { outputintent_A } }
481       \l__pdfmeta_tmpb_tl
482     \prop_if_exist:cTF {c__pdfmeta_colorprofile_\l__pdfmeta_tmpb_tl}
483     {
484       \exp_args:NV \_pdfmeta_embed_colorprofile:n \l__pdfmeta_tmpb_tl
485       \prop_map_inline:Nn \g__pdfmeta_outputintents_prop
486       {
487         \exp_args:NV
488           \_pdfmeta_write_outputintent:nn
489             \l__pdfmeta_tmpb_tl
490             { #1 }
491       }
492     }

```

```

493     {
494         \msg_warning:nne{pdfmeta}{colorprofile-undefined}{\l__pdfmeta_tmpb_tl}
495     }
496 }
497 }
```

3.2 Regression test

This is simply a copy of the backend function.

```

498 \cs_new_protected:Npn \pdfmeta_set_regression_data:
499     { \__pdf_backend_set_regression_data: }
```

4 XMP-Metadata implementation

\g__pdfmeta_xmp_bool This boolean decides if the metadata are included

```

500 \bool_new:N\g__pdfmeta_xmp_bool
501 \bool_gset_true:N \g__pdfmeta_xmp_bool
```

(End of definition for \g__pdfmeta_xmp_bool.)

Preset the two fields to avoid problems with standards.

```

502 \hook_gput_code:nnn{pdfmanagement/add}{pdfmanagement}
503     {
504         \pdfmanagement_add:nne {Info}{Producer}{(\c_sys_engine_exec_str-\c_sys_engine_version_str)}
505         \pdfmanagement_add:nne {Info}{Creator}{(LaTeX)}
506     }
```

4.1 New document keys

```

507 \keys_define:nn { document / metadata }
508 {
509     _pdfstandard / X-4 .code:n =
510         {\AddToDocumentProperties [document]{pdfstandard-X}{PDF/X-4}},
511     _pdfstandard / X-4p .code:n =
512         {\AddToDocumentProperties [document]{pdfstandard-X}{PDF/X-4p}},
513     _pdfstandard / X-5g .code:n =
514         {\AddToDocumentProperties [document]{pdfstandard-X}{PDF/X-5g}},
515     _pdfstandard / X-5n .code:n =
516         {\AddToDocumentProperties [document]{pdfstandard-X}{PDF/X-5n}},
517     _pdfstandard / X-5pg .code:n =
518         {\AddToDocumentProperties [document]{pdfstandard-X}{PDF/X-5pg}},
519     _pdfstandard / X-6 .code:n =
520         {\AddToDocumentProperties [document]{pdfstandard-X}{PDF/X-6p}},
521     _pdfstandard / X-6n .code:n =
522         {\AddToDocumentProperties [document]{pdfstandard-X}{PDF/X-6n}},
523     _pdfstandard / X-6p .code:n =
524         {\AddToDocumentProperties [document]{pdfstandard-X}{PDF/X-6p}},
525     _pdfstandard / UA-1 .code:n =
526     {
527         \AddToDocumentProperties [document]{pdfstandard-UA}{{1}{}}
528         \AddToHook{begindocument/before}
529         {
530             \pdf_version_compare:NnF < {2.0}
```

```

531     {
532         \msg_warning:nneee
533         {pdf}{wrong-pdfversion}
534         {\pdf_version:}{high}{UA-1}
535     }
536 }
537 },

```

currently it is not possible to merge requirements - these need some thoughts as every standard has some common keys like the name or the yes. We therefore add some requirements manually.

```

538 _pdfstandard / UA-2 .code:n =
539 {
540     \AddToDocumentProperties [document]{pdfstandard-UA}{{2}{2024}}
541     \AddToHook{begindocument/before}
542     {\prop_gput:Nnn \g__pdfmeta_standard_prop {Trailer_no_Info}{}}
543     \AddToHook{begindocument/before}
544     {
545         \__pdfmeta_xmp_wtpdf_accessibility_declaration:
546         \__pdfmeta_xmp_wtpdf_reuse_declaration:
547         \pdf_version_compare:NnT < {2.0}
548         {
549             \msg_warning:nneee
550             {pdf}{wrong-pdfversion}
551             {\pdf_version:}{low}{UA-2}
552         }
553     }
554 },
555 xmp .choice:,
556 xmp / true .code:n = { \bool_gset_true:N \g__pdfmeta_xmp_bool },
557 xmp / false .code:n = { \bool_gset_false:N \g__pdfmeta_xmp_bool},
558 xmp .default:n = true,

```

These keys allow to disable or force the wtpdf declarations. Currently the content can not be changed and once they have been disabled there are gone. This will perhaps change.

```

559 xmp / wtpdf .code:n =
560 {
561     \keys_set:nn {__pdfmeta/xmp}{#1}
562 },
563 }
564 \keys_define:nn {__pdfmeta/xmp}
565 {
566     reuse .choice:,
567     reuse / true .code:n = \__pdfmeta_xmp_wtpdf_reuse_declaration:,
568     reuse / false .code:n =
569     {
570         \cs_set_eq:NN \__pdfmeta_xmp_wtpdf_reuse_declaration: \prg_do_nothing:
571     },
572     accessibility .choice:,
573     accessibility / true .code:n = \__pdfmeta_xmp_wtpdf_accessibility_declaration:,
574     accessibility /false .code:n =
575     {
576         \cs_set_eq:NN \__pdfmeta_xmp_wtpdf_accessibility_declaration: \prg_do_nothing:
577     },
578 }

```

```

XMP debugging option
579 \bool_new:N \g__pdfmeta_xmp_export_bool
580 \str_new:N \g__pdfmeta_xmp_export_str
581
582 \keys_define:nn { document / metadata }
583 {
584     ,debug / xmp-export .choice:
585     ,debug / xmp-export / true .code:n=
586     {
587         \bool_gset_true:N \g__pdfmeta_xmp_export_bool
588         \str_gset_eq:NN \g__pdfmeta_xmp_export_str \c_sys_jobname_str
589     }
590     ,debug / xmp-export / false .code:n =
591     {
592         \bool_gset_false:N \g__pdfmeta_xmp_export_bool
593     }
594     ,debug / xmp-export /unknown .code:n =
595     {
596         \bool_gset_true:N \g__pdfmeta_xmp_export_bool
597         \str_gset:Nn \g__pdfmeta_xmp_export_str { #1 }
598     }
599     ,debug / xmp-export .default:n = true
600 }

```

4.2 Messages

```

601 \msg_new:nnn{pdfmeta}{xmp-defined}{The~XMP~#1~'#2`~is~already~declared}
602 \msg_new:nnn{pdfmeta}{xmp-undefined}{The~XMP~#1~'#2`~is~undefined}
603 \msg_new:nnn{pdfmeta}{colorprofile-undefined}{The~colorprofile~'#1`~is~unknown}

```

4.3 Some helper commands

4.3.1 Generate a BOM

```

\_pdfmeta_xmp_generate_bom:
604 \bool_lazy_or:nnTF
605 { \sys_if_engine_luatex_p: }
606 { \sys_if_engine_xetex_p: }
607 {
608     \cs_new:Npn \_pdfmeta_xmp_generate_bom:
609     { \char_generate:nn {"FEFF}{12} }
610 }
611 {
612     \cs_new:Npn \_pdfmeta_xmp_generate_bom:
613     {
614         \char_generate:nn {"EF}{12}
615         \char_generate:nn {"BB}{12}
616         \char_generate:nn {"BF}{12}
617     }
618 }

```

(End of definition for _pdfmeta_xmp_generate_bom:.)

4.3.2 Indentation

We provide a command which indents the xml based on a counter, and one which accepts a fix number. The counter can be increased and decreased.

```
\l__pdfmeta_xmp_indent_int
619 \int_new:N \l__pdfmeta_xmp_indent_int
(End of definition for \l__pdfmeta_xmp_indent_int.)
```

```
\__pdfmeta_xmp_indent:
\__pdfmeta_xmp_indent:n
\_pdfmeta_xmp_incr_indent:
\__pdfmeta_xmp_decr_indent:
620 \cs_new:Npn \__pdfmeta_xmp_indent:
621 {
622     \iow_newline:
623     \prg_replicate:nn {\l__pdfmeta_xmp_indent_int}{\c_space_tl}
624 }
625
626 \cs_new:Npn \__pdfmeta_xmp_indent:n #1
627 {
628     \iow_newline:
629     \prg_replicate:nn {#1}{\c_space_tl}
630 }
631
632 \cs_new_protected:Npn \__pdfmeta_xmp_incr_indent:
633 {
634     \int_incr:N \l__pdfmeta_xmp_indent_int
635 }
636
637 \cs_new_protected:Npn \__pdfmeta_xmp_decr_indent:
638 {
639     \int_decr:N \l__pdfmeta_xmp_indent_int
640 }
```

(End of definition for __pdfmeta_xmp_indent: and others.)

4.3.3 Date and time handling

If the date is given in PDF format we have to split it to create the XMP format. We use a precompiled regex for this. To some extend the regex can also handle incomplete dates.

```
\l__pdfmeta_xmp_date_regex
641 \regex_new:N \l__pdfmeta_xmp_date_regex
642 \regex_set:Nn \l__pdfmeta_xmp_date_regex
643 {D:(\d{4})(\d{2})(\d{2})(\d{2})?(\d{2})?((\d{2})?([Z\+\-])?(?:(\d{2})\'))?(?:(\d{2})\'))?}
```

(End of definition for \l__pdfmeta_xmp_date_regex.)

__pdfmeta_xmp_date_split:nN This command takes a date in PDF format, splits it with the regex and stores the captures in a sequence.

```
644 \cs_new_protected:Npn \__pdfmeta_xmp_date_split:nN #1 #2 %#1 date, #2 seq
645 {
646     \regex_split:NnN \l__pdfmeta_xmp_date_regex {#1} #2
647 }
648 \cs_generate_variant:Nn \__pdfmeta_xmp_date_split:nN {VN,eN}
```

(End of definition for `__pdfmeta_xmp_date_split:nN`.)

`__pdfmeta_xmp_print_date:N` This prints the date stored in a sequence as created by the previous command.

```
649 \cs_new:Npn\_\_pdfmeta_xmp_print_date:N #1 % seq
650 {
651     \tl_if_blank:eTF { \seq_item:Nn #1 {1} }
652     {
653         \seq_item:Nn #1 {2} %year
654         -
655         \seq_item:Nn #1 {3} %month
656         -
657         \seq_item:Nn #1 {4} % day
658         \tl_if_blank:eF
659             { \seq_item:Nn #1 {5} }
660             { T \seq_item:Nn #1 {5} } %hour
661         \tl_if_blank:eF
662             { \seq_item:Nn #1 {6} }
663             { : \seq_item:Nn #1 {6} } %minutes
664         \tl_if_blank:eF
665             { \seq_item:Nn #1 {7} }
666             { : \seq_item:Nn #1 {7} } %seconds
667         \seq_item:Nn #1 {8} %Z,+,-
668         \seq_item:Nn #1 {9}
669         \tl_if_blank:eF
670             { \seq_item:Nn #1 {10} }
671             { : \seq_item:Nn #1 {10} }
672     }
673     {
674         \seq_item:Nn #1 {1}
675     }
676 }
```

(End of definition for `__pdfmeta_xmp_print_date:N`.)

`\l__pdfmeta_xmp_currentdate_tl` The tl var contains the date of the log-file in PDF format, the seq the result split with the regex.

```
677 \tl_new:N \l_\_pdfmeta_xmp_currentdate_tl
678 \seq_new:N \l_\_pdfmeta_xmp_currentdate_seq
```

(End of definition for `\l__pdfmeta_xmp_currentdate_tl` and `\l__pdfmeta_xmp_currentdate_seq`.)

`__pdfmeta_xmp_date_get:nNN` This checks a document property and if empty uses the current date.

```
679 \cs_new_protected:Npn \_\_pdfmeta_xmp_date_get:nNN #1 #2 #3
680     %#1 property, #2 tl var with PDF date, #3 seq for split date
681 {
682     \tl_set:Ne #2 { \GetDocumentProperties{#1} }
683     \tl_if_blank:VTF #2
684     {
685         \seq_set_eq:NN #3 \l_\_pdfmeta_xmp_currentdate_seq
686         \tl_set_eq:NN #2 \l_\_pdfmeta_xmp_currentdate_tl
687     }
688     {
689         \_\_pdfmeta_xmp_date_split:VN #2 #3
690     }
691 }
```

(End of definition for `_pdfmeta_xmp_date_get:nNN`.)

4.3.4 UUID

We need a command to generate an uuid

```
\_pdfmeta_xmp_create_uuid:nN
692 \cs_new_protected:Npn \_pdfmeta_xmp_create_uuid:nN #1 #2
693 {
694     \str_set:Ne#2 {\str_lowercase:f{\tex_mdfivesum:D{#1}}}
695     \str_set:Ne#2
696     {
697         \uuid:
698         \str_range:Nnn #2{1}{8}
699         -\str_range:Nnn#2{9}{12}
700         -4\str_range:Nnn#2{13}{15}
701         -8\str_range:Nnn#2{16}{18}
702         -\str_range:Nnn#2{19}{30}
703     }
704 }
```

(End of definition for `_pdfmeta_xmp_create_uuid:nN`.)

4.3.5 Purifying and escaping of strings

We have to sanitize the user input. For this we pass it through `\text_purify` and then replace a few special chars.

```
704 \cs_new_protected:Npn \_pdfmeta_xmp_sanitize:nN #1 #2
705 %#1 input string, #2 str with the output
706 {
707     \group_begin:
708     \text_declare_purify_equivalent:Nn \& {\tl_to_str:N & }
709     \text_declare_purify_equivalent:Nn \texttilde {\c_tilde_str}
710     \tl_set:Ne \l_pdfmeta_tmpa_tl { \text_purify:n {#1} }
711     \str_gset:Ne \g_pdfmeta_tmpa_str { \tl_to_str:N \l_pdfmeta_tmpa_tl }
712     \str_greplace_all:Nnn \g_pdfmeta_tmpa_str {&}{&amp;}
713     \str_greplace_all:Nnn \g_pdfmeta_tmpa_str {<}{&lt;}
714     \str_greplace_all:Nnn \g_pdfmeta_tmpa_str {>}{&gt;}
715     \str_greplace_all:Nnn \g_pdfmeta_tmpa_str {"}{&quot;}
716     \group_end:
717     \str_set_eq:NN #2 \g_pdfmeta_tmpa_str
718 }
719
720 \cs_generate_variant:Nn \_pdfmeta_xmp_sanitize:nN {VN}
```

(End of definition for `_pdfmeta_xmp_sanitize:nN`.)

4.4 Language handling

The language of the metadata is used in various attributes, so we store it in command.

```
\l_pdfmeta_xmp_doclang_tl
\l_pdfmeta_xmp_metalang_tl
721 \tl_new:N \l_pdfmeta_xmp_doclang_tl
722 \tl_new:N \l_pdfmeta_xmp_metalang_tl
```

(End of definition for `\l_pdfmeta_xmp_doclang_tl` and `\l_pdfmeta_xmp_metalang_tl`.)

The language is retrieved at the start of the packet. We assume that `lang` is always set and so don't use the `x-default` value of `hyperxmp`.

```
\l_pdfmeta_xmp_lang_regex
723 \regex_new:N \l_pdfmeta_xmp_lang_regex
724 \regex_set:Nn \l_pdfmeta_xmp_lang_regex {\A\[(([A-Za-z\-\-]+)\] \(.*)\)}
(End of definition for \l_pdfmeta_xmp_lang_regex.)

725 \cs_new_protected:Npn \__pdfmeta_xmp_lang_get:nNN #1 #2 #3
726 % #1 text, #2 tl var for lang match (or default), #3 tl var for text
727 {
728     \regex_extract_once:NnN \l_pdfmeta_xmp_lang_regex {\#1} \l_pdfmeta_tmpa_seq
729     \seq_if_empty:NTF \l_pdfmeta_tmpa_seq
730     {
731         \tl_set:Nn #2 \l_pdfmeta_xmp_metalang_tl
732         \tl_set:Nn #3 {\#1}
733     }
734     {
735         \tl_set:Ne #2 {\seq_item:Nn \l_pdfmeta_tmpa_seq{2}}
736         \tl_set:Ne #3 {\seq_item:Nn \l_pdfmeta_tmpa_seq{3}}
737     }
738 }
739 \cs_generate_variant:Nn \__pdfmeta_xmp_lang_get:nNN {eNN,VNN}
```

4.5 Filling the packet

This `tl` var that holds the whole packet

```
\g_pdfmeta_xmp_packet_tl
740 \tl_new:N \g_pdfmeta_xmp_packet_tl
(End of definition for \g_pdfmeta_xmp_packet_tl.)
```

4.5.1 Helper commands to add lines and lists

This is the most basic command. It is meant to produce a line and will use the current indent.

```
741 \cs_new_protected:Npn \__pdfmeta_xmp_add_packet_chunk:n #1
742 {
743     \tl_gput_right:Ne \g_pdfmeta_xmp_packet_tl
744     {
745         \__pdfmeta_xmp_indent: \exp_not:n{\#1}
746     }
747 }
748 \cs_generate_variant:Nn \__pdfmeta_xmp_add_packet_chunk:n {e}
(End of definition for \__pdfmeta_xmp_add_packet_chunk:n.)
```

This is the most basic command. It is meant to produce a line and will use the current indent.

```
749 \cs_new_protected:Npn \__pdfmeta_xmp_add_packet_chunk:nN #1 #2
750 {
751     \tl_put_right:Ne#2
```

```

752     {
753         \_pdfmeta_xmp_indent: \exp_not:n{#1}
754     }
755 }
756 \cs_generate_variant:Nn \_pdfmeta_xmp_add_packet_chunk:nN {eN}

(End of definition for \_pdfmeta_xmp_add_packet_chunk:nN.)

```

_pdfmeta_xmp_add_packet_open:nn

This commands opens a xml structure and increases the indent.

```

757 \cs_new_protected:Npn \_pdfmeta_xmp_add_packet_open:nn #1 #2 %#1 prefix #2 name
758 {
759     \_pdfmeta_xmp_add_packet_chunk:n {<#1:#2>}
760     \_pdfmeta_xmp_incr_indent:
761 }
762 \cs_generate_variant:Nn \_pdfmeta_xmp_add_packet_open:nn {ne}

(End of definition for \_pdfmeta_xmp_add_packet_open:nn.)

```

_pdfmeta_xmp_add_packet_open_attr:nnn

This commands opens a xml structure too but allows also to give an attribute.

```

763 \cs_new_protected:Npn \_pdfmeta_xmp_add_packet_open_attr:nnn #1 #2 #3
764 %#1 prefix #2 name #3 attr
765 {
766     \_pdfmeta_xmp_add_packet_chunk:n {<#1:#2:#3>}
767     \_pdfmeta_xmp_incr_indent:
768 }
769 \cs_generate_variant:Nn \_pdfmeta_xmp_add_packet_open_attr:nnn {nne}

(End of definition for \_pdfmeta_xmp_add_packet_open_attr:nnn.)

```

_pdfmeta_xmp_add_packet_close:nn

This closes a structure and decreases the indent.

```

770 \cs_new_protected:Npn \_pdfmeta_xmp_add_packet_close:nn #1 #2 %#1 prefix #2:name
771 {
772     \_pdfmeta_xmp_decr_indent:
773     \_pdfmeta_xmp_add_packet_chunk:n {</#1:#2>}
774 }

(End of definition for \_pdfmeta_xmp_add_packet_close:nn.)

```

_pdfmeta_xmp_add_packet_line:nnn

This will produce a full line with open and closing xml. The content is sanitized. We test if there is content to be able to suppress data which has not be set.

```

775 \cs_new_protected:Npn \_pdfmeta_xmp_add_packet_line:nnn #1 #2 #3
776 %#1 prefix #2 name #3 content
777 {
778     \tl_if_blank:nF {#3}
779     {
780         \_pdfmeta_xmp_sanitize:nN {#3}\l__pdfmeta_tmpa_str
781         \_pdfmeta_xmp_add_packet_chunk:e {<#1:#2>\l__pdfmeta_tmpa_str</#1:#2>}
782     }
783 }
784 \cs_generate_variant:Nn \_pdfmeta_xmp_add_packet_line:nnn {nne,nnV,nee}

(End of definition for \_pdfmeta_xmp_add_packet_line:nnn.)

```

```
\_\_pdfmeta_xmp_add_packet_line:nnnN
```

This will produce a full line with open and closing xml and store it in the given tl-var. This allows to prebuild blocks and then to test if there are empty. The content is sanitized. We test if there is content to be able to suppress data which has not be set.

```
785 \cs_new_protected:Npn \_\_pdfmeta_xmp_add_packet_line:nnnN #1 #2 #3 #4
786 %#1 prefix #2 name #3 content #4 tl_var to prebuilt.
787 {
788     \tl_if_blank:nF {#3}
789     {
790         \_\_pdfmeta_xmp_sanitize:nN {#3}\l_\_pdfmeta_tmpa_str
791         \_\_pdfmeta_xmp_add_packet_chunk:eN {<#1:#2>\l_\_pdfmeta_tmpa_str</#1:#2>} #4
792     }
793 }
794 \cs_generate_variant:Nn \_\_pdfmeta_xmp_add_packet_line:nnnN {nneN}
```

(End of definition for __pdfmeta_xmp_add_packet_line:nnnN.)

```
\_\_pdfmeta_xmp_add_packet_line_attr:nnnn
```

A similar command with attribute

```
795 \cs_new_protected:Npn \_\_pdfmeta_xmp_add_packet_line_attr:nnnn #1 #2 #3 #4
796 %#1 prefix #2 name #3 attribute #4 content
797 {
798     \tl_if_blank:nF {#4}
799     {
800         \_\_pdfmeta_xmp_sanitize:nN {#4}\l_\_pdfmeta_tmpa_str
801         \_\_pdfmeta_xmp_add_packet_chunk:e {<#1:#2:#3>\l_\_pdfmeta_tmpa_str</#1:#2>}
802     }
803 }
804 \cs_generate_variant:Nn \_\_pdfmeta_xmp_add_packet_line_attr:nnnn {nnee,nneV}
```

(End of definition for __pdfmeta_xmp_add_packet_line_attr:nnnn.)

```
\_\_pdfmeta_xmp_add_packet_line_default:nnnn
```

```
805 \cs_new_protected:Npn \_\_pdfmeta_xmp_add_packet_line_default:nnnn #1 #2 #3 #4
806 %#1 prefix #2 name #3 default #4 content
807 {
808     \tl_if_blank:nTF { #4 }
809     {
810         \tl_set:Nn \l_\_pdfmeta_tmpa_tl {#3}
811     }
812     {
813         \tl_set:Nn \l_\_pdfmeta_tmpa_tl {#4}
814     }
815     \_\_pdfmeta_xmp_add_packet_line:nnV {#1}{#2}\l_\_pdfmeta_tmpa_tl
816 }
817 \cs_generate_variant:Nn \_\_pdfmeta_xmp_add_packet_line_default:nnnn {nnee}
```

(End of definition for __pdfmeta_xmp_add_packet_line_default:nnnn.)

Some data are stored as unordered (Bag) or ordered lists (Seq) or (Alt). The first variant are for simple text without language support:

```
818 \cs_new_protected:Npn \_\_pdfmeta_xmp_add_packet_list_simple:nnnn #1 #2 #3 #4
819 %#1 prefix, #2 name, #3 type (Seq/Bag/Alt) #4 aclist
820 {
821     \clist_if_empty:nF { #4 }
822     {
823         \_\_pdfmeta_xmp_add_packet_open:nn {#1}{#2}
```

```

824     \__pdfmeta_xmp_add_packet_open:nn {rdf}{#3}
825     \clist_map_inline:nn {#4}
826     {
827         \__pdfmeta_xmp_add_packet_line:nnn
828         {rdf}{li}{##1}
829     }
830     \__pdfmeta_xmp_add_packet_close:nn{rdf}{#3}
831     \__pdfmeta_xmp_add_packet_close:nn {#1}{#2}
832 }
833 }
834 \cs_generate_variant:Nn \__pdfmeta_xmp_add_packet_list_simple:nnnn {nnnV,nnne}

```

Here we check also for the language.

```

835 \cs_new_protected:Npn \__pdfmeta_xmp_add_packet_list:nnnn #1 #2 #3 #4
836   %#1 prefix, #2 name, #3 type (Seq/Bag/Alt) #4 aclist
837   {
838     \clist_if_empty:nF {#4}
839     {
840       \__pdfmeta_xmp_add_packet_open:nn {#1}{#2}
841       \__pdfmeta_xmp_add_packet_open:nn {rdf}{#3}
842       \clist_map_inline:nn {#4}
843       {
844         \__pdfmeta_xmp_lang_get:nNN {##1}\l__pdfmeta_tmpa_tl\l__pdfmeta_tmpb_tl
845       }
846     }
847     \tl_if_eq:eeTF{\l__pdfmeta_tmpa_tl}{\l__pdfmeta_xmp_metalang_tl}
848     {
849       \__pdfmeta_xmp_add_packet_line_attr:nneV
850       {rdf}{li}{xml:lang="x-default"}\l__pdfmeta_tmpb_tl
851     }
852     {
853       \__pdfmeta_xmp_add_packet_line_attr:nneV
854       {rdf}{li}{xml:lang="\l__pdfmeta_tmpa_tl"}\l__pdfmeta_tmpb_tl
855     }
856     \__pdfmeta_xmp_add_packet_close:nn{rdf}{#3}
857     \__pdfmeta_xmp_add_packet_close:nn {#1}{#2}
858   }
859 }
859 \cs_generate_variant:Nn \__pdfmeta_xmp_add_packet_list:nnnn {nnne}

```

4.5.2 Building the main packet

`__pdfmeta_xmp_build_packet:` This is the main command to build the packet. As data has to be set and collected first, it will be expanded rather late in the document.

```

860 \cs_new_protected:Npn \__pdfmeta_xmp_build_packet:
861   {

```

Get the main languages

```

862   \tl_set:Ne \l__pdfmeta_xmp_doclang_tl {\GetDocumentProperties{document/lang}}
863   \tl_set:Ne \l__pdfmeta_xmp_metalang_tl {\GetDocumentProperties{hyperref/pdfmetalang}}
864   \tl_if_blank:VT \l__pdfmeta_xmp_metalang_tl
865   { \cs_set_eq:NN \l__pdfmeta_xmp_metalang_tl\l__pdfmeta_xmp_doclang_tl}

```

we preprocess a number of data to be able to suppress them and their schema if there are unused. Currently only done for iptc

```

866      \__pdfmeta_xmp_build_iptc_data:N \l__pdfmeta_xmp_iptc_data_tl
867      \tl_if_empty:NT \l__pdfmeta_xmp_iptc_data_tl
868      {
869          \seq_remove_all:Nn \l__pdfmeta_xmp_schema_seq { Iptc4xmpCore }
870      }

```

The start of the package. No need to try to juggle with catcode, this is fix text

```

871      \__pdfmeta_xmp_add_packet_chunk:e
872      {<?xpacket~begin="__pdfmeta_xmp_generate_bom:"~id="W5M0MpCehiHzreSzNTczkc9d"?>}
873      \__pdfmeta_xmp_add_packet_open:nn{x}{xmpmeta~xmlns:x="adobe:ns:meta/"}
874      \__pdfmeta_xmp_add_packet_open:ne{rdf}
875      {RDF~xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns\c_hash_str"}

```

The rdf namespaces

```

876      \__pdfmeta_xmp_add_packet_open_attr:nne
877      {rdf}{Description}{rdf:about="" \g__pdfmeta_xmp_xmlns_tl}

```

The extensions

```

878      \__pdfmeta_xmp_add_packet_open:nn{pdfaExtension}{schemas}
879      \__pdfmeta_xmp_add_packet_open:nn {rdf}{Bag}
880      \seq_map_inline:Nn \l__pdfmeta_xmp_schema_seq
881      {
882          \tl_use:c { g__pdfmeta_xmp_schema_##1_tl }
883      }
884      \__pdfmeta_xmp_add_packet_close:nn {rdf}{Bag}
885      \__pdfmeta_xmp_add_packet_close:nn {pdfaExtension}{schemas}

```

Now starts the part with the data.

```

886      % data
887          \__pdfmeta_xmp_build_pdf:
888          \__pdfmeta_xmp_build_xmpRights:
889          \__pdfmeta_xmp_build_standards: %pdfaid,pdfxid,PDFUAID
890          \__pdfmeta_xmp_build_pfd:
891          \__pdfmeta_xmp_build_dc:
892          \__pdfmeta_xmp_build_photoshop:
893          \__pdfmeta_xmp_build_xmp:
894          \__pdfmeta_xmp_build_xmpMM:
895          \__pdfmeta_xmp_build_prism:
896          \__pdfmeta_xmp_build_iptc:
897          \__pdfmeta_xmp_build_user: %user additions
898      % end
899          \__pdfmeta_xmp_add_packet_close:nn {rdf}{Description}
900          \__pdfmeta_xmp_add_packet_close:nn {rdf}{RDF}
901          \__pdfmeta_xmp_add_packet_close:nn {x}{xmpmeta}
902          \int_set:Nn \l__pdfmeta_xmp_indent_int{20}
903          \prg_replicate:nn{10}{\__pdfmeta_xmp_add_packet_chunk:n {}}
904          \int_zero:N \l__pdfmeta_xmp_indent_int
905          \__pdfmeta_xmp_add_packet_chunk:n {<?xpacket~end="w"?>}
906      }

```

(End of definition for __pdfmeta_xmp_build_packet:..)

4.6 Building the chunks: rdf namespaces

This is the list of external names spaces. They are rather simple, and we store them directly into a string. Special chars should be escaped properly, see e.g. \c_hash_str for the hash.

\g_pdfmeta_xmp_xmlns_t1
\g_pdfmeta_xmp_xmlns_prop

The string will hold the prepared chunk, the prop stores the name spaces so that one can check on the user level for duplicates.

```
907 \str_new:N \g_pdfmeta_xmp_xmlns_t1
908 \prop_new:N \g_pdfmeta_xmp_xmlns_prop
```

(End of definition for \g_pdfmeta_xmp_xmlns_t1 and \g_pdfmeta_xmp_xmlns_prop.)

_pdfmeta_xmp_xmlns_new:nn

```
909 \cs_new_protected:Npn \_pdfmeta_xmp_xmlns_new:nn #1 #2
910 {
911     \prop_gput:Nnn \g_pdfmeta_xmp_xmlns_prop {#1}{#2}
912     \tl_gput_right:Ne \g_pdfmeta_xmp_xmlns_t1
913     {
914         \_pdfmeta_xmp_indent:n{4} xmlns:\exp_not:n{#1="#2"}
915     }
916 }
```

(End of definition for _pdfmeta_xmp_xmlns_new:nn.)

Now we fill the data. The list is more or less the same as in hyperxmp

```
917 \_pdfmeta_xmp_xmlns_new:nn {pdf} {http://ns.adobe.com/pdf/1.3/}
918 \_pdfmeta_xmp_xmlns_new:nn {xmpRights} {http://ns.adobe.com/xap/1.0/rights/}
919 \_pdfmeta_xmp_xmlns_new:nn {dc} {http://purl.org/dc/elements/1.1/}
920 \_pdfmeta_xmp_xmlns_new:nn {photoshop} {http://ns.adobe.com/photoshop/1.0/}
921 \_pdfmeta_xmp_xmlns_new:nn {xmp} {http://ns.adobe.com/xap/1.0/}
922 \_pdfmeta_xmp_xmlns_new:nn {xmpMM} {http://ns.adobe.com/xap/1.0/mm/}
923 \_pdfmeta_xmp_xmlns_new:nn {stEvt}
924     {http://ns.adobe.com/xap/1.0/sType/ResourceEvent\c_hash_str}
925 \_pdfmeta_xmp_xmlns_new:nn {pdfaid} {http://www.aiim.org/pdfa/ns/id/}
926 \_pdfmeta_xmp_xmlns_new:nn {pdfuaid} {http://www.aiim.org/pdfua/ns/id/}
927 \_pdfmeta_xmp_xmlns_new:nn {pdffx} {http://ns.adobe.com/pdffx/1.3/}
928 \_pdfmeta_xmp_xmlns_new:nn {pdfxid} {http://www.npes.org/pdfx/ns/id/}
929 \_pdfmeta_xmp_xmlns_new:nn {prism} {http://prismstandard.org/namespaces/basic/3.0/}
930 \% \_pdfmeta_xmp_xmlns_new:nn {jav} {http://www.niso.org/schemas/jav/1.0/}
931 \% \_pdfmeta_xmp_xmlns_new:nn {xmpTPg} {http://ns.adobe.com/xap/1.0/t/pg/}
932 \_pdfmeta_xmp_xmlns_new:nn {stFnt} {http://ns.adobe.com/xap/1.0/sType/Font\c_hash_str}
933 \_pdfmeta_xmp_xmlns_new:nn {Iptc4xmpCore} {http://iptc.org/std/Iptc4xmpCore/1.0/xmlns/}
934 \_pdfmeta_xmp_xmlns_new:nn {pdfaExtension} {http://www.aiim.org/pdfa/ns/extension/}
935 \_pdfmeta_xmp_xmlns_new:nn {pdfaSchema} {http://www.aiim.org/pdfa/ns/schema\c_hash_str}
936 \_pdfmeta_xmp_xmlns_new:nn {pdfaProperty} {http://www.aiim.org/pdfa/ns/property\c_hash_str}
937 \_pdfmeta_xmp_xmlns_new:nn {pdfaType} {http://www.aiim.org/pdfa/ns/type\c_hash_str}
938 \_pdfmeta_xmp_xmlns_new:nn {pdfaField} {http://www.aiim.org/pdfa/ns/field\c_hash_str}
```

4.7 Building the chunks: Extensions

In this part local name spaces or additional names in a name space can be declared. A “schema” declaration consist of the declaration of the name, uri and prefix which then surrounds a bunch of property declarations. The current code doesn’t support all syntax

options but sticks to what is used in `hyperxmp` and `pdfx`. If needed it can be extended later.

`\l_pdfmeta_xmp_schema_seq` This variable will hold the list of prefix so that we can loop to produce the final XML

```
939 \seq_new:N \l_pdfmeta_xmp_schema_seq
```

(End of definition for `\l_pdfmeta_xmp_schema_seq`.)

`_pdfmeta_xmp_schema_new:nnn` With this command a new schema can be declared. The main tl contains the XML wrapper code, it then includes the list of properties which are created with the next command.

```
940 \cs_new_protected:Npn \_pdfmeta_xmp_schema_new:nnn #1 #2 #3
941   %#1 name #2 prefix, #3 text
942   {
943     \tl_if_exist:cTF { g_pdfmeta_xmp_schema_#2_t1 }
944     {
945       \msg_warning:nnnn{pdfmeta}{xmp-defined}{schema}{#2}
946     }
947     {
948       \seq_put_right:Nn \l_pdfmeta_xmp_schema_seq { #2 }
949       \tl_new:c { g_pdfmeta_xmp_schema_#2_t1 }
950       \tl_new:c { g_pdfmeta_xmp_schema_#2_properties_t1 }
951       \tl_gput_right:cn { g_pdfmeta_xmp_schema_#2_t1 }
952       {
953         \_pdfmeta_xmp_add_packet_open_attr:nnn{rdf}{li}{rdf:parseType="Resource"}
954         \_pdfmeta_xmp_add_packet_line:nnn {pdfaSchema}{schema}{#1}
955         \_pdfmeta_xmp_add_packet_line:nnn {pdfaSchema}{prefix}{#2}
956         \_pdfmeta_xmp_add_packet_line:nnn {pdfaSchema}{namespaceURI}{#3}
957         \_pdfmeta_xmp_add_packet_open:nn {pdfaSchema}{property}
958         \_pdfmeta_xmp_add_packet_open:nn{rdf}{Seq}
959           \tl_use:c { g_pdfmeta_xmp_schema_#2_properties_t1 }
960           \_pdfmeta_xmp_add_packet_close:nn{rdf}{Seq}
961           \_pdfmeta_xmp_add_packet_close:nn {pdfaSchema}{property}
962           \cs_if_exist_use:c {__pdfmeta_xmp_schema_#2_additions:}
963           \_pdfmeta_xmp_add_packet_close:nn{rdf}{li}
964       }
965     }
966   }
```

(End of definition for `_pdfmeta_xmp_schema_new:nnn`.)

`_pdfmeta_xmp_property_new:nnnnn` This adds a property to a schema.

```
967 \prop_new:N\g_pdfmeta_xmp_schema_property_prop
968 \cs_new_protected:Npn \_pdfmeta_xmp_property_new:nnnnn #1 #2 #3 #4 #5 %
969   %#1 schema #2 name, #3 type, #4 category #5 description
970   {
971     \tl_if_exist:cTF { g_pdfmeta_xmp_schema_#1_properties_t1 }
972     {
973       \prop_get:NeNF \g_pdfmeta_xmp_schema_property_prop {#1:#2}\l_pdfmeta_tmpa_t1
974       {
975         \prop_gput:Nee \g_pdfmeta_xmp_schema_property_prop {#1:#2}{#3}
976         \tl_gput_right:cn { g_pdfmeta_xmp_schema_#1_properties_t1 }
977         {
978           \_pdfmeta_xmp_add_packet_open:nn {rdf}{li-rdf:parseType="Resource"}
```

```

979         \_\_pdfmeta_xmp\_add_packet_line:nnn {pdfaProperty}{name}{#2}
980         \_\_pdfmeta_xmp\_add_packet_line:nnn {pdfaProperty}{valueType}{#3}
981         \_\_pdfmeta_xmp\_add_packet_line:nnn {pdfaProperty}{category}{#4}
982         \_\_pdfmeta_xmp\_add_packet_line:nnn {pdfaProperty}{description}{#5}
983         \_\_pdfmeta_xmp\_add_packet_close:nn{rdf}{li}
984     }
985   }
986 }
987 {
988   \msg_warning:nnnn{pdfmeta}{xmp-undefined}{schema}{#1}
989 }
990 }
```

(End of definition for __pdfmeta_xmp_property_new:nnnnn.)

_pdfmeta xmp add packet field:nnn

This adds a field to a schema.

```

991 \cs_new_protected:Npn \_\_pdfmeta_xmp\_add_packet_field:nnn #1 #2 #3 %
992   %#1 name #2 valuetype #3 description
993   {
994     \_\_pdfmeta_xmp\_add_packet_open_attr:nnn {rdf}{li}{rdf:parseType="Resource"}
995     \_\_pdfmeta_xmp\_add_packet_line:nnn {pdfaField}{name}{#1}
996     \_\_pdfmeta_xmp\_add_packet_line:nnn {pdfaField}{valueType}{#2}
997     \_\_pdfmeta_xmp\_add_packet_line:nnn {pdfaField}{description}{#3}
998     \_\_pdfmeta_xmp\_add_packet_close:nn{rdf}{li}
999 }
```

(End of definition for __pdfmeta_xmp_add_packet_field:nnn.)

4.7.1 The extension data

The list of extension has been reviewed and compared with the list of namespaces which can be used in pdf/A-1⁷

[1] https://www.pdfa.org/wp-content/uploads/2011/08/tn0008_predefined_xmp_properties_in_pdfa-1_2008-03-20.pdf and the content of the namespaces as listed here [2] <https://developer.adobe.com/xmp/docs/XMPNamespaces/pdf/>

pdf property: Trapped. We ignore it, it seems to validate without it.

xmpMM properties DocumentID, InstanceID, VersionID, Renditionclass declared by hyperxmp. Properties InstanceID and OriginalDocumentID declared by pdfx (pdfx.xmp) With the exception of OriginalDocumentID all are already allowed and predefined.

```

1000   \_\_pdfmeta_xmp_schema_new:nnn
1001     {XMP~Media~Management~Schema}
1002     {xmpMM}
1003     {http://ns.adobe.com/xap/1.0/mm/}
1004   \_\_pdfmeta_xmp_property_new:nnnnn
1005     {xmpMM}
1006     {OriginalDocumentID}
1007     {URI}
1008     {internal}
1009     {The~common~identifier~for~all~versions~and~renditions~of~a~document.}
```

⁷While A-1 builds on PDF 1.4 and so it probably no longer relevant, it is not quite clear if one can remove this for A-2 and newer, so we stay on the safe side.

pdfaid properties part and conformance are declared by hyperxmp, but no here as already in <http://www.aiim.org/pdfa/ns/id/>. But we declare year so that it can be used also with older A-standards.

```
pdfaid~(schema)

1010      \_\_pdfmeta_xmp_schema_new:nnn
1011          {PDF/A~Identification~Schema}
1012          {pdfaid}
1013          {http://www.aiim.org/pdfa/ns/id/}
1014      \_\_pdfmeta_xmp_property_new:nnnn
1015          {pdfaid}
1016          {year}
1017          {Integer}
1018          {internal}
1019          {Year~of~standard}
1020      \_\_pdfmeta_xmp_property_new:nnnn
1021          {pdfaid}
1022          {rev}
1023          {Integer}
1024          {internal}
1025          {Revision~year~of~standard}
```

(End of definition for `pdfaid~(schema)`. This function is documented on page ??.)

pdfuaid here we need (?) to declare the property “part” and “rev”.

```
pdfuaid~(schema)

1026      \_\_pdfmeta_xmp_schema_new:nnn
1027          {PDF/UA~Universal~Accessibility~Schema}
1028          {pdfuaid}
1029          {http://www.aiim.org/pdfua/ns/id/}
1030      \_\_pdfmeta_xmp_property_new:nnnn
1031          {pdfuaid}
1032          {part}
1033          {Integer}
1034          {internal}
1035          {Part~of~ISO~14289~standard}
1036      \_\_pdfmeta_xmp_property_new:nnnn
1037          {pdfuaid}
1038          {rev}
1039          {Integer}
1040          {internal}
1041          {Revision~of~ISO~14289~standard}
```

(End of definition for `pdfuaid~(schema)`. This function is documented on page ??.)

pdfx According to [1] not an allowed schema, but it seems to validate and allow to set the pdf/X version, hyperxmp declares here the properties `GTS_PDFXVersion` and `GTS_PDFXConformance`. Ignored as only relevant for older pdf/X version not supported by the pdfmanagement.

pdfxid we set this so that we can add the pdf/X version for pdf/X-4 and higher

```

pdfxid~(schema)
1042      \_\_pdfmeta_xmp_schema_new:nnn
1043          {PDF/X-ID-Schema}
1044          {pdfxid}
1045          {http://www.npes.org/pdfx/ns/id/}
1046      \_\_pdfmeta_xmp_property_new:nnnn
1047          {pdfxid}
1048          {GTS_PDFXVersion}
1049          {Text}
1050          {internal}
1051          {ID-of-PDF/X-standard}

```

(End of definition for pdfxid~(schema). This function is documented on page ??.)

prism~(schema)

```

1052      \_\_pdfmeta_xmp_schema_new:nnn
1053          {PRISM-Basic-Metadata}
1054          {prism}
1055          {http://prismstandard.org/namespaces/basic/3.0/}
1056      \_\_pdfmeta_xmp_property_new:nnnn
1057          {prism}
1058          {complianceProfile}
1059          {Text}
1060          {internal}
1061          {PRISM-specification-compliance-profile-to-which-this-document-adheres}
1062      \_\_pdfmeta_xmp_property_new:nnnn
1063          {prism}
1064          {publicationName}
1065          {Text}
1066          {external}
1067          {Publication-name}
1068      \_\_pdfmeta_xmp_property_new:nnnn
1069          {prism}
1070          {aggregationType}
1071          {Text}
1072          {external}
1073          {Publication-type}
1074      \_\_pdfmeta_xmp_property_new:nnnn
1075          {prism}
1076          {bookEdition}
1077          {Text}
1078          {external}
1079          {Edition-of-the-book-in-which-the-document-was-published}
1080      \_\_pdfmeta_xmp_property_new:nnnn
1081          {prism}
1082          {volume}
1083          {Text}
1084          {external}
1085          {Publication-volume-number}
1086      \_\_pdfmeta_xmp_property_new:nnnn
1087          {prism}
1088          {number}
1089          {Text}

```

```

1090    {external}
1091    {Publication~issue~number~within~a~volume}
1092 \_\_pdfmeta_xmp_property_new:nnnn
1093     {prism}
1094     {pageRange}
1095     {Text}
1096     {external}
1097     {Page~range~for~the~document~within~the~print~version~of~its~publication}
1098 \_\_pdfmeta_xmp_property_new:nnnn
1099     {prism}
1100     {issn}
1101     {Text}
1102     {external}
1103     {ISSN~for~the~printed~publication~in~which~the~document~was~published}
1104 \_\_pdfmeta_xmp_property_new:nnnn
1105     {prism}
1106     {eIssn}
1107     {Text}
1108     {external}
1109     {ISSN~for~the~electronic~publication~in~which~the~document~was~published}
1110 \_\_pdfmeta_xmp_property_new:nnnn
1111     {prism}
1112     {isbn}
1113     {Text}
1114     {external}
1115     {ISBN~for~the~publication~in~which~the~document~was~published}
1116 \_\_pdfmeta_xmp_property_new:nnnn
1117     {prism}
1118     {doi}
1119     {Text}
1120     {external}
1121     {Digital~Object~Identifier~for~the~document}
1122 \_\_pdfmeta_xmp_property_new:nnnn
1123     {prism}
1124     {url}
1125     {URL}
1126     {external}
1127     {URL~at~which~the~document~can~be~found}
1128 \_\_pdfmeta_xmp_property_new:nnnn
1129     {prism}
1130     {byteCount}
1131     {Integer}
1132     {internal}
1133     {Approximate~file~size~in~octets}
1134 \_\_pdfmeta_xmp_property_new:nnnn
1135     {prism}
1136     {pageCount}
1137     {Integer}
1138     {internal}
1139     {Number~of~pages~in~the~print~version~of~the~document}
1140 \_\_pdfmeta_xmp_property_new:nnnn
1141     {prism}
1142     {subtitle}
1143     {Text}

```

```

1144     {external}
1145     {Document's~subtitle}

```

(End of definition for `prism~(schema)`. This function is documented on page ??.)

iptc

```

1146     \_\_pdfmeta_xmp_schema_new:nnn
1147         {IPTC~Core~Schema}
1148         {Iptc4xmpCore}
1149         {http://iptc.org/std/Iptc4xmpCore/1.0/xmlns/}
1150     \_\_pdfmeta_xmp_property_new:nnnn
1151         {Iptc4xmpCore}
1152         {CreatorContactInfo}
1153         {ContactInfo}
1154         {external}
1155         {Document~creator's~contact~information}
1156 \cs_new_protected:cpn { \_\_pdfmeta_xmp_schema_Iptc4xmpCore_additions: }
1157     {
1158         \_\_pdfmeta_xmp_add_packet_open:nn{pdfaSchema}{valueType}
1159             \_\_pdfmeta_xmp_add_packet_open:nn{rdf}{Seq}
1160                 \_\_pdfmeta_xmp_add_packet_open_attr:nnn{rdf}{li}{rdf:parseType="Resource"}
1161                     \_\_pdfmeta_xmp_add_packet_line:nnn{pdfaType}{type}{ContactInfo}
1162                     \_\_pdfmeta_xmp_add_packet_line:nnn{pdfaType}{namespaceURI}
1163                         {http://iptc.org/std/Iptc4xmpCore/1.0/xmlns/}
1164                     \_\_pdfmeta_xmp_add_packet_line:nnn{pdfaType}{prefix}{Iptc4xmpCore}
1165                     \_\_pdfmeta_xmp_add_packet_line:nnn{pdfaType}{description}
1166                         {Basic~set~of~information~to~get~in~contact~with~a~person}
1167                     \_\_pdfmeta_xmp_add_packet_open:nn{pdfaType}{field}
1168                         \_\_pdfmeta_xmp_add_packet_open:nn{rdf}{Seq}
1169                             \_\_pdfmeta_xmp_add_packet_field:nnn{CiAdrCity}{Text}
1170                                 {Contact~information~city}
1171                             \_\_pdfmeta_xmp_add_packet_field:nnn{CiAdrCtry}{Text}
1172                                 {Contact~information~country}
1173                             \_\_pdfmeta_xmp_add_packet_field:nnn{CiAdrExtadr}{Text}
1174                                 {Contact~information~address}
1175                             \_\_pdfmeta_xmp_add_packet_field:nnn{CiAdrPcode}{Text}
1176                                 {Contact~information~local~postal~code}
1177                             \_\_pdfmeta_xmp_add_packet_field:nnn{CiAdrRegion}{Text}
1178                                 {Contact~information~regional~information~such~as~state~or~province}
1179                             \_\_pdfmeta_xmp_add_packet_field:nnn{CiEmailWork}{Text}
1180                                 {Contact~information~email~address(es)}
1181                             \_\_pdfmeta_xmp_add_packet_field:nnn{CiTelWork}{Text}
1182                                 {Contact~information~telephone~number(s)}
1183                             \_\_pdfmeta_xmp_add_packet_field:nnn{CiUrlWork}{Text}
1184                                 {Contact~information~Web~URL(s)}
1185                                     \_\_pdfmeta_xmp_add_packet_close:nn{rdf}{Seq}
1186                                         \_\_pdfmeta_xmp_add_packet_close:nn{pdfaType}{field}
1187                                         \_\_pdfmeta_xmp_add_packet_close:nn{rdf}{li}
1188                                         \_\_pdfmeta_xmp_add_packet_close:nn{rdf}{Seq}
1189                                         \_\_pdfmeta_xmp_add_packet_close:nn{pdfaSchema}{valueType}
1190 }

```

jav : currently ignored

declarations The PDF Declarations mechanism allows creation and editing software to declare, via a PDF Declaration, a PDF file to be in conformance with a 3rd party specification or profile that may not be related to PDF technology. Their specification is for example described in <https://pdfa.org/wp-content/uploads/2019/09/PDF-Declarations.pdf>.

If declarations are added to the XMP-metadata they need (for pdf/A compliance) a schema declaration. We do not add it by default but define here a command to enable it. (This can be done in the document preamble as xmp is built only at the end.)

```

1191   \cs_new_protected:Npn \__pdfmeta_xmp_schema_enable_pfd:
1192   {
1193     \__pdfmeta_xmp_xmlns_new:nn {pfd}{http://pdfa.org/declarations/}
1194     \__pdfmeta_xmp_schema_new:nnn
1195       {PDF~Declarations~Schema}
1196       {pfd}
1197       {http://pdfa.org/declarations/}
1198     \__pdfmeta_xmp_property_new:nnnn
1199       {pfd}
1200       {declarations}
1201       {Bag~declaration}
1202       {external}
1203       {An~unordered~array~of~PDF~Declaration~entries,~where~each~PDF~Declaration~represen

```

the values are complicated so we use the additions: method to add them.

```

1204   \cs_new_protected:cpn { __pdfmeta_xmp_schema_pfd_additions: }
1205   {
1206     \__pdfmeta_xmp_add_packet_open:nn{pdfaSchema}{valueType}
1207     \__pdfmeta_xmp_add_packet_open:nn{rdf}{Seq}
1208       \__pdfmeta_xmp_add_packet_open_attr:nnn{rdf}{li}{rdf:parseType="Resource"}
1209         \__pdfmeta_xmp_add_packet_line:nnn{pdfaType}{type}{claim}
1210         \__pdfmeta_xmp_add_packet_line:nnn{pdfaType}{namespaceURI}
1211           {http://pdfa.org/declarations/}
1212         \__pdfmeta_xmp_add_packet_line:nnn{pdfaType}{prefix}{pfd}
1213         \__pdfmeta_xmp_add_packet_line:nnn{pdfaType}{description}
1214           {A~structure~describing~properties~of~an~individual~claim.}
1215         \__pdfmeta_xmp_add_packet_open:nn{pdfaType}{field}
1216         \__pdfmeta_xmp_add_packet_open:nn{rdf}{Seq}
1217           \__pdfmeta_xmp_add_packet_field:nnn{claimReport}{Text}
1218             {A~URL~to~a~report~containing~details~of~the~specific~conformance~claim}
1219           \__pdfmeta_xmp_add_packet_field:nnn{claimCredentials}{Text}
1220             {The~claimant's~credentials.}
1221           \__pdfmeta_xmp_add_packet_field:nnn{claimDate}{Text}
1222             {A~date~identifying~when~the~claim~was~made.}
1223           \__pdfmeta_xmp_add_packet_field:nnn{claimBy}{Text}
1224             {The~name~of~the~organization~and/or~individual~and/or~software~making}
1225           \__pdfmeta_xmp_add_packet_close:nn{rdf}{Seq}
1226           \__pdfmeta_xmp_add_packet_close:nn{pdfaType}{field}
1227           \__pdfmeta_xmp_add_packet_close:nn{rdf}{li}
1228             \__pdfmeta_xmp_add_packet_open_attr:nnn{rdf}{li}{rdf:parseType="Resource"}
1229               \__pdfmeta_xmp_add_packet_line:nnn{pdfaType}{type}{declaration}
1230               \__pdfmeta_xmp_add_packet_line:nnn{pdfaType}{namespaceURI}
```

```

1231           {http://pdfa.org/declarations/}
1232           \_\_pdfmeta_xmp_add_packet_line:nnn{pdfaType}{prefix}{pdfd}
1233           \_\_pdfmeta_xmp_add_packet_line:nnn{pdfaType}{description}
1234           {A-structure-describing-a-single-PDF~ Declaration-asserting-conformance~}
1235           \_\_pdfmeta_xmp_add_packet_open:nn{pdfaType}{field}
1236           \_\_pdfmeta_xmp_add_packet_open:nn{rdf}{Seq}
1237           \_\_pdfmeta_xmp_add_packet_field:nnn{conformsTo}{Text}
1238           {A-property-containing-a-URI-specifying-the-standard-or-profile-by-the}
1239           \_\_pdfmeta_xmp_add_packet_field:nnn{claimData}{Bag-claim}
1240           {An-unordered-array-of-claim-data,-where-each-claim-identifies-the-natu}
1241           \_\_pdfmeta_xmp_add_packet_close:nn{rdf}{Seq}
1242           \_\_pdfmeta_xmp_add_packet_close:nn{pdfaType}{field}
1243           \_\_pdfmeta_xmp_add_packet_close:nn{rdf}{li}
1244           \_\_pdfmeta_xmp_add_packet_close:nn{rdf}{Seq}
1245           \_\_pdfmeta_xmp_add_packet_close:nn{pdfaSchema}{valueType}
1246       }

```

the schema should be added only once so disable it after use:

```

1247     \cs_gset_eq:NN \_\_pdfmeta_xmp_schema_enable_pdfd: \prg_do_nothing:
1248 }

```

4.8 The actual user / document data

4.8.1 pdf

This builds pdf related the data with the (prefix “pdf”).

```
\_\_pdfmeta_xmp_build_pdf:
Producer/pdfproducer 1249 \cs_new_protected:Npn \_\_pdfmeta_xmp_build_pdf:
PDFversion 1250 {

```

At first the producer. If not given manually we build it from the exec string plus the version number

```

1251   \_\_pdfmeta_xmp_add_packet_line_default:nne
1252   {pdf}{Producer}
1253   {\c_sys_engine_exec_str-\c_sys_engine_version_str}
1254   {\GetDocumentProperties{hyperref/pdfproducer}}

```

Now the PDF version

```

1255   \_\_pdfmeta_xmp_add_packet_line:nne{pdf}{PDFVersion}{\pdf_version:}
1256 }

```

(End of definition for __pdfmeta_xmp_build_pdf:, Producer/pdfproducer, and PDFversion. These functions are documented on page ??.)

4.8.2 xmp

This builds the data with the (prefix “xmp”).

```
\_\_pdfmeta_xmp_build_xmp:
CreatorTool/pdfcreator 1257 \cs_new_protected:Npn \_\_pdfmeta_xmp_build_xmp:
BaseUrl/baseurl 1258 {

```

The creator

```
1259  \__pdfmeta_xmp_add_packet_line_default:nnee
1260    {xmp}{CreatorTool}
1261    {LaTeX}
1262    { \GetDocumentProperties{hyperref/pdfcreator} }
```

The baseurl

```
1263  \__pdfmeta_xmp_add_packet_line_default:nnee
1264    {xmp}{BaseUrl}{}
1265    { \GetDocumentProperties{hyperref/baseurl} }
```

CreationDate

```
1266  \__pdfmeta_xmp_date_get:nNN
1267    {document/creationdate}\l__pdfmeta_tmpa_t1\l__pdfmeta_tmpa_seq
1268  \__pdfmeta_xmp_add_packet_line:nne{xmp}{CreateDate}{\__pdfmeta_xmp_print_date:N\l__pdfme
1269  \pdfmanagement_add:nne{Info}{CreationDate}{(\l__pdfmeta_tmpa_t1)}
```

ModifyDate

```
1270  \__pdfmeta_xmp_date_get:nNN
1271    {document/moddate}\l__pdfmeta_tmpa_t1\l__pdfmeta_tmpa_seq
1272  \__pdfmeta_xmp_add_packet_line:nne{xmp}{ModifyDate}{\__pdfmeta_xmp_print_date:N\l__pdfme
1273  \pdfmanagement_add:nne{Info}{ModDate}{(\l__pdfmeta_tmpa_t1)}
```

MetadataDate

```
1274  \__pdfmeta_xmp_date_get:nNN
1275    {hyperref/pdfmetadate}\l__pdfmeta_tmpa_t1\l__pdfmeta_tmpa_seq
1276  \__pdfmeta_xmp_add_packet_line:nne{xmp}{MetadataDate}{\__pdfmeta_xmp_print_date:N\l__pdf
1277  }
```

(End of definition for `__pdfmeta_xmp_build_xmp:`, `CreatorTool/pdfcreator`, and `BaseUrl/baseurl`. These functions are documented on page ??.)

4.8.3 Standards

The metadata for standards are taken from the `pdfstandard` key of `\DocumentMetadata`. The values for A-standards are taken from the property, X and UA are currently taken from the document container, this should be changed when merging of standards are possible.

`__pdfmeta_xmp_build_standards:`

```
1278 \cs_new_protected:Npn \__pdfmeta_xmp_build_standards:
1279 {
1280   \__pdfmeta_xmp_add_packet_line:nne {pdfaid}{part}{\pdfmeta_standard_item:n{level}}
1281   \__pdfmeta_xmp_add_packet_line:nne
1282     {pdfaid}{conformance}{\pdfmeta_standard_item:n{conformance}}
1283   \int_compare:nNnTF {0}\pdfmeta_standard_item:n{level}<{4}
1284     {\__pdfmeta_xmp_add_packet_line:nne {pdfaid}{year} {\pdfmeta_standard_item:n{year}}}
1285     {\__pdfmeta_xmp_add_packet_line:nne {pdfaid}{rev} {\pdfmeta_standard_item:n{year}}}
1286   \__pdfmeta_xmp_add_packet_line:nne
1287     {pdfxid}{GTS_PDFXVersion}{\GetDocumentProperties{document/pdfstandard-X}}
1288   \pdfmanagement_get_documentproperties:nNT {document/pdfstandard-UA}\l__pdfmeta_tmpa_t1
1289   {
1290     \__pdfmeta_xmp_add_packet_line:nne
1291       {pdfuaid}{part}{\exp_last_unbraced:No\use_i:nn \l__pdfmeta_tmpa_t1}
1292     \__pdfmeta_xmp_add_packet_line:nne
```

```

1293     {pdfuaid}{rev}{\exp_last_unbraced:No\use_i:nn \l__pdfmeta_tmpa_t1}
1294 }
1295 }

(End of definition for \__pdfmeta_xmp_build_standards:.)

```

4.9 Declarations

See <https://pdfa.org/wp-content/uploads/2019/09/PDF-Declarations.pdf>

\g__pdfmeta_xmp_pfd_data_prop

This holds the data for declarations.

```
1296 \prop_new:N \g__pdfmeta_xmp_pfd_data_prop
```

(*End of definition for \g__pdfmeta_xmp_pfd_data_prop.*)

the main building command used in the xmp generation

__pdfmeta_xmp_build_pfd:

```

1297 \cs_new_protected:Npn \__pdfmeta_xmp_build_pfd:
1298 {
1299     \prop_if_empty:NF\g__pdfmeta_xmp_pfd_data_prop
1300     {
1301         \__pdfmeta_xmp_add_packet_open:nn{pfd}{declarations}
1302         \__pdfmeta_xmp_add_packet_open:nn{rdf}{Bag}
1303         \prop_map_inline:Nn \g__pdfmeta_xmp_pfd_data_prop
1304         {
1305             \__pdfmeta_xmp_build_pfd_claim:nn{##1}{##2}
1306         }
1307         \__pdfmeta_xmp_add_packet_close:nn{rdf}{Bag}
1308         \__pdfmeta_xmp_add_packet_close:nn{pfd}{declarations}
1309     }
1310 }

```

(*End of definition for __pdfmeta_xmp_build_pfd:.*)

__pdfmeta_xmp_build_pfd_claim:nn

This build the xml for one claim. If there is no claimData only the conformsTo is output.

```

1311 \cs_new_protected:Npn \__pdfmeta_xmp_build_pfd_claim:nn #1#2
1312 {
1313     \__pdfmeta_xmp_add_packet_open_attr:nnn{rdf}{li}{rdf:parseType="Resource"}
1314     \__pdfmeta_xmp_add_packet_line:nnn{pfd}{conformsTo}{#1}
1315     \tl_if_empty:nF {#2}
1316     {
1317         \__pdfmeta_xmp_add_packet_open:nn{pfd}{claimData}
1318         \__pdfmeta_xmp_add_packet_open:nn{rdf}{Bag}
1319         #
1320         \__pdfmeta_xmp_add_packet_close:nn{rdf}{Bag}
1321         \__pdfmeta_xmp_add_packet_close:nn{pfd}{claimData}
1322     }
1323     \__pdfmeta_xmp_add_packet_close:nn{rdf}{li}
1324 }

```

(*End of definition for __pdfmeta_xmp_build_pfd_claim:nn.*)

4.10 Photoshop

```
\_\_pdfmeta_xmp_build_photshop:  
1325 \cs_new_protected:Npn \_\_pdfmeta_xmp_build_photshop:  
1326 {  
pdfauthortitle/photshop:AuthorsPosition  
1327 \_\_pdfmeta_xmp_add_packet_line:nne{photshop}{AuthorsPosition}  
1328 { \GetDocumentProperties{hyperref/pdfauthortitle} }  
pdfcaptionwriter/photshop:CaptionWriter  
1329 \_\_pdfmeta_xmp_add_packet_line:nne{photshop}{CaptionWriter}  
1330 { \GetDocumentProperties{hyperref/pdfcaptionwriter} }  
1331 }  
(End of definition for \_\_pdfmeta_xmp_build_photshop:.)
```

4.11 XMP Media Management

```
\_\_pdfmeta_xmp_build_xmpMM:  
1332 \cs_new_protected:Npn \_\_pdfmeta_xmp_build_xmpMM:  
1333 {  
pdfdocumentid / xmpMM:DocumentID  
1334 \str_set:Ne\l_\_pdfmeta_tma_str {\GetDocumentProperties{hyperref/pdfdocumentid}}  
1335 \str_if_empty:NT \l_\_pdfmeta_tma_str  
1336 {  
1337 \_\_pdfmeta_xmp_create_uuid:nN  
1338 {\jobname\GetDocumentProperties{hyperref/pdftitle}}  
1339 \l_\_pdfmeta_tma_str  
1340 }  
1341 \_\_pdfmeta_xmp_add_packet_line:nnV{xmpMM}{DocumentID}  
1342 \l_\_pdfmeta_tma_str  
pdfinstanceid / xmpMM:InstanceID  
1343 \str_set:Ne\l_\_pdfmeta_tma_str {\GetDocumentProperties{hyperref/pdfinstanceid}}  
1344 \str_if_empty:NT \l_\_pdfmeta_tma_str  
1345 {  
1346 \_\_pdfmeta_xmp_create_uuid:nN  
1347 {\jobname\l_\_pdfmeta_xmp_currentdate_t1}  
1348 \l_\_pdfmeta_tma_str  
1349 }  
1350 \_\_pdfmeta_xmp_add_packet_line:nnV{xmpMM}{InstanceID}  
1351 \l_\_pdfmeta_tma_str  
pdfversionid/xmpMM:VersionID  
1352 \_\_pdfmeta_xmp_add_packet_line:nne{xmpMM}{VersionID}  
1353 { \GetDocumentProperties{hyperref/pdfversionid} }  
pdfrendition/xmpMM:RenditionClass  
1354 \_\_pdfmeta_xmp_add_packet_line:nne{xmpMM}{RenditionClass}  
1355 { \GetDocumentProperties{hyperref/pdfrendition} }  
1356 }  
(End of definition for \_\_pdfmeta_xmp_build_xmpMM:.)
```

4.12 Rest of dublin Core data

```

\__pdfmeta_xmp_build_dc:
  dc:creator/pdfauthor
  dc:subject/pdfkeywords
    dc:type/pdftype
  dc:publisher/pdfpublisher
  dc:description/pdfsubject
    dc:language/lang/pdflang
  dc:identifier/pdfidentifier
  photoshop:AuthorsPosition/pdfauthortitle
  photoshop:CaptionWriter/pdfcaptionwriter

1357 \cs_new_protected:Npn \__pdfmeta_xmp_build_dc:
1358 {
  pdfauthor/dc:creator
1359   \__pdfmeta_xmp_add_packet_list:nne {dc}{creator}{Seq}
1360   { \GetDocumentProperties{hyperref/pdfauthor} }
1361   \int_compare:nNnT {0\pdfmeta_standard_item:n[level]}={1}
1362   { \pdfmanagement_remove:nn{Info}{Author} }

pdftitle/dc:title. This is rather complex as we want to support a list with different
languages.
1363   \__pdfmeta_xmp_add_packet_list:nne {dc}{title}{Alt}
1364   { \GetDocumentProperties{hyperref/pdftitle} }

pdfkeywords/dc:subject
1365   \__pdfmeta_xmp_add_packet_list:nne {dc}{subject}{Bag}
1366   { \GetDocumentProperties{hyperref/pdfkeywords} }
1367   \int_compare:nNnT {0\pdfmeta_standard_item:n[level]}={1}
1368   { \pdfmanagement_remove:nn{Info}{Keywords} }

pdftype/dc:type
1369   \pdfmanagement_get_documentproperties:nNTF { hyperref/pdftype } \l__pdfmeta_tma_t1
1370   {
1371     \__pdfmeta_xmp_add_packet_list_simple:nnnV {dc}{type}{Bag}\l__pdfmeta_tma_t1
1372   }
1373   {
1374     \__pdfmeta_xmp_add_packet_list_simple:nnnn {dc}{type}{Bag}{Text}
1375   }

pdfpublisher/dc:publisher
1376   \__pdfmeta_xmp_add_packet_list:nne {dc}{publisher}{Bag}
1377   { \GetDocumentProperties{hyperref/pdfpublisher} }

pdfsubject/dc:description
1378   \__pdfmeta_xmp_add_packet_list:nne
1379   {dc}{description}{Alt}
1380   { \GetDocumentProperties{hyperref/pdfsubject} }

lang/pdflang/dc:language
1381   \__pdfmeta_xmp_add_packet_list_simple:nnnV
1382   {dc}{language}{Bag}\l__pdfmeta_xmp_doclang_t1

pdfidentifier/dc:identifier
1383   \__pdfmeta_xmp_add_packet_line:nne{dc}{identifier}
1384   { \GetDocumentProperties{hyperref/pdfidentifier} }

pdfdate/dc:date
1385   \__pdfmeta_xmp_date_get:nNN {hyperref/pdfdate}\l__pdfmeta_tma_t1\l__pdfmeta_tma_seq
1386   \__pdfmeta_xmp_add_packet_list_simple:nnne
1387   {dc}{date}{Seq}\{\__pdfmeta_xmp_print_date:N\l__pdfmeta_tma_seq}

The file format
1388   \__pdfmeta_xmp_add_packet_line:nnn{dc}{format}{application/pdf}

```

The source

```
1389     \__pdfmeta_xmp_add_packet_line_default:nne
1390     {dc}{source}
1391     { \c_sys_jobname_str.tex }
1392     { \GetDocumentProperties{hyperref/pdfsource} }

1393 \__pdfmeta_xmp_add_packet_list:nnne{dc}{rights}{Alt}
1394   {\GetDocumentProperties{hyperref/pdfcopyright}}
1395 }
```

(End of definition for `_pdfmeta_xmp_build_dc`: and others. These functions are documented on page ??.)

4.13 xmpRights

_pdfmeta_xmp_build_xmpRights:

```
1396 \cs_new_protected:Npn \__pdfmeta_xmp_build_xmpRights:
1397 {
1398     \__pdfmeta_xmp_add_packet_line:nne
1399         {xmpRights}
1400         {WebStatement}
1401         {\GetDocumentProperties{hyperref/pdflicenseurl}}
1402     \__pdfmeta_xmp_add_packet_line:nne
1403         {xmpRights}
1404         {Marked}
1405     {
1406         \str_case:en {\GetDocumentProperties{document/copyright}}
1407         {
1408             {true}{True}
1409             {false}{False}
1410         }
1411     }
1412 }
```

(End of definition for _pdfmeta_xmp_build_xmpRights::)

4.14 IPTC

We want the block and also the resources only if they are actually used. So we pack them first in a local variable

\l__pdfmeta_xmp_iptc_data_t1

1413 \tl_new:N\l__pdfmeta_xmp_iptc_data_t

(End of definition for \l__pdfmeta_xmp_iptc_data_t1.)

```
\ pdfmeta xmp build iptc data:N
```

```
1414 \cs_new_protected:Npn \_pdfmeta_xmp_build_iptc_data:N #1
1415 {
1416     \tl_clear:N #1
1417     \_pdfmeta_xmp_incr_indent:\_pdfmeta_xmp_incr_indent
1418     \_pdfmeta_xmp_add_packet_line:nneN
1419         {Iptc4xmpCore}{CiAdrExtadr}
1420         {\GetDocumentProperties{hyperref/pdfcontactaddress}}
```

```
1421 #1
1422 \_\_pdfmeta_xmp\_add_packet_line:nneN
1423 {Iptc4xmpCore}{CiAdrCity}
1424 {\GetDocumentProperties{hyperref/pdfcontactcity}}
1425 #1
1426 \_\_pdfmeta_xmp\_add_packet_line:nneN
1427 {Iptc4xmpCore}{CiAdrPcode}
1428 {\GetDocumentProperties{hyperref/pdfcontactpostcode}}
1429 #1
1430 \_\_pdfmeta_xmp\_add_packet_line:nneN
1431 {Iptc4xmpCore}{CiAdrCtry}
1432 {\GetDocumentProperties{hyperref/pdfcontactcountry}}
1433 #1
1434 \_\_pdfmeta_xmp\_add_packet_line:nneN
1435 {Iptc4xmpCore}{CiTelWork}
1436 {\GetDocumentProperties{hyperref/pdfcontactphone}}
1437 #1
1438 \_\_pdfmeta_xmp\_add_packet_line:nneN
1439 {Iptc4xmpCore}{CiEmailWork}
1440 {\GetDocumentProperties{hyperref/pdfcontactemail}}
1441 #1
1442 \_\_pdfmeta_xmp\_add_packet_line:nneN
1443 {Iptc4xmpCore}{CiUrlWork}
1444 {\GetDocumentProperties{hyperref/pdfcontacturl}}
1445 #1
1446 \_\_pdfmeta_xmp\_decr_indent:\_\_pdfmeta_xmp\_decr_indent:\_\_pdfmeta_xmp\_decr_indent:\_\_pdf
1447 }
```

(End of definition for _pdfmeta_xmp_build_iptc_data:N.)

_pdfmeta_xmp_build_iptc:

```
1448 \cs_new_protected:Npn \__pdfmeta_xmp_build_iptc:
1449 {
1450     \tl_if_empty:NF\l__pdfmeta_xmp_iptc_data_tl
1451     {
1452         \__pdfmeta_xmp_add_packet_open_attr:n{nnn}
1453         {Iptc4xmpCore}{CreatorContactInfo}{rdf:parseType="Resource"}
1454         \tl_gput_right:Ne\g__pdfmeta_xmp_packet_tl { \l__pdfmeta_xmp_iptc_data_tl }
1455         \__pdfmeta_xmp_add_packet_close:n{nn}
1456         {Iptc4xmpCore}{CreatorContactInfo}
1457     }
1458 }
```

(End of definition for __pdfmeta_xmp_build_iptc::)

4.15 Prism

```
\__pdfmeta_xmp_build_prism:  
    complianceProfile 1459 \cs_new_protected:Npn \__pdfmeta_xmp_build_prism:  
prism:subtitle/pdfsubtitle 1460 {
```

The compliance profile is a fix value taken from `hyperxmp`

```
1461     \__pdfmeta_xmp_add_packet_line:nnn  
1462         {prism}{complianceProfile}  
1463         {three}
```

the next two values can take an optional language argument. First subtitle

```

1464      \__pdfmeta_xmp_lang_get:eNN
1465      {\GetDocumentProperties{hyperref/pdfsubtitle}}
1466      \l__pdfmeta_tma_t1\l__pdfmeta_tmpb_t1
1467      \__pdfmeta_xmp_add_packet_line_attr:nneV
1468      {prism}{subtitle}
1469      {xml:lang="\l__pdfmeta_tma_t1"}
1470      \l__pdfmeta_tmpb_t1

```

Then publicationName

```

1471      \__pdfmeta_xmp_lang_get:eNN
1472      {\GetDocumentProperties{hyperref/pdfpublication}}
1473      \l__pdfmeta_tma_t1\l__pdfmeta_tmpb_t1
1474      \__pdfmeta_xmp_add_packet_line_attr:nneV
1475      {prism}{publicationName}
1476      {xml:lang="\l__pdfmeta_tma_t1"}
1477      \l__pdfmeta_tmpb_t1

```

Now the rest

```

1478      \__pdfmeta_xmp_add_packet_line:nne
1479      {prism}{bookEdition}
1480      {\GetDocumentProperties{hyperref/pdfbookedition}}
1481      \__pdfmeta_xmp_add_packet_line:nne
1482      {prism}{aggregationType}
1483      {\GetDocumentProperties{hyperref/pdfpubtype}}
1484      \__pdfmeta_xmp_add_packet_line:nne
1485      {prism}{volume}
1486      {\GetDocumentProperties{hyperref/pdfvolumenum}}
1487      \__pdfmeta_xmp_add_packet_line:nne
1488      {prism}{number}
1489      {\GetDocumentProperties{hyperref/pdfissuenum}}
1490      \__pdfmeta_xmp_add_packet_line:nne
1491      {prism}{pageRange}
1492      {\GetDocumentProperties{hyperref/pdfpagerange}}
1493      \__pdfmeta_xmp_add_packet_line:nne
1494      {prism}{issn}
1495      {\GetDocumentProperties{hyperref/pdfissn}}
1496      \__pdfmeta_xmp_add_packet_line:nne
1497      {prism}{eIssn}
1498      {\GetDocumentProperties{hyperref/pdfeissn}}
1499      \__pdfmeta_xmp_add_packet_line:nne
1500      {prism}{doi}
1501      {\GetDocumentProperties{hyperref/pdfdoi}}
1502      \__pdfmeta_xmp_add_packet_line:nne
1503      {prism}{url}
1504      {\GetDocumentProperties{hyperref/pdfurl}}

```

The page count is take from the previous run or from pdfnumpages.

```

1505      \tl_set:Ne \l__pdfmeta_tma_t1 { \GetDocumentProperties{hyperref/pdfnumpages} }
1506      \__pdfmeta_xmp_add_packet_line:nne
1507      {prism}{pageCount}
1508      {\tl_if_blank:VTF \l__pdfmeta_tma_t1 {\PreviousTotalPages}{\l__pdfmeta_tma_t1}}
1509  }

```

(End of definition for __pdfmeta_xmp_build_prism:, complianceProfile, and prism:subtitle/pdfsubtitle. These functions are documented on page ??.)

4.15.1 User additions

```
\g_pdfmeta_xmp_user_packet_str  
1510 \tl_new:N \g_pdfmeta_xmp_user_packet_tl  
(End of definition for \g_pdfmeta_xmp_user_packet_str.)  
  
\_pdfmeta_xmp_build_user:  
1511 \cs_new_protected:Npn \_pdfmeta_xmp_build_user:  
1512 {  
1513   \int_zero:N \l__pdfmeta_xmp_indent_int  
1514   \g_pdfmeta_xmp_user_packet_tl  
1515   \int_set:Nn \l__pdfmeta_xmp_indent_int {3}  
1516 }  
  
(End of definition for \_pdfmeta_xmp_build_user:.)
```

4.16 Activating the metadata

We don't try to get the byte count. So we can put everything in the `shipout/lastpage` hook

```
1517 \AddToHook{shipout/lastpage}  
1518 {  
1519   \bool_if:NT\g_pdfmeta_xmp_bool  
1520   {  
1521     \str_if_exist:NTF\c_sys_timestamp_str  
1522     {  
1523       \tl_set_eq:NN \l__pdfmeta_xmp_currentdate_tl \c_sys_timestamp_str  
1524     }  
1525     {  
1526       \file_get_timestamp:nN{\jobname.log}\l__pdfmeta_xmp_currentdate_tl  
1527     }  
1528   \__pdfmeta_xmp_date_split:VN\l__pdfmeta_xmp_currentdate_tl\l__pdfmeta_xmp_currentdate_tl  
1529   \__pdfmeta_xmp_build_packet:  
1530   \exp_args:No  
1531   \__pdf_backend_metadata_stream:n {\g_pdfmeta_xmp_packet_tl}  
1532   \pdfmanagement_add:nne {Catalog} {Metadata}{\pdf_object_ref_last:}  
1533   \bool_if:NT \g_pdfmeta_xmp_export_bool  
1534   {  
1535     \iow_open:Nn\g_tmpa_iow{\g_pdfmeta_xmp_export_str.xmpi}  
1536     \exp_args:NNo\iow_now:Nn\g_tmpa_iow{\g_pdfmeta_xmp_packet_tl}  
1537     \iow_close:N\g_tmpa_iow  
1538   }  
1539 }  
1540 }
```

4.17 User commands

```
\pdfmeta_xmp_add:n  
1541 \cs_new_protected:Npn \pdfmeta_xmp_add:n #1  
1542 {  
1543   \tl_gput_right:Nn \g_pdfmeta_xmp_user_packet_tl  
1544   {  
1545     \__pdfmeta_xmp_add_packet_chunk:n {#1}
```

```

1546     }
1547 }
```

(End of definition for `\pdfmeta_xmp_add:n`. This function is documented on page 9.)

`\pdfmeta_xmp_xmlns_new:nn`

```

1548 \cs_new_protected:Npn \pdfmeta_xmp_xmlns_new:nn #1 #2
1549 {
1550     \prop_if_in:NnTF \g__pdfmeta_xmp_xmlns_prop {#1}
1551     {\msg_warning:nnnn{\pdfmeta}{xmp-defined}{xmlns~namespace}{#1}}
1552     {\_pdfmeta_xmp_xmlns_new:nn {#1}{#2}}
1553 }
```

(End of definition for `\pdfmeta_xmp_xmlns_new:nn`. This function is documented on page 9.)

`\pdfmeta_xmp_schema_new:nnn`

```

1554 \cs_set_eq:NN \pdfmeta_xmp_schema_new:nnn \_pdfmeta_xmp_schema_new:nnn
```

(End of definition for `\pdfmeta_xmp_schema_new:nnn`. This function is documented on page 10.)

`\pdfmeta_xmp_property_new:nnnnn`

```

1555 \cs_set_eq:NN \pdfmeta_xmp_property_new:nnnnn \_pdfmeta_xmp_property_new:nnnnn
```

(End of definition for `\pdfmeta_xmp_property_new:nnnnn`. This function is documented on page 10.)

`\pdfmeta_xmp_add_declaration:n`

```

\pdfmeta_xmp_add_declaration:e
1556 \cs_new_protected:Npn \pdfmeta_xmp_add_declaration:n #1 %conformsTo uri
1557 {
1558     \_pdfmeta_xmp_schema_enable_pfd:
1559     \prop_gput:Nnn\g__pdfmeta_xmp_pfd_data_prop{#1}{}
1560 }
1561 \cs_generate_variant:Nn \pdfmeta_xmp_add_declaration:n {e}
```

(End of definition for `\pdfmeta_xmp_add_declaration:n`. This function is documented on page 9.)

`\pdfmeta_xmp_add_declaration:nnnn`

`\pdfmeta_xmp_add_declaration:ennnn`

```

1562 \cs_new_protected:Npn \pdfmeta_xmp_add_declaration:nnnnn #1#2#3#4#5
1563 %#1=conformsTo uri, #2 claimBy, #3 claimDate #4 claimCredentials #4 claimReport
1564 {
1565     \_pdfmeta_xmp_schema_enable_pfd:
1566     \tl_set:Nn \l__pdfmeta_tmpa_tl
1567     {
1568         \_pdfmeta_xmp_add_packet_open_attr:nnn{rdf}{li}{rdf:parseType="Resource"}
1569         \_pdfmeta_xmp_add_packet_line:nnn{pdfd}{claimBy}{#2}
1570         \_pdfmeta_xmp_add_packet_line:nnn{pdfd}{claimDate}{#3}
1571         \_pdfmeta_xmp_add_packet_line:nnn{pdfd}{claimCredentials}{#4}
1572         \_pdfmeta_xmp_add_packet_line:nnn{pdfd}{claimReport}{#5}
1573         \_pdfmeta_xmp_add_packet_close:nn{rdf}{li}
1574     }
1575     \prop_get:NnNT \g__pdfmeta_xmp_pfd_data_prop {#1}\l__pdfmeta_tmpb_tl
1576     {
1577         \tl_concat:NNN \l__pdfmeta_tmpa_tl \l__pdfmeta_tmpa_tl \l__pdfmeta_tmpb_tl
1578     }
1579     \prop_gput:Nno\g__pdfmeta_xmp_pfd_data_prop{#1}
1580     {
```

```

1581           \l__pdfmeta_tmpa_t1
1582       }
1583   }
1584 \cs_generate_variant:Nn\pdfmeta_xmp_add_declarati on:nnnnn {e,eee}
(End of definition for \pdfmeta_xmp_add_declarati on:nnnnn. This function is documented on page 9.)

```

4.18 Default declarations

The two declarations will be required quite often with ua-2, so we provide some interface.

```

\__pdfmeta_xmp_wtpdf_reuse_declaration:
\pdfmeta_xmp_wtpdf_accessibility_declaration:
1585 \cs_new:Npn \__pdfmeta_xmp_iso_today:
1586 {
1587     \int_use:N\c_sys_year_int-
1588     \int_compare:nNnT {\c_sys_month_int} < {10}{0} \int_use:N\c_sys_month_int -
1589     \int_compare:nNnT {\c_sys_day_int} < {10}{0} \int_use:N\c_sys_day_int
1590 }
1591 \cs_new_protected:Npn \__pdfmeta_xmp_wtpdf_reuse_declaration:
1592 {
1593     \pdfmeta_xmp_add_declarati on:eeenn
1594         {http://pdfa.org/declarations/wtpdf\c_hash_str reuse1.0}
1595         {LaTeX~Project}
1596         {\__pdfmeta_xmp_iso_today:}{}{}
1597 }
1598 \cs_new_protected:Npn \__pdfmeta_xmp_wtpdf_accessibility_declaration:
1599 {
1600     \pdfmeta_xmp_add_declarati on:ennnn
1601         {http://pdfa.org/declarations/wtpdf\c_hash_str accessibility1.0}
1602         {LaTeX~Project}
1603         {\__pdfmeta_xmp_iso_today:}{}{}
1604 }
(End of definition for \__pdfmeta_xmp_wtpdf_reuse_declaration: and \__pdfmeta_xmp_wtpdf_accessibility_declaration:.)
1605 </package>

```

Index

The italic numbers denote the pages where the corresponding entry is described, numbers underlined point to the definition, all others indicate the places where it is used.

Symbols	
\&	708
\'	643
\+	643
\-	643, 724
\[724
\]	724
\A	724
	B
	BaseUrl/baseurl
	1257
	bitset commands:
	\bitset_set_false:Nn 93, 94, 95
	\bitset_set_true:Nn 92
	\bitset_to_arabic:N 96, 97, 98, 99, 100

bool commands:	\exp_args:N	484, 487	
	\exp_last_unbraced:No	1291, 1293	
	\exp_not:n	745, 753, 914	
		F	
char commands:	\file_get_timestamp:nN	1526	
clist commands:		G	
	\GetDocumentProperties	682,	
	862, 863, 1254, 1262, 1265, 1287,		
	1328, 1330, 1334, 1338, 1343, 1353,		
	1355, 1360, 1364, 1366, 1377, 1380,		
	1384, 1392, 1394, 1401, 1406, 1420,		
	1424, 1428, 1432, 1436, 1440, 1444,		
	1465, 1472, 1480, 1483, 1486, 1489,		
	1492, 1495, 1498, 1501, 1504, 1505		
complianceProfile	1459	group commands:	
CreatorTool/pdfcreator	1257	\group_begin:	325, 424, 707
cs commands:		\group_end:	330, 443, 716
	\cs_generate_variant:Nn	H	
	648, 720, 739, 748, 756, 762, 769, 784,	hook commands:	
	794, 804, 817, 834, 859, 1561, 1584	\hook_gput_code:nnn	102, 502
	\cs_gset_eq:NN	I	
	1247	int commands:	
	\cs_if_exist:NTF	\int_compare:nNnTF	
	39 1283, 1361, 1367, 1588, 1589	
	\cs_if_exist_use:N	\int_decr:N	
	962 639	
	\cs_new:Npn	\int_incr:N	
 17, 608, 612, 620, 626, 649, 1585 634	
	\cs_new_protected:Npn	\int_new:N	
	21, 56, 64, 72, 78, 84, 90, 407, 422, 498, 619	
	632, 637, 644, 679, 692, 704, 725,	\int_set:Nn	
	741, 749, 757, 763, 770, 775, 785,	902, 1515	
	795, 805, 818, 835, 860, 909, 940,	\int_use:N	
	968, 991, 1156, 1191, 1204, 1249,	1587, 1588, 1589	
	1257, 1278, 1297, 1311, 1325, 1332,	\int_zero:N	
	1357, 1396, 1414, 1448, 1459, 1511,	904, 1513	
	1541, 1548, 1556, 1562, 1591, 1598	iow commands:	
	\cs_set_eq:NN 570, 576, 865, 1554, 1555	\iow_close:N	
D		1537	
\d	643	\iow_newline:	622, 628
dc commands:		\iow_now:Nn	1536
	dc:description/pdfsubject	\iow_open:Nn	1535
	dc:identifier/pdfidentifier ..	\g_tmpa_iow	1535, 1536, 1537
	dc:language/lang/pdflang	J	
	dc:Nreator/pdfauthor	\jobname	1338, 1347, 1526
	dc:publisher/pdfpublisher	K	
	dc:subject/pdfkeywords	kernel internal commands:	
	dc:type/pdftype	\g_kernel_pdfmanagement_end_-	
\DocumentMetadata	2, 4	run_code_t1	319
E		keys commands:	
exp commands:		\keys_define:nn	337, 344, 507, 564, 582
	\exp_args:NNe	\l_keys_key_str	384
	\exp_args:Nne	\keys_set:nn	341, 561
	\exp_args:Nnne		
	\exp_args:NNo		
	\exp_args:No		

M

msg commands:

- \msg_new:nnn 7, 8, 601, 602, 603
- \msg_warning:nnn 461, 494
- \msg_warning:nnnn 945, 988, 1551
- \msg_warning:nnnnn 114, 124, 532, 549

P

pdf commands:

- \pdf_object_if_exist:nTF 409
- \pdf_object_new:n 411
- \pdf_object_ref:n 428
- \pdf_object_ref_last: 442, 1532
- \pdf_object_unnamed_write:nn 441
- \pdf_object_write:nnn 412
- \pdf_string_from_unicode:nnN 436
- \pdf_version: 3,
4, 113, 115, 123, 125, 534, 551, 1255
- \pdf_version_compare:NnTF 58, 66, 530, 547

pdf internal commands:

- _pdf_backend_metadata_stream:n 1531
- _pdf_backend_Names_gpush:nn 329
- _pdf_backend OMIT_charset:n 109
- _pdf_backend OMIT_cidset:n 111
- _pdf_backend OMIT_info:n 107
- _pdf_backend_set_regression_data: 499

pdfaid~(schema) 1010

pdfannot commands:

- \pdfannot_dict_put:nnn 96, 97, 98, 99, 100
- \l_pdfannot_F_bitset 92, 93, 94, 95, 96, 97, 98, 99, 100

pdfdict commands:

- \pdfdict_if_empty:nTF 323
- \pdfdict_new:n 388
- \pdfdict_put:nnn 326, 327, 389, 425, 426, 437
- \pdfdict_use:n 441

pdffile commands:

- \pdffile_embed_stream:nnN 328

pdfmanagement commands:

- \pdfmanagement_add:nnn 442, 504, 505, 1269, 1273, 1532
- \pdfmanagement_get_documentproperties:nNTF\g__pdfmeta_standard_prop 1288, 1369
- \pdfmanagement_remove:nn 1362, 1368

pdfmanagement internal commands:

- \g__pdfmanagement_active_bool 321

pdfmeta commands:

- \pdfmeta_set_regression_data: 5, 498
- \pdfmeta_standard_get:nN 2, 21, 21

\pdfmeta_standard_item:n
. 2, 17, 17, 117,
119, 127, 129, 469, 474, 480, 1280,
1282, 1283, 1284, 1285, 1361, 1367

\pdfmeta_standard_verify:n 2, 25

\pdfmeta_standard_verify:nn 2, 35

\pdfmeta_standard_verify:nnN 2

\pdfmeta_standard_verify:nTF
. 2, 35, 112, 122

\pdfmeta_standard_verify:nTF
. 2, 25, 104, 106, 108, 110, 317, 448

\pdfmeta_standard_verify_p:n 2, 25

\pdfmeta_xmp_add:n 9, 1541, 1541

\pdfmeta_xmp_add_declaration:n
. 9, 1556, 1556, 1561

\pdfmeta_xmp_add_declaration:nnnn
. 9, 1562, 1562, 1584, 1593, 1600

\pdfmeta_xmp_property_new:nnnn
. 10, 1555, 1555

\pdfmeta_xmp_schema_new:nnn
. 10, 1554, 1554

\pdfmeta_xmp_xmlns_new:nn
. 9, 1548, 1548

pdfmeta internal commands:

- _pdfmeta_embed_colorprofile:n 407, 407, 454, 484
- \g__pdfmeta_outputintents_prop 336, 350, 358,
366, 374, 383, 450, 468, 473, 479, 485
- \g__pdfmeta_standard_pdf/A-1B_-prop 133
- \g__pdfmeta_standard_pdf/A-2A_-prop 133
- \g__pdfmeta_standard_pdf/A-2B_-prop 133
- \g__pdfmeta_standard_pdf/A-2U_-prop 133
- \g__pdfmeta_standard_pdf/A-3A_-prop 133
- \g__pdfmeta_standard_pdf/A-3B_-prop 133
- \g__pdfmeta_standard_pdf/A-3U_-prop 133
- \g__pdfmeta_standard_pdf/A-4_-prop 133

\g__pdfmeta_standard_prop
. 16, 19, 23, 27, 37, 45, 542

_pdfmeta_standard_verify_-handler_annot_action_A:nn 78, 78

_pdfmeta_standard_verify_-handler_max_pdf_version:nn 63, 64

_pdfmeta_standard_verify_-handler_min_pdf_version:nn 55, 56

```

\__pdfmeta_standard_verify_-
    handler_named_actions:nn .. 71, 72
\__pdfmeta_standard_verify_-
    handler_outputintent_subtype:nn
        ..... 84, 84
\l__pdfmeta_tmpa_seq .....  

    10, 728, 729, 735, 736, 1267, 1268,  

    1271, 1272, 1275, 1276, 1385, 1387
\g__pdfmeta_tmpa_str .....  

    ..... 13, 711, 712, 713, 714, 715, 717
\l__pdfmeta_tmpa_str .....  

    ..... 10, 436, 438, 780,  

    781, 790, 791, 800, 801, 1334, 1335,  

    1339, 1342, 1343, 1344, 1348, 1351
\l__pdfmeta_tmpa_t1 ..... 10, 328,  

    329, 434, 436, 710, 711, 810, 813,  

    815, 844, 845, 852, 973, 1267, 1269,  

    1271, 1273, 1275, 1288, 1291, 1293,  

    1369, 1371, 1385, 1466, 1469, 1473,  

    1476, 1505, 1508, 1566, 1577, 1581
\l__pdfmeta_tmpb_seq ..... 10
\l__pdfmeta_tmpb_t1 ..... 10,  

    481, 482, 484, 489, 494, 844, 848,  

    852, 1466, 1470, 1473, 1477, 1575, 1577
\__pdfmeta_verify_pdfa_annotation_
    flags: ..... 90, 105
\__pdfmeta_write_outputintent:nn
    ..... 407, 422, 456, 488
\__pdfmeta_xmp_add_packet_-
    chunk:n ..... 741, 741, 748, 759,  

    766, 773, 781, 801, 871, 903, 905, 1545
\__pdfmeta_xmp_add_packet_-
    chunk:nn ..... 749, 749, 756, 791
\__pdfmeta_xmp_add_packet_-
    close:nn ... 770, 770, 830, 831,  

    855, 856, 884, 885, 899, 900, 901,  

    960, 961, 963, 983, 998, 1185, 1186,  

    1187, 1188, 1189, 1225, 1226, 1227,  

    1241, 1242, 1243, 1244, 1245, 1307,  

    1308, 1320, 1321, 1323, 1455, 1573
\__pdfmeta_xmp_add_packet_-
    field:nnn ..... 991, 991, 1169, 1171,  

    1173, 1175, 1177, 1179, 1181, 1183,  

    1217, 1219, 1221, 1223, 1237, 1239
\__pdfmeta_xmp_add_packet_-
    line:nnn ..... 775, 775,  

    784, 815, 827, 954, 955, 956, 979,  

    980, 981, 982, 995, 996, 997, 1161,  

    1162, 1164, 1165, 1209, 1210, 1212,  

    1213, 1229, 1230, 1232, 1233, 1255,  

    1268, 1272, 1276, 1280, 1281, 1284,  

    1285, 1286, 1290, 1292, 1314, 1327,  

    1329, 1341, 1350, 1352, 1354, 1383,  

    1388, 1398, 1402, 1461, 1478, 1481,  

    ..... 1484, 1487, 1490, 1493, 1496, 1499,  

    1502, 1506, 1569, 1570, 1571, 1572
\__pdfmeta_xmp_add_packet_-
    line:nnNN .. 785, 785, 794, 1418,  

    1422, 1426, 1430, 1434, 1438, 1442
\__pdfmeta_xmp_add_packet_line_-
    attr:nnNN .....  

    .. 795, 795, 804, 847, 851, 1467, 1474
\__pdfmeta_xmp_add_packet_line_-
    default:nnNN ..... 805,  

    805, 817, 1251, 1259, 1263, 1389
\__pdfmeta_xmp_add_packet_-
    list:nnNN ..... 835,  

    859, 1359, 1363, 1365, 1376, 1378, 1393
\__pdfmeta_xmp_add_packet_list_-
    simple:nnNN .....  

    .. 818, 834, 1371, 1374, 1381, 1386
\__pdfmeta_xmp_add_packet_-
    open:nn ..... 757, 757,  

    762, 823, 824, 840, 841, 873, 874,  

    878, 879, 957, 958, 978, 1158, 1159,  

    1167, 1168, 1206, 1207, 1215, 1216,  

    1235, 1236, 1301, 1302, 1317, 1318
\__pdfmeta_xmp_add_packet_open_-
    attr:nnn ..... 763, 763, 769, 876, 953,  

    994, 1160, 1208, 1228, 1313, 1452, 1568
\g__pdfmeta_xmp_bool .....  

    ..... 500, 556, 557, 1519
\__pdfmeta_xmp_build_dc: .....  

    ..... 891, 1357, 1357
\__pdfmeta_xmp_build_iptc: .....  

    ..... 896, 1448, 1448
\__pdfmeta_xmp_build_iptc_data:N
    ..... 866, 1414, 1414
\__pdfmeta_xmp_build_packet: ...  

    ..... 860, 860, 1529
\__pdfmeta_xmp_build_pdf: ...  

    ..... 887, 1249, 1249
\__pdfmeta_xmp_build_pfd: ...  

    ..... 890, 1297, 1297
\__pdfmeta_xmp_build_pfd_
    claim:nn ..... 1305, 1311, 1311
\__pdfmeta_xmp_build_photoshop: ...  

    ..... 892, 1325, 1325
\__pdfmeta_xmp_build_prism: ...  

    ..... 895, 1459, 1459
\__pdfmeta_xmp_build_standards: ...  

    ..... 889, 1278, 1278
\__pdfmeta_xmp_build_user: ...  

    ..... 897, 1511, 1511
\__pdfmeta_xmp_build_xmp: ...  

    ..... 893, 1257, 1257
\__pdfmeta_xmp_build_xmpMM: ...  

    ..... 894, 1332, 1332

```

```

\__pdfmeta_xmp_build_xmpRights: . . . . .
\__pdfmeta_xmp_create_uuid:nN . . . . .
\l__pdfmeta_xmp_currentdate_seq . . . . .
\l__pdfmeta_xmp_currentdate_t1 . . . . .
\__pdfmeta_xmp_date_get:nNN . . . . .
\l__pdfmeta_xmp_date_regex . . . . .
\__pdfmeta_xmp_date_split:nN . . . . .
\__pdfmeta_xmp_decr_indent: . . . . .
\l__pdfmeta_xmp_doclang_t1 . . . . .
\g__pdfmeta_xmp_export_bool . . . . .
\g__pdfmeta_xmp_export_str . . . . .
\__pdfmeta_xmp_generate_bom: . . . . .
\__pdfmeta_xmp_incr_indent: . . . . .
\__pdfmeta_xmp_indent: . . . . .
\__pdfmeta_xmp_indent:n . . . . .
\l__pdfmeta_xmp_indent_int . . . . .
\l__pdfmeta_xmp_iptc_data_t1 . . . . .
\__pdfmeta_xmp_iso_today: . . . . .
\__pdfmeta_xmp_lang_get:nNN . . . . .
\l__pdfmeta_xmp_lang_regex . . . . .
\__pdfmeta_xmp_metalang_t1 . . . . .
\g__pdfmeta_xmp_packet_t1 . . . . .
\__pdfmeta_xmp_pdfd_data_prop . . . .
\__pdfmeta_xmp_print_date:N . . . . .
\__pdfmeta_xmp_property_new:nnnn . . . . .
\__pdfmeta_xmp_sanitize:nN . . . . .

```

888, [1396](#), [1396](#)
[692](#), [692](#), [1337](#), [1346](#)
[677](#), [685](#), [1528](#)
[677](#), [686](#), [1347](#), [1523](#), [1526](#), [1528](#)
[679](#), [679](#), [1266](#), [1270](#), [1274](#), [1385](#)
[641](#), [646](#)
[644](#), [644](#), [648](#), [689](#), [1528](#)
[620](#), [637](#), [772](#), [1446](#)
[721](#), [862](#), [865](#), [1382](#)
[579](#), [587](#), [592](#), [596](#), [1533](#)
[580](#), [588](#), [597](#), [1535](#)
[604](#), [608](#), [612](#), [872](#)
[620](#), [632](#), [760](#), [767](#), [1417](#)
[620](#), [620](#), [745](#), [753](#)
[620](#), [626](#), [914](#)
[619](#),
[623](#), [634](#), [639](#), [902](#), [904](#), [1513](#), [1515](#)
[866](#), [867](#), [1413](#), [1450](#), [1454](#)
[1585](#), [1596](#), [1603](#)
[725](#), [739](#), [844](#), [1464](#), [1471](#)
[723](#), [728](#)
[721](#), [731](#), [845](#), [863](#), [864](#), [865](#)
[740](#), [743](#), [1454](#), [1531](#), [1536](#)
[1296](#), [1299](#), [1303](#), [1559](#), [1575](#), [1579](#)
[649](#), [649](#), [1268](#), [1272](#), [1276](#), [1387](#)
[967](#), [968](#),
[1004](#), [1014](#), [1020](#), [1030](#), [1036](#), [1046](#),
[1056](#), [1062](#), [1068](#), [1074](#), [1080](#), [1086](#),
[1092](#), [1098](#), [1104](#), [1110](#), [1116](#), [1122](#),
[1128](#), [1134](#), [1140](#), [1150](#), [1198](#), [1555](#)
[704](#), [704](#), [720](#), [780](#), [790](#), [800](#)

1191, [1247](#), [1558](#), [1565](#)
[940](#), [940](#), [1000](#), [1010](#),
[1026](#), [1042](#), [1052](#), [1146](#), [1194](#), [1554](#)
\g__pdfmeta_xmp_schema_property_-
prop
\l__pdfmeta_xmp_schema_seq
.
\g__pdfmeta_xmp_user_packet_str [1510](#)
\g__pdfmeta_xmp_user_packet_t1
.
__pdfmeta_xmp_wtpdf_accessibility_-
declaration:
.
545, [573](#), [576](#), [1585](#), [1598](#)
__pdfmeta_xmp_wtpdf_reuse_-
declaration:
.
546, [567](#), [570](#), [1585](#), [1591](#)
__pdfmeta_xmp_xmlns_new:nn
.
909, [909](#), [917](#),
918, [919](#), [920](#), [921](#), [922](#), [923](#), [925](#),
926, [927](#), [928](#), [929](#), [930](#), [931](#), [932](#),
933, [934](#), [935](#), [936](#), [937](#), [938](#), [1193](#), [1552](#)
\g__pdfmeta_xmp_xmlns_prop
.
907, [911](#), [1550](#)
\g__pdfmeta_xmp_xmlns_t1 [877](#), [907](#), [912](#)
pdfmetatmpa internal commands:
\g__pdfmetatmpa_str
10
pdfuaid~(schema)
1026
PDFversion
1249
pdfxid~(schema)
1042
photoshop commands:
photoshop:AuthorsPosition/pdfauthoritle
1357
photoshop:CaptionWriter/pdfcaptionwriter
1357
\PreviousTotalPages
1508
prg commands:
\prg_do_nothing:
570, [576](#), [1247](#)
\prg_new_conditional:Npnn
25
\prg_new_protected_conditional:Npnn
35
\prg_replicate:nn
623, [629](#), [903](#)
\prg_return_false:
.
29, [48](#), [60](#), [68](#), [76](#), [82](#), [88](#)
\prg_return_true:
.
32, [52](#), [61](#), [69](#), [75](#), [81](#), [87](#)
prism commands:
prism:subtitle/pdfsubtitle
1459
prism~(schema)
1052
Producer/pdfproducer
1249
prop commands:
\prop_const_from_keyval:Nn
391, [398](#)
\prop_get:NnN
23, [478](#)

```

\prop_get:NnNTF ..... 431, 973, 1575
\prop_gput:Nnn ..... 199, 201, 203,
   209, 211, 223, 225, 227, 235, 237,
   239, 248, 250, 252, 263, 265, 267,
   275, 277, 279, 287, 289, 291, 293,
   295, 297, 310, 313, 350, 358, 366,
   374, 383, 472, 542, 911, 975, 1559, 1579
\prop_gremove:Nn .....
   ..... 206, 214, 255, 299, 301, 303
\prop_gset_eq:NN .....
   ..... 196, 220, 232, 245, 260, 272, 284, 307
\prop_gset_from_keyval:Nn .....
\prop_if_empty:NTF .....
\prop_if_exist:NTF .....
\prop_if_in:NnTF ..... 27, 37, 467, 1550
\prop_item:Nn .....
   ..... 19, 45, 415
\prop_map_inline:Nn .. 450, 485, 1303
\prop_new:N .....
   ..... 16, 133, 195, 219, 231, 244,
   259, 271, 283, 306, 336, 908, 967, 1296
\ProvidesExplPackage ..... 3

```

R

```

regex commands:
\regex_extract_once:NnN ..... 728
\regex_new:N ..... 641, 723
\regex_set:Nn ..... 642, 724
\regex_split:NnN ..... 646

```

S

```

seq commands:
\seq_if_empty:NTF ..... 729
\seq_item:Nn ..... 651, 653,
   655, 657, 659, 660, 662, 663, 665,
   666, 667, 668, 670, 671, 674, 735, 736
\seq_map_inline:Nn ..... 880
\seq_new:N ..... 14, 15, 678, 939
\seq_put_right:Nn ..... 948
\seq_remove_all:Nn ..... 869
\seq_set_eq:NN ..... 685

```

```

str commands:
\c_hash_str ..... 9, 875,
   924, 932, 935, 936, 937, 938, 1594, 1601
\str_case:nn ..... 1406
\str_convert_pdfname:n ..... 425
\str_greplace_all:Nnn .....
   ..... 712, 713, 714, 715
\str_gset:Nn ..... 597, 711
\str_gset_eq:NN ..... 588
\str_if_empty:NTF ..... 1335, 1344
\str_if_exist:NTF ..... 1521
\str_lowercase:n ..... 694

```

```

\str_new:N ..... 12, 13, 580, 907
\str_range:Nnn ..... 697, 698, 699, 700, 701
\str_set:Nn ..... 694, 695, 1334, 1343
\str_set_eq:NN ..... 717
\c_tilde_str ..... 709

```

sys commands:

```

\c_sys_day_int ..... 1589
\c_sys_engine_exec_str ..... 504, 1253
\c_sys_engine_version_str ..... 504, 1253
\sys_if_engine_luatex_p: ..... 605
\sys_if_engine_xetex_p: ..... 606
\c_sys_jobname_str ..... 588, 1391
\c_sys_month_int ..... 1588
\c_sys_timestamp_str ..... 5, 1521, 1523
\c_sys_year_int ..... 1587

```

T

tex commands:

```

\tex_mdfivesum:D ..... 694
text commands:
\text_declare_purify_equivalent:Nn
   ..... 708, 709
\text_purify:n ..... 710
\texttilde ..... 709

```

tl commands:

```

\c_space_tl ..... 414, 623, 629
\tl_clear:N ..... 1416
\tl_concat:NNN ..... 1577
\tl_gput_right:Nn
   ..... 319, 743, 912, 951, 976, 1454, 1543
\tl_if_blank:nTF ..... 348, 356,
   364, 372, 380, 651, 658, 661, 664,
   669, 683, 778, 788, 798, 808, 864, 1508
\tl_if_empty:NTF ..... 867, 1450
\tl_if_empty:nTF ..... 1315
\tl_if_eq:nnTF ..... 86, 845
\tl_if_exist:NTF ..... 943, 971
\tl_if_in:nnTF ..... 74, 80
\tl_new:N ..... 10, 11,
   677, 721, 722, 740, 949, 950, 1413, 1510
\tl_put_right:Nn ..... 751
\tl_set:Nn ..... 682, 710, 731, 732,
   735, 736, 810, 813, 862, 863, 1505, 1566
\tl_set_eq:NN ..... 686, 1523
\tl_to_str:N ..... 708, 711
\tl_use:N ..... 882, 959

```

U

use commands:

```

\use:N ..... 42
\use_i:nn ..... 1291
\use_ii:nn ..... 1293

```