

PerlTeX: Defining L^AT_EX macros in terms of Perl code*

Scott Pakin
scott+pt@pakin.org

September 14, 2019

Abstract

PerlTeX is a combination Perl script (`perltex.pl`) and L^AT_EX 2_ε style file (`perltex.sty`) that, together, give the user the ability to define L^AT_EX macros in terms of Perl code. Once defined, a Perl macro becomes indistinguishable from any other L^AT_EX macro. PerlTeX thereby combines L^AT_EX's typesetting power with Perl's programmability.

1 Introduction

T_EX is a professional-quality typesetting system. However, its programming language is rather hard to use for anything but the most simple forms of text substitution. Even L^AT_EX, the most popular macro package for T_EX, does little to simplify T_EX programming.

Perl is a general-purpose programming language whose forte is in text manipulation. However, it has no support whatsoever for typesetting.

PerlTeX's goal is to bridge these two worlds. It enables the construction of documents that are primarily L^AT_EX-based but contain a modicum of Perl. PerlTeX seamlessly integrates Perl code into a L^AT_EX document, enabling the user to define macros whose bodies consist of Perl code instead of T_EX and L^AT_EX code.

As an example, suppose you need to define a macro that reverses a set of words. Although it sounds like it should be simple, few L^AT_EX authors are sufficiently versed in the T_EX language to be able to express such a macro. However, a word-reversal function is easy to express in Perl: one need only `split` a string into a list of words, `reverse` the list, and `join` it back together. The following is how a `\reversewords` macro could be defined using PerlTeX:

```
\perlnewcommand{\reversewords}[1]{join " ", reverse split " ", $_[0]}
```

*This document corresponds to PerlTeX v2.2, dated 2019/09/14.

Then, executing “`\reversewords{Try doing this without Perl!}`” in a document would produce the text “Perl! without this doing Try”. Simple, isn’t it?

As another example, think about how you’d write a macro in \LaTeX to extract a substring of a given string when provided with a starting position and a length. Perl has an built-in `substr` function and \PerlTeX makes it easy to export this to \LaTeX :

```
\perlnewcommand{\substr}[3]{substr $_[0], $_[1], $_[2]}
```

`\substr` can then be used just like any other \LaTeX macro—and as simply as Perl’s `substr` function:

```
\newcommand{\str}{superlative}
A sample substring of ``\str'' is ``\substr{\str}{2}{4}''.
```



A sample substring of “superlative” is “perl”.

To present a somewhat more complex example, observe how much easier it is to generate a repetitive matrix using Perl code than ordinary \LaTeX commands:

```
\perlnewcommand{\hilbertmatrix}[1]{
  my $result = '
  \[
  \renewcommand{\arraystretch}{1.3}
  ';
  $result .= '\begin{array}{' . 'c' x $_[0] . "}\n";
  foreach $j (0 .. $_[0]-1) {
    my @row;
    foreach $i (0 .. $_[0]-1) {
      push @row, ($i+$j) ? (sprintf '\frac{1}{%d}', $i+$j+1) : '1';
    }
    $result .= join (' & ', @row) . " \\\n";
  }
  $result .= '\end{array}
  \]';
  return $result;
}

\hilbertmatrix{20}
```



1	$\frac{1}{2}$	$\frac{1}{3}$	$\frac{1}{4}$	$\frac{1}{5}$	$\frac{1}{6}$	$\frac{1}{7}$	$\frac{1}{8}$	$\frac{1}{9}$	$\frac{1}{10}$	$\frac{1}{11}$	$\frac{1}{12}$	$\frac{1}{13}$	$\frac{1}{14}$	$\frac{1}{15}$
$\frac{1}{2}$	$\frac{1}{3}$	$\frac{1}{4}$	$\frac{1}{5}$	$\frac{1}{6}$	$\frac{1}{7}$	$\frac{1}{8}$	$\frac{1}{9}$	$\frac{1}{10}$	$\frac{1}{11}$	$\frac{1}{12}$	$\frac{1}{13}$	$\frac{1}{14}$	$\frac{1}{15}$	$\frac{1}{16}$
$\frac{1}{3}$	$\frac{1}{4}$	$\frac{1}{5}$	$\frac{1}{6}$	$\frac{1}{7}$	$\frac{1}{8}$	$\frac{1}{9}$	$\frac{1}{10}$	$\frac{1}{11}$	$\frac{1}{12}$	$\frac{1}{13}$	$\frac{1}{14}$	$\frac{1}{15}$	$\frac{1}{16}$	$\frac{1}{17}$
$\frac{1}{4}$	$\frac{1}{5}$	$\frac{1}{6}$	$\frac{1}{7}$	$\frac{1}{8}$	$\frac{1}{9}$	$\frac{1}{10}$	$\frac{1}{11}$	$\frac{1}{12}$	$\frac{1}{13}$	$\frac{1}{14}$	$\frac{1}{15}$	$\frac{1}{16}$	$\frac{1}{17}$	$\frac{1}{18}$
$\frac{1}{5}$	$\frac{1}{6}$	$\frac{1}{7}$	$\frac{1}{8}$	$\frac{1}{9}$	$\frac{1}{10}$	$\frac{1}{11}$	$\frac{1}{12}$	$\frac{1}{13}$	$\frac{1}{14}$	$\frac{1}{15}$	$\frac{1}{16}$	$\frac{1}{17}$	$\frac{1}{18}$	$\frac{1}{19}$
$\frac{1}{6}$	$\frac{1}{7}$	$\frac{1}{8}$	$\frac{1}{9}$	$\frac{1}{10}$	$\frac{1}{11}$	$\frac{1}{12}$	$\frac{1}{13}$	$\frac{1}{14}$	$\frac{1}{15}$	$\frac{1}{16}$	$\frac{1}{17}$	$\frac{1}{18}$	$\frac{1}{19}$	$\frac{1}{20}$
$\frac{1}{7}$	$\frac{1}{8}$	$\frac{1}{9}$	$\frac{1}{10}$	$\frac{1}{11}$	$\frac{1}{12}$	$\frac{1}{13}$	$\frac{1}{14}$	$\frac{1}{15}$	$\frac{1}{16}$	$\frac{1}{17}$	$\frac{1}{18}$	$\frac{1}{19}$	$\frac{1}{20}$	$\frac{1}{21}$
$\frac{1}{8}$	$\frac{1}{9}$	$\frac{1}{10}$	$\frac{1}{11}$	$\frac{1}{12}$	$\frac{1}{13}$	$\frac{1}{14}$	$\frac{1}{15}$	$\frac{1}{16}$	$\frac{1}{17}$	$\frac{1}{18}$	$\frac{1}{19}$	$\frac{1}{20}$	$\frac{1}{21}$	$\frac{1}{22}$
$\frac{1}{9}$	$\frac{1}{10}$	$\frac{1}{11}$	$\frac{1}{12}$	$\frac{1}{13}$	$\frac{1}{14}$	$\frac{1}{15}$	$\frac{1}{16}$	$\frac{1}{17}$	$\frac{1}{18}$	$\frac{1}{19}$	$\frac{1}{20}$	$\frac{1}{21}$	$\frac{1}{22}$	$\frac{1}{23}$
$\frac{1}{10}$	$\frac{1}{11}$	$\frac{1}{12}$	$\frac{1}{13}$	$\frac{1}{14}$	$\frac{1}{15}$	$\frac{1}{16}$	$\frac{1}{17}$	$\frac{1}{18}$	$\frac{1}{19}$	$\frac{1}{20}$	$\frac{1}{21}$	$\frac{1}{22}$	$\frac{1}{23}$	$\frac{1}{24}$
$\frac{1}{11}$	$\frac{1}{12}$	$\frac{1}{13}$	$\frac{1}{14}$	$\frac{1}{15}$	$\frac{1}{16}$	$\frac{1}{17}$	$\frac{1}{18}$	$\frac{1}{19}$	$\frac{1}{20}$	$\frac{1}{21}$	$\frac{1}{22}$	$\frac{1}{23}$	$\frac{1}{24}$	$\frac{1}{25}$
$\frac{1}{12}$	$\frac{1}{13}$	$\frac{1}{14}$	$\frac{1}{15}$	$\frac{1}{16}$	$\frac{1}{17}$	$\frac{1}{18}$	$\frac{1}{19}$	$\frac{1}{20}$	$\frac{1}{21}$	$\frac{1}{22}$	$\frac{1}{23}$	$\frac{1}{24}$	$\frac{1}{25}$	$\frac{1}{26}$
$\frac{1}{13}$	$\frac{1}{14}$	$\frac{1}{15}$	$\frac{1}{16}$	$\frac{1}{17}$	$\frac{1}{18}$	$\frac{1}{19}$	$\frac{1}{20}$	$\frac{1}{21}$	$\frac{1}{22}$	$\frac{1}{23}$	$\frac{1}{24}$	$\frac{1}{25}$	$\frac{1}{26}$	$\frac{1}{27}$
$\frac{1}{14}$	$\frac{1}{15}$	$\frac{1}{16}$	$\frac{1}{17}$	$\frac{1}{18}$	$\frac{1}{19}$	$\frac{1}{20}$	$\frac{1}{21}$	$\frac{1}{22}$	$\frac{1}{23}$	$\frac{1}{24}$	$\frac{1}{25}$	$\frac{1}{26}$	$\frac{1}{27}$	$\frac{1}{28}$
$\frac{1}{15}$	$\frac{1}{16}$	$\frac{1}{17}$	$\frac{1}{18}$	$\frac{1}{19}$	$\frac{1}{20}$	$\frac{1}{21}$	$\frac{1}{22}$	$\frac{1}{23}$	$\frac{1}{24}$	$\frac{1}{25}$	$\frac{1}{26}$	$\frac{1}{27}$	$\frac{1}{28}$	$\frac{1}{29}$

In addition to `\perlnewcommand` and `\perlrenewcommand`, Perl_T_EX supports `\perlnewenvironment` and `\perlrenewenvironment` macros. These enable environments to be defined using Perl code. The following example, a `spreadsheet` environment, generates a `tabular` environment plus a predefined header row. This example would have been much more difficult to implement without Perl_T_EX:

```

\newcounter{ssrow}
\perlnewenvironment{spreadsheet}[1]{
  my $cols = $_[0];
  my $header = "A";
  my $stabular = "\\setcounter{ssrow}{1}\n";
  $stabular .= '\newcommand*{\rownum}{\thesrow\addtocounter{ssrow}{1}}' . "\n";
  $stabular .= '\begin{tabular}{@{}r}*{' . $cols . '}{r}@{}}' . "\n";
  $stabular .= '\\multicolumn{1}{@{}c}{} &' . "\n";
  foreach (1 .. $cols) {
    $stabular .= "\\multicolumn{1}{c}";
    $stabular .= '@{}' if $_ == $cols;
    $stabular .= "}{" . $header++ . "}";
    if ($_ == $cols) {
      $stabular .= " \\ \\ \\ \\cline{2-} . ($cols+1) . "}"
    }
    else {
      $stabular .= " &";
    }
  }
  $stabular .= "\n";
}

```

```

    }
    return $tabular;
  }{
    return "\\end{tabular}\n";
  }

\begin{center}
\begin{spreadsheet}{4}
\rownum & 1 & 8 & 10 & 15 \\
\rownum & 12 & 13 & 3 & 6 \\
\rownum & 7 & 2 & 16 & 9 \\
\rownum & 14 & 11 & 5 & 4
\end{spreadsheet}
\end{center}

```



	A	B	C	D
1	1	8	10	15
2	12	13	3	6
3	7	2	16	9
4	14	11	5	4

2 Usage

There are two components to using Perl_TE_X. First, documents must include a “`\usepackage{perltex}`” line in their preamble in order to define `\perlnewcommand`, `\perlrenewcommand`, `\perlnewenvironment`, and `\perlrenewenvironment`. Second, L^AT_EX documents must be compiled using the `perltex.pl` wrapper script.

2.1 Defining and redefining Perl macros

`\perlnewcommand` `perltex.sty` defines five macros: `\perlnewcommand`, `\perlrenewcommand`, `\perlrenewenvironment`, `\perlrenewenvironment`, and `\perldo`. The first four of these behave exactly like their L^AT_EX_{2 ϵ} counterparts—`\newcommand`, `\renewcommand`, `\newenvironment`, and `\renewenvironment`—except that the macro body consists of Perl code that dynamically generates L^AT_EX code. `perltex.sty` even includes support for optional arguments and the starred forms of its commands (i.e. `\perlnewcommand*`, `\perlrenewcommand*`, `\perlnewenvironment*`, and `\perlrenewenvironment*`). `\perldo` immediately executes a block of Perl code without (re)defining any macros or environments.

A Perl_TE_X-defined macro or environments is converted to a Perl subroutine named after the macro/environment but beginning with “`latex_`”. For example, a Perl_TE_X-defined L^AT_EX macro called `\myMacro` internally produces a Perl

subroutine called `latex_myMacro`. Macro arguments are converted to subroutine arguments. A \LaTeX macro's #1 argument is referred to as `$_[0]` in Perl; #2 is referred to as `$_[1]`; and so forth.

Any valid Perl code can be used in the body of a macro. However, Perl \TeX executes the Perl code within a secure sandbox. This means that potentially harmful Perl operations, such as `unlink`, `rmdir`, and `system` will result in a runtime error. (It is possible to disable the safety checks, however, as is explained in Section 2.3.) Having a secure sandbox implies that it is safe to build Perl \TeX documents written by other people without worrying about what they may do to your computer system.

A single sandbox is used for the entire `latex` run. This means that multiple macros defined by `\perlnewcommand` can invoke each other. It also means that global variables persist across macro calls:

```
\perlnewcommand{\setX}[1]{$x = $_[0]; return ""}
\perlnewcommand{\getX}{'$x$ was set to ' . $x . '.'}
\setX{123}
\getX
\setX{456}
\getX
\perldo{$x = 789}
\getX
```



`x` was set to 123. `x` was set to 456. `x` was set to 789.

Macro arguments are expanded by \LaTeX before being passed to Perl. Consider the following macro definition, which wraps its argument within `\begin{verbatim}... \end{verbatim}`:

```
\perlnewcommand{\verbit}[1]{
  "\\begin{verbatim}\n$_[0]\n\\end{verbatim}\n"
}
```

An invocation of `"\verbit{\TeX}"` would therefore typeset the *expansion* of `"\TeX"`, namely `"T\kern -.1667em\lower .5ex\hbox {E}\kern -.125emX\spacefactor \@m"`, which might be a bit unexpected. The solution is to use `\noexpand`: `\verbit{\noexpand\TeX} ⇒ \TeX`. “Robust” macros as well as `\begin` and `\end` are implicitly preceded by `\noexpand`.

2.2 Making `perltex.pl` optional

Normally, `perltex.sty` issues a Document must be compiled using `perltex` error if a document specifies `\usepackage{perltex}` but is not compiled using `perltex.pl`. However, sometimes Perl \TeX may be needed merely to enhance a

document's formatting without being mandatory for compiling the document. For `optional` such cases, the `optional` package option instructs `perltex.sty` only to note that Document was compiled without using the `perltex` script without aborting the compilation. The author can then use the `\ifperl` macro to test if `perltex.pl` is being used and, if not, provide alternative definitions for macros and environments defined with `\perlnewcommand` and `\perlnewenvironment`. `\ifperl`

See Section 2.4 for a large Perl_TE_X example that uses `optional` and `\ifperl` to define an environment one way if `perltex.pl` is detected and another way if not. The text preceding the example also shows how to enable a document to compile even if `perltex.sty` is not even installed.

2.3 Invoking `perltex.pl`

The following pages reproduce the `perltex.pl` program documentation. Key parts of the documentation are excerpted when `perltex.pl` is invoked with the `--help` option. The various Perl `pod2(something)` tools can be used to generate the complete program documentation in a variety of formats such as L^AT_EX, HTML, plain text, or Unix man-page format. For example, the following command is the recommended way to produce a Unix man page from `perltex.pl`:

```
pod2man --center=" " --release=" " perltex.pl > perltex.1
```

NAME

perltex — enable L^AT_EX macros to be defined in terms of Perl code

SYNOPSIS

```
perltex [-help] [-latex=program] [-[no]safe] [-permit=feature] [-makesty] [latex options]
```

DESCRIPTION

L^AT_EX—through the underlying T_EX typesetting system—produces beautifully typeset documents but has a macro language that is difficult to program. In particular, support for complex string manipulation is largely lacking. Perl is a popular general-purpose programming language whose forte is string manipulation. However, it has no typesetting capabilities whatsoever.

Clearly, Perl’s programmability could complement L^AT_EX’s typesetting strengths. **perltex** is the tool that enables a symbiosis between the two systems. All a user needs to do is compile a L^AT_EX document using **perltex** instead of **latex**. (**perltex** is actually a wrapper for **latex**, so no **latex** functionality is lost.) If the document includes a `\usepackage{perltex}` in its preamble, then `\perlnewcommand` and `\perlrenewcommand` macros will be made available. These behave just like L^AT_EX’s `\newcommand` and `\renewcommand` except that the macro body contains Perl code instead of L^AT_EX code.

OPTIONS

perltex accepts the following command-line options:

-help

Display basic usage information.

-latex=*program*

Specify a program to use instead of **latex**. For example, `--latex=pdflatex` would typeset the given document using **pdflatex** instead of ordinary **latex**.

-[no]safe

Enable or disable sandboxing. With the default of **-safe**, **perltex** executes the code from a `\perlnewcommand` or `\perlrenewcommand` macro within a protected environment that prohibits “unsafe” operations such as accessing files or executing external programs. Specifying **-nosafe** gives the L^AT_EX document *carte blanche* to execute any arbitrary Perl code, including that which can harm the user’s files. See *Safe* for more information.

-permit=*feature*

Permit particular Perl operations to be performed. The **-permit** option, which can be specified more than once on the command line, enables finer-grained control over the **perltex** sandbox. See *Opcode* for more information.

-makesty

Generate a L^AT_EX style file called *noperltex.sty*. Replacing the document's `\usepackage{perltex}` line with `\usepackage{noperltex}` produces the same output but does not require PerlT_EX, making the document suitable for distribution to people who do not have PerlT_EX installed. The disadvantage is that *noperltex.sty* is specific to the document that produced it. Any changes to the document's PerlT_EX macro definitions or macro invocations necessitates rerunning **perltex** with the **-makesty** option.

These options are then followed by whatever options are normally passed to **latex** (or whatever program was specified with **--latex**), including, for instance, the name of the *.tex* file to compile.

EXAMPLES

In its simplest form, **perltex** is run just like **latex**:

```
perltex myfile.tex
```

To use **pdflatex** instead of regular **latex**, use the **-latex** option:

```
perltex --latex=pdflatex myfile.tex
```

If L^AT_EX gives a “trapped by operation mask” error and you trust the *.tex* file you're trying to compile not to execute malicious Perl code (e.g., because you wrote it yourself), you can disable **perltex**'s safety mechanisms with **-nosafe**:

```
perltex --nosafe myfile.tex
```

The following command gives documents only **perltex**'s default permissions (**:browse**) plus the ability to open files and invoke the **time** command:

```
perltex --permit=:browse --permit=:fileysys_open  
--permit=time myfile.tex
```

ENVIRONMENT

perltex honors the following environment variables:

PERLTEX

Specify the filename of the L^AT_EX compiler. The L^AT_EX compiler defaults to “**latex**”. The PERLTEX environment variable overrides this default, and the **-latex** command-line option (see OPTIONS) overrides that.

FILES

While compiling *jobname.tex*, **perltex** makes use of the following files:

jobname.lgpl

log file written by Perl; helpful for debugging Perl macros

jobname.topl

information sent from L^AT_EX to Perl

jobname.frpl

information sent from Perl to L^AT_EX

jobname.tfpl

“flag” file whose existence indicates that *jobname.topl* contains valid data

jobname.ffpl

“flag” file whose existence indicates that *jobname.frpl* contains valid data

jobname.dfpl

“flag” file whose existence indicates that *jobname.ffpl* has been deleted

noperltex-#.tex

file generated by *noperltex.sty* for each PerlT_EX macro invocation

NOTES

perltex's sandbox defaults to what *Opcodes* calls “:browse”.

SEE ALSO

latex(1), pdflatex(1), perl(1), Safe(3pm), Opcodes(3pm)

AUTHOR

Scott Pakin, *scott+pt@pakin.org*

2.4 A large, complete example

Suppose we want to define a `linkwords` environment that exhibits the following characteristics:

1. All words that appear within the environment's body are automatically hyperlinked to a given URL that incorporates the lowercase version of the word somewhere within that URL.
2. The environment accepts an optional list of stop words that should not be hyperlinked.
3. Paragraph breaks, nested environments, and other \LaTeX markup are allowed within the environment's body.

Because of the reliance on text manipulation (parsing the environment's body into words, comparing each word against the list of stop words, distinguishing between text and \LaTeX markup, etc.), these requirements would be difficult to meet without \PerlTeX .

We use three packages to help define the `linkwords` environment: `perltex` for text manipulation, `hyperref` for creating hyperlinks, and `environ` for gathering up the body of an environment and passing it as an argument to a macro. Most of the work is performed by the \PerlTeX macro `\dolinkwords`, which takes three arguments: a URL template that contains “`\%s`” as a placeholder for a word from the text, a mandatory but possibly empty space-separated list of lowercase stop words, and the input text to process. `\dolinkwords` first replaces all sequences of the form `\langle letters \rangle`, `\begin{\langle letters \rangle}`, or `\end{\langle letters \rangle}` with dummy alphanumerics but remembers which dummy sequence corresponds with each original \LaTeX sequence. The macro then iterates over each word in the input text, formatting each non-stop-word using the URL template. Contractions (words containing apostrophes) are ignored. Finally, `\dolinkwords` replaces the dummy sequences with the corresponding \LaTeX text and returns the result.

The `linkwords` environment itself is defined using the `\NewEnviron` macro from the `environ` package. With `\NewEnviron`'s help, `linkwords` accumulates its body into a `\BODY` macro and passes that plus the URL template and the optional list of stop words to `\dolinkwords`.

As an added bonus, `\ifperl...else...\fi` is used to surround the definition of the `\dolinkwords` macro and `linkwords` environment. If the document is not run through `perltex.pl`, `linkwords` is defined as a do-nothing environment that simply typesets its body as is. Note that `perltex.sty` is loaded with the `optional` option to indicate that the document can compile without `perltex.pl`. However, the user still needs `perltex.sty` to avoid getting a `File 'perltex.sty' not found` error from \LaTeX . To produce a document that can compile even without `perltex.sty` installed, replace the `\usepackage[optional]{perltex}` line with

the following L^AT_EX code:

```
\IfFileExists{perltex.sty}
    {\usepackage[optional]{perltex}}
    {\newif\ifperl}
```

A complete L^AT_EX document is presented below. This document, which includes the definition and a use of the `linkwords` environment, can be extracted from the PerlT_EX source code into a file called `example.tex` by running

```
tex perltex.ins
```

In the following listing, line numbers are suffixed with “X” to distinguish them from line numbers associated with PerlT_EX’s source code.

```
1X \documentclass{article}
2X \usepackage[optional]{perltex}
3X \usepackage{environ}
4X \usepackage{hyperref}
5X
6X \ifperl
7X
8X \perlnewcommand{\dolinkwords}[3]{
9X     # Preprocess our arguments.
10X     $url = $_[0];
11X     $url =~ s/\\%s/\\%s/g;
12X     %stopwords = map {lc $_ => 1} split " ", $_[1];
13X     $stopwords{""} = 1;
14X     $text = $_[2];
15X
16X     # Replace LaTeX code in the text with placeholders.
17X     $placeholder = "ABCxyz123";
18X     %substs = ();
19X     $replace = sub {$substs{$placeholder} = $_[0]; $placeholder++};
20X     $text =~ s/\\(begin|end)\s+\\{[a-z]+\}/$replace->($&)/gse;
21X     $text =~ s/\\[a-z]+/$replace->($&)/gse;
22X
23X     # Hyperlink each word that's not in the stop list.
24X     $newtext = "";
25X     foreach $word (split /((?<=[-A\s])[\'a-z]+\b)/i, $text) {
26X         $lword = lc $word;
27X         if (defined $stopwords{$lword} || $lword =~ /^[^a-z]/) {
28X             $newtext .= $word;
29X         }
30X         else {
31X             $newtext .= sprintf "\\href{$url}{%s}", $lword, $word;
32X         }
33X     }
```

```

34X
35X     # Restore original text from placeholders and return the new text.
36X     while (($tag, $orig) = each %substs) {
37X         $newtext =~ s/\Q$tag\E/$orig/g;
38X     }
39X     return $newtext;
40X }
41X
42X \NewEnviron{linkwords}[2] [] {\dolinkwords{#2}{#1}{\BODY}}{}
43X
44X \else
45X
46X \newenvironment{linkwords}[2] [] {}{}
47X
48X \fi
49X
50X \begin{document}
51X
52X \newcommand{\stopwords}{a an the of in am and or but i we me you us them}
53X
54X \begin{linkwords}[\stopwords]{http://www.google.com/search?q=define:\%s}
55X \begin{verse}
56X I'm very good at integral and differential calculus; \\
57X I know the scientific names of beings animalculous: \\
58X In short, in matters vegetable, animal, and mineral, \\
59X I am the very model of a modern Major-General.
60X \end{verse}
61X \end{linkwords}
62X
63X \end{document}

```

3 Implementation

Users interested only in *using* Perl_{TEX} can skip Section 3, which presents the complete Perl_{TEX} source code. This section should be of interest primarily to those who wish to extend Perl_{TEX} or modify it to use a language other than Perl.

Section 3 is split into two main parts. Section 3.1 presents the source code for `perltex.sty`, the L_AT_EX side of Perl_{TEX}, and Section 3.2 presents the source code for `perltex.pl`, the Perl side of Perl_{TEX}. In toto, Perl_{TEX} consists of a relatively small amount of code. `perltex.sty` is only 303 lines of L_AT_EX and `perltex.pl` is only 329 lines of Perl. `perltex.pl` is fairly straightforward Perl code and shouldn't be too difficult to understand by anyone comfortable with Perl programming. `perltex.sty`, in contrast, contains a bit of L_AT_EX trickery and is probably impenetrable to anyone who hasn't already tried his hand at L_AT_EX programming. Fortunately for the reader, the code is profusely commented so the aspiring L_AT_EX guru may yet learn something from it.

After documenting the `perltex.sty` and `perltex.pl` source code, a few sug-

gestions are provided for porting Perl_T_EX to use a backend language other than Perl (Section 3.3).

3.1 `perltex.sty`

Although I've written a number of L_AT_EX packages, `perltex.sty` was the most challenging to date. The key things I needed to learn how to do include the following:

1. storing brace-matched—but otherwise not valid L_AT_EX—code for later use
2. iterating over a macro's arguments

Storing non-L_AT_EX code in a variable involves beginning a group in an argumentless macro, fiddling with category codes, using `\afterassignment` to specify a continuation function, and storing the subsequent brace-delimited tokens in the input stream into a token register. The continuation function, which also takes no arguments, ends the group begun in the first function and proceeds using the correctly `\catcoded` token register. This technique appears in `\plmac@haveargs` and `\plmac@havecode` and in a simpler form (i.e., without the need for storing the argument) in `\plmac@write@perl` and `\plmac@write@perl@i`.

Iterating over a macro's arguments is hindered by T_EX's requirement that “#” be followed by a number or another “#”. The technique I discovered (which is used by the Texinfo source code) is first to `\let` a variable be `\relax`, thereby making it unexpandable, then to define a macro that uses that variable followed by a loop variable, and finally to expand the loop variable and `\let` the `\relaxed` variable be “#” right before invoking the macro. This technique appears in `\plmac@havecode`.

I hope you find reading the `perltex.sty` source code instructive. Writing it certainly was.

3.1.1 Package initialization

```
\ifplmac@required
\plmac@requiredtrue
\plmac@requiredfalse
```

The `optional` package option lets an author specify that the document can be built successfully even without Perl_T_EX. Typically, this means that the document uses `\ifperl` to help define reduced-functionality equivalents of any document-defined Perl_T_EX macros and environments. When `optional` is not specified, `perltex.sty` issues an error message if the document is compiled without using `perltex.pl`. When `optional` is specified, `perltex.sty` suppresses the error message.

```
64 \newif\ifplmac@required
65 \plmac@requiredtrue
66 \DeclareOption{optional}{\plmac@requiredfalse}
67 \ProcessOptions\relax
```

Perl_T_EX defines six macros that are used for communication between Perl and L_AT_EX. `\plmac@tag` is a string of characters that should never occur within one of the user's macro names, macro arguments, or macro bodies. `perltex.pl`

therefore defines `\plmac@tag` as a long string of random uppercase letters. `\plmac@tofile` is the name of a file used for communication from L^AT_EX to Perl. `\plmac@fromfile` is the name of a file used for communication from Perl to L^AT_EX. `\plmac@toflag` signals that `\plmac@tofile` can be read safely. `\plmac@fromflag` signals that `\plmac@fromfile` can be read safely. `\plmac@doneflag` signals that `\plmac@fromflag` has been deleted. Table 1 lists all of these variables along with the value assigned to each by `perltex.pl`.

Table 1: Variables used for communication between Perl and L^AT_EX

Variable	Purpose	<code>perltex.pl</code> assignment
<code>\plmac@tag</code>	<code>\plmac@tofile</code> field separator	(20 random letters)
<code>\plmac@tofile</code>	L ^A T _E X → Perl communication	<code>\jobname.topl</code>
<code>\plmac@fromfile</code>	Perl → L ^A T _E X communication	<code>\jobname.frpl</code>
<code>\plmac@toflag</code>	<code>\plmac@tofile</code> synchronization	<code>\jobname.tfpl</code>
<code>\plmac@fromflag</code>	<code>\plmac@fromfile</code> synchronization	<code>\jobname.ffpl</code>
<code>\plmac@doneflag</code>	<code>\plmac@fromflag</code> synchronization	<code>\jobname.dfpl</code>

`\ifperl` The following block of code checks the existence of each of the variables listed
`\perltrue` in Table 1 plus `\plmac@pipe`, a Unix named pipe used for to improve perfor-
`\perlfalse` mance. If any variable is not defined, `perltex.sty` gives an error message and—as
we shall see on page 26—defines dummy versions of `\perl[re]newcommand` and
`\perl[re]newenvironment`.

```

68 \newif\ifperl
69 \perltrue
70 \@ifundefined{plmac@tag}{\perlfalse\let\plmac@tag=\relax}{}
71 \@ifundefined{plmac@tofile}{\perlfalse}{}
72 \@ifundefined{plmac@fromfile}{\perlfalse}{}
73 \@ifundefined{plmac@toflag}{\perlfalse}{}
74 \@ifundefined{plmac@fromflag}{\perlfalse}{}
75 \@ifundefined{plmac@doneflag}{\perlfalse}{}
76 \@ifundefined{plmac@pipe}{\perlfalse}{}
77 \ifperl
78 \else
79   \ifplmac@required
80     \PackageError{perltex}{Document must be compiled using perltex}
81     {Instead of compiling your document directly with latex, you need
82     to\MessageBreak use the perltex script. \space perltex sets up
83     a variety of macros needed by\MessageBreak the perltex
84     package as well as a listener process needed for\MessageBreak
85     communication between LaTeX and Perl.}
86   \else
87     \bgroup
88     \obeyspaces
89     \typeout{perltex: Document was compiled without using the perltex script;}
90     \typeout{          it may not print as desired.}
91   \egroup

```

92 \fi
93 \fi

3.1.2 Defining Perl macros

PerlTeX defines five macros intended to be called by the author. Section 3.1.2 details the implementation of two of them: `\perlnewcommand` and `\perlrenewcommand`. (Section 3.1.3 details the implementation of the next two, `\perlnewenvironment` and `\perlrenewenvironment`; and, Section 3.1.4 details the implementation of the final macro, `\perldo`.) The goal is for these two macros to behave *exactly* like `\newcommand` and `\renewcommand`, respectively, except that the author macros they in turn define have Perl bodies instead of L^AT_EX bodies.

The sequence of the operations defined in this section is as follows:

1. The user invokes `\perl[re]newcommand`, which stores `\[re]newcommand` in `\plmac@command`. The `\perl[re]newcommand` macro then invokes `\plmac@newcommand@i` with a first argument of “*” for `\perl[re]newcommand*` or “!” for ordinary `\perl[re]newcommand`.
2. `\plmac@newcommand@i` defines `\plmac@starchar` as “*” if it was passed a “*” or *empty* if it was passed a “!”. It then stores the name of the user’s macro in `\plmac@macname`, a `\writeable` version of the name in `\plmac@cleaned@macname`, and the macro’s previous definition (needed by `\perlrenewcommand`) in `\plmac@oldbody`. Finally, `\plmac@newcommand@i` invokes `\plmac@newcommand@ii`.
3. `\plmac@newcommand@ii` stores the number of arguments to the user’s macro (which may be zero) in `\plmac@numargs`. It then invokes `\plmac@newcommand@iii@opt` if the first argument is supposed to be optional or `\plmac@newcommand@iii@no@opt` if all arguments are supposed to be required.
4. `\plmac@newcommand@iii@opt` defines `\plmac@defarg` as the default value of the optional argument. `\plmac@newcommand@iii@no@opt` defines it as *empty*. Both functions then call `\plmac@haveargs`.
5. `\plmac@haveargs` stores the user’s macro body (written in Perl) verbatim in `\plmac@perlcode`. `\plmac@haveargs` then invokes `\plmac@havecode`.
6. By the time `\plmac@havecode` is invoked all of the information needed to define the user’s macro is available. Before defining a L^AT_EX macro, however, `\plmac@havecode` invokes `\plmac@write@perl` to tell `perltex.pl` to define a Perl subroutine with a name based on `\plmac@cleaned@macname` and the code contained in `\plmac@perlcode`. Figure 1 illustrates the data that `\plmac@write@perl` passes to `perltex.pl`.
7. `\plmac@havecode` invokes `\newcommand` or `\renewcommand`, as appropriate, defining the user’s macro as a call to `\plmac@write@perl`. An invocation of

DEF
\plmac@tag
\plmac@cleaned@macname
\plmac@tag
\plmac@perlcode

Figure 1: Data written to \plmac@tofile to define a Perl subroutine

USE
\plmac@tag
\plmac@cleaned@macname
\plmac@tag
#1
\plmac@tag
#2
\plmac@tag
#3
⋮
<i>last</i>

Figure 2: Data written to \plmac@tofile to invoke a Perl subroutine

the user’s L^AT_EX macro causes \plmac@write@perl to pass the information shown in Figure 2 to perl_{tex}.pl.

8. Whenever \plmac@write@perl is invoked it writes its argument verbatim to \plmac@tofile; perl_{tex}.pl evaluates the code and writes \plmac@fromfile; finally, \plmac@write@perl \inputs \plmac@fromfile.

An example might help distinguish the myriad macros used internally by perl_{tex}.sty. Consider the following call made by the user’s document:

```
\perlnewcommand*{\example}[3][frobozz]{join("---", @_)}
```

Table 2 shows how perl_{tex}.sty parses that command into its constituent components and which components are bound to which perl_{tex}.sty macros.

<pre>\perlnewcommand \perlrenewcommand \plmac@command \plmac@next</pre>	<pre>\perlnewcommand and \perlrenewcommand are the first two commands exported to the user by perl_{tex}.sty. \perlnewcommand is analogous to \newcommand except that the macro body consists of Perl code instead of L^AT_EX code. Like- wise, \perlrenewcommand is analogous to \renewcommand except that the macro body consists of Perl code instead of L^AT_EX code. \perlnewcommand and \perlrenewcommand merely define \plmac@command and \plmac@next and invoke \plmac@newcommand@i. 94 \def\perlnewcommand{%</pre>
---	---

Table 2: Macro assignments corresponding to an sample `\perlnewcommand*`

Macro	Sample definition
<code>\plmac@command</code>	<code>\newcommand</code>
<code>\plmac@starchar</code>	<code>*</code>
<code>\plmac@macname</code>	<code>\example</code>
<code>\plmac@cleaned@macname</code>	<code>\example</code> (catcode 11)
<code>\plmac@oldbody</code>	<code>\relax</code> (presumably)
<code>\plmac@numargs</code>	3
<code>\plmac@defarg</code>	frobozz
<code>\plmac@perlcode</code>	<code>join("---", @_)</code> (catcode 11)

```

95 \let\plmac@command=\newcommand
96 \let\plmac@next=\relax
97 \@ifnextchar*{\plmac@newcommand@i}{\plmac@newcommand@i!}%
98 }

99 \def\perlrenewcommand{%
100 \let\plmac@next=\relax
101 \let\plmac@command=\renewcommand
102 \@ifnextchar*{\plmac@newcommand@i}{\plmac@newcommand@i!}%
103 }

```

`\plmac@newcommand@i` If the user invoked `\perl[re]newcommand*` then `\plmac@newcommand@i` is passed a “*” and, in turn, defines `\plmac@starchar` as “*”. If the user invoked `\perl[re]newcommand` (no “*”) then `\plmac@newcommand@i` is passed a “!” and, in turn, defines `\plmac@starchar` as *empty*. In either case, `\plmac@newcommand@i` defines `\plmac@macname` as the name of the user’s macro, `\plmac@cleaned@macname` as a `\writeable` (i.e., category code 11) version of `\plmac@macname`, and `\plmac@oldbody` and the previous definition of the user’s macro. (`\plmac@oldbody` is needed by `\perlrenewcommand`.) It then invokes `\plmac@newcommand@ii`.

```

104 \def\plmac@newcommand@i#1#2{%
105 \ifx#1*%
106 \def\plmac@starchar{*}%
107 \else
108 \def\plmac@starchar{}%
109 \fi
110 \def\plmac@macname{#2}%
111 \let\plmac@oldbody=#2\relax
112 \expandafter\def\expandafter\plmac@cleaned@macname\expandafter{%
113 \expandafter\string\plmac@macname}%
114 \@ifnextchar[{\plmac@newcommand@ii}{\plmac@newcommand@ii[0]}%
115 }

```

`\plmac@newcommand@ii` `\plmac@newcommand@i` invokes `\plmac@newcommand@ii` with the number of arguments to the user’s macro in brackets. `\plmac@newcommand@ii` stores that number in `\plmac@numargs` and invokes `\plmac@newcommand@iii` if the first

argument is to be optional or `\plmac@newcommand@iii@no@opt` if all arguments are to be mandatory.

```

116 \def\plmac@newcommand@ii[#1]{%
117   \def\plmac@numargs{#1}%
118   \ifnextchar[{\plmac@newcommand@iii@opt}
119             {\plmac@newcommand@iii@no@opt}]
120 }
```

`\plmac@newcommand@iii@opt` Only one of these two macros is executed per invocation of `\perl[re]newcommand`, depending on whether or not the first argument of the user's macro is an optional argument. `\plmac@newcommand@iii@opt` is invoked if the argument is optional. It defines `\plmac@defarg` to the default value of the optional argument. `\plmac@newcommand@iii@no@opt` is invoked if all arguments are mandatory. It defines `\plmac@defarg` as `\relax`. Both `\plmac@newcommand@iii@opt` and `\plmac@newcommand@iii@no@opt` then invoke `\plmac@haveargs`.

```

121 \def\plmac@newcommand@iii@opt[#1]{%
122   \def\plmac@defarg{#1}%
123   \plmac@haveargs
124 }

125 \def\plmac@newcommand@iii@no@opt{%
126   \let\plmac@defarg=\relax
127   \plmac@haveargs
128 }
```

`\plmac@perlcode` Now things start to get tricky. We have all of the arguments we need to define the user's command so all that's left is to grab the macro body. But there's a catch: Valid Perl code is unlikely to be valid \LaTeX code. We therefore have to read the macro body in a `\verb`-like mode. Furthermore, we actually need to *store* the macro body in a variable, as we don't need it right away.

The approach we take in `\plmac@haveargs` is as follows. First, we give all "special" characters category code 12 ("other"). We then indicate that the carriage return character (control-M) marks the end of a line and that curly braces retain their normal meaning. With the aforementioned category-code definitions, we now have to store the next curly-brace-delimited fragment of text, end the current group to reset all category codes to their previous value, and continue processing the user's macro definition. How do we do that? The answer is to assign the upcoming text fragment to a token register (`\plmac@perlcode`) while an `\afterassignment` is in effect. The `\afterassignment` causes control to transfer to `\plmac@havecode` right after `\plmac@perlcode` receives the macro body with all of the "special" characters made impotent.

```

129 \newtoks\plmac@perlcode

130 \def\plmac@haveargs{%
131   \begingroup
132     \let\do\@makeother\dospecials
133     \catcode`\^^M=\active
134     \newlinechar`\^^M
```

```

135 \endlinechar=\^^M
136 \catcode`\{=1
137 \catcode`\}=2
138 \afterassignment\plmac@havecode
139 \global\plmac@perlcode
140 }

```

Control is transferred to `\plmac@havecode` from `\plmac@haveargs` right after the user’s macro body is assigned to `\plmac@perlcode`. We now have everything we need to define the user’s macro. The goal is to define it as “`\plmac@write@perl{<contents of Figure 2>}`”. This is easier said than done because the number of arguments in the user’s macro is not known statically, yet we need to iterate over however many arguments there are. Because of this complexity, we will explain `\plmac@perlcode` piece-by-piece.

`\plmac@sep` Define a character to separate each of the items presented in Figures 1 and 2. Perl will need to strip this off each argument. For convenience in porting to languages with less powerful string manipulation than Perl’s, we define `\plmac@sep` as a carriage-return character of category code 11 (“letter”).

```
141 {\catcode\^^M=11\gdef\plmac@sep{^^M}}
```

`\plmac@argnum` Define a loop variable that will iterate from 1 to the number of arguments in the user’s function, i.e., `\plmac@numargs`.

```
142 \newcount\plmac@argnum
```

`\plmac@havecode` Now comes the final piece of what started as a call to `\perl[re]newcommand`. First, to reset all category codes back to normal, `\plmac@havecode` ends the group that was begun in `\plmac@haveargs`.

```
143 \def\plmac@havecode{%
144 \endgroup
```

`\plmac@define@sub` We invoke `\plmac@write@perl` to define a Perl subroutine named after `\plmac@cleaned@macname`. `\plmac@define@sub` sends Perl the information shown in Figure 1 on page 16.

```

145 \edef\plmac@define@sub{%
146   \noexpand\plmac@write@perl{DEF\plmac@sep
147     \plmac@tag\plmac@sep
148     \plmac@cleaned@macname\plmac@sep
149     \plmac@tag\plmac@sep
150     \the\plmac@perlcode
151   }%
152 }%
153 \plmac@define@sub

```

`\plmac@body` The rest of `\plmac@havecode` is preparation for defining the user’s macro. (\LaTeX 2_ε’s `\newcommand` or `\renewcommand` will do the actual work, though.) `\plmac@body` will eventually contain the complete (\LaTeX) body of the user’s

macro. Here, we initialize it to the first three items listed in Figure 2 on page 16 (with intervening `\plmac@seps`).

```

154 \edef\plmac@body{%
155     USE\plmac@sep
156     \plmac@tag\plmac@sep
157     \plmac@cleaned@macname
158 }%
```

`\plmac@hash` Now, for each argument `#1`, `#2`, ..., `#\plmac@numargs` we append a `\plmac@tag` plus the argument to `\plmac@body` (as always, with a `\plmac@sep` after each item). This requires more trickery, as `TEX` requires a macro-parameter character (“#”) to be followed by a literal number, not a variable. The approach we take, which I first discovered in the `TeXinfo` source code (although it’s used by `LATEX` and probably other `TEX`-based systems as well), is to `\let`-bind `\plmac@hash` to `\relax`. This makes `\plmac@hash` unexpandable, and because it’s not a “#”, `TEX` doesn’t complain. After `\plmac@body` has been extended to include `\plmac@hash1`, `\plmac@hash2`, ..., `\plmac@hash\plmac@numargs`, we then `\let`-bind `\plmac@hash` to `##`, which `TEX` lets us do because we’re within a macro definition (`\plmac@havecode`). `\plmac@body` will then contain `#1`, `#2`, ..., `#\plmac@numargs`, as desired.

```

159 \let\plmac@hash=\relax
160 \plmac@argnum=\@ne
161 \loop
162   \ifnum\plmac@numargs<\plmac@argnum
163   \else
164     \edef\plmac@body{%
165       \plmac@body\plmac@sep\plmac@tag\plmac@sep
166       \plmac@hash\plmac@hash\number\plmac@argnum}%
167     \advance\plmac@argnum by \@ne
168 \repeat
169 \let\plmac@hash=##%
```

`\plmac@define@command` We’re ready to execute a `\[re]newcommand`. Because we need to expand many of our variables, we `\edef` `\plmac@define@command` to the appropriate `\[re]newcommand` call, which we will soon execute. The user’s macro must first be `\let`-bound to `\relax` to prevent it from expanding. Then, we handle two cases: either all arguments are mandatory (and `\plmac@defarg` is `\relax`) or the user’s macro has an optional argument (with default value `\plmac@defarg`).

```

170 \expandafter\let\plmac@macname=\relax
171 \ifx\plmac@defarg\relax
172   \edef\plmac@define@command{%
173     \noexpand\plmac@command\plmac@starchar{\plmac@macname}%
174     [\plmac@numargs]{%
175       \noexpand\plmac@write@perl{\plmac@body}%
176     }%
177   }%
178 \else
179   \edef\plmac@define@command{%
```

```

180     \noexpand\plmac@command\plmac@starchar{\plmac@macname}%
181     [\plmac@numargs][\plmac@defarg]{%
182     \noexpand\plmac@write@perl{\plmac@body}%
183     }%
184 }%
185 \fi

```

The final steps are to restore the previous definition of the user’s macro—we had set it to `\relax` above to make the name unexpandable—then redefine it by invoking `\plmac@define@command`. Why do we need to restore the previous definition if we’re just going to redefine it? Because `\newcommand` needs to produce an error if the macro was previously defined and `\renewcommand` needs to produce an error if the macro was *not* previously defined.

`\plmac@havecode` concludes by invoking `\plmac@next`, which is a no-op for `\perlnewcommand` and `\perlrenewcommand` but processes the end-environment code for `\perlnewenvironment` and `\perlrenewenvironment`.

```

186 \expandafter\let\plmac@macname=\plmac@oldbody
187 \plmac@define@command
188 \plmac@next
189 }

```

3.1.3 Defining Perl environments

Section 3.1.2 detailed the implementation of `\perlnewcommand` and `\perlrenewcommand`. Section 3.1.3 does likewise for `\perlnewenvironment` and `\perlrenewenvironment`, which are the Perl-bodied analogues of `\newenvironment` and `\renewenvironment`. This section is significantly shorter than the previous because `\perlnewenvironment` and `\perlrenewenvironment` are largely built atop the macros already defined in Section 3.1.2.

<pre> \perlnewenvironment \perlrenewenvironment \plmac@command \plmac@next </pre>	<pre> \perlnewenvironment and \perlrenewenvironment are the remaining two commands exported to the user by <code>perltex.sty</code>. <code>\perlnewenvironment</code> is analogous to <code>\newenvironment</code> except that the macro body consists of Perl code instead of L^AT_EX code. Likewise, <code>\perlrenewenvironment</code> is analogous to <code>\renewenvironment</code> except that the macro body consists of Perl code instead of L^AT_EX code. <code>\perlnewenvironment</code> and <code>\perlrenewenvironment</code> merely define <code>\plmac@command</code> and <code>\plmac@next</code> and invoke <code>\plmac@newenvironment@i</code>. </pre>
---	---

The significance of `\plmac@next` (which was let-bound to `\relax` for `\perl[re]newcommand` but is let-bound to `\plmac@end@environment` here) is that a L^AT_EX environment definition is really two macro definitions: `\langle name \rangle` and `\end⟨name⟩`. Because we want to reuse as much code as possible the idea is to define the “begin” code as one macro, then inject—by way of `\plmac@next`—a call to `\plmac@end@environment`, which defines the “end” code as a second macro.

```

190 \def\perlnewenvironment{%
191   \let\plmac@command=\newcommand
192   \let\plmac@next=\plmac@end@environment
193   \@ifnextchar*{\plmac@newenvironment@i}{\plmac@newenvironment@i!}%
194 }

```

```

195 \def\perlrenewenvironment{%
196   \let\plmac@command=\renewcommand
197   \let\plmac@next=\plmac@end@environment
198   \ifnextchar*{\plmac@newenvironment@i}{\plmac@newenvironment@i!}%
199 }

```

`\plmac@newenvironment@i` The `\plmac@newenvironment@i` macro is analogous to `\plmac@newcommand@i`; `\plmac@starchar` see the description of `\plmac@newcommand@i` on page 17 to understand the basic structure. The primary difference is that the environment name (#2) is just `\plmac@envname` text, not a control sequence. We store this text in `\plmac@envname` to facilitate `\plmac@macname` generating the names of the two macros that constitute an environment definition. `\plmac@oldbody` Note that there is no `\plmac@newenvironment@ii`; control passes instead to `\plmac@cleaned@macname` `\plmac@newcommand@ii`.

```

200 \def\plmac@newenvironment@i#1#2{%
201   \ifx#1*%
202     \def\plmac@starchar{*}%
203   \else
204     \def\plmac@starchar{}%
205   \fi
206   \def\plmac@envname{#2}%
207   \expandafter\def\expandafter\plmac@macname\expandafter{\csname#2\endcsname}%
208   \expandafter\let\expandafter\plmac@oldbody\plmac@macname\relax
209   \expandafter\def\expandafter\plmac@cleaned@macname\expandafter{%
210     \expandafter\string\plmac@macname}%
211   \ifnextchar[{\plmac@newcommand@ii}{\plmac@newcommand@ii[0]}%
212 }

```

`\plmac@end@environment` Recall that an environment definition is a shortcut for two macro definitions: `\plmac@next` `\langle name \rangle` and `\end⟨name⟩` (where `⟨name⟩` was stored in `\plmac@envname` by `\plmac@macname` `\plmac@newenvironment@i`). After defining `\langle name \rangle`, `\plmac@havecode` transfers control to `\plmac@end@environment` because `\plmac@next` was let-bound to `\plmac@cleaned@macname` `\plmac@end@environment` in `\perl[re]newenvironment`.

`\plmac@end@environment`'s purpose is to define `\end⟨name⟩`. This is a little tricky, however, because L^AT_EX's `\[re]newcommand` refuses to (re)define a macro whose name begins with “end”. The solution that `\plmac@end@environment` takes is first to define a `\plmac@end@macro` macro then (in `\plmac@next`) let-bind `\end⟨name⟩` to it. Other than that, `\plmac@end@environment` is a combined and simplified version of `\perlnewenvironment`, `\perlrenewenvironment`, and `\plmac@newenvironment@i`.

```

213 \def\plmac@end@environment{%
214   \expandafter\def\expandafter\plmac@next\expandafter{\expandafter
215     \let\csname end\plmac@envname\endcsname=\plmac@end@macro
216     \let\plmac@next=\relax
217   }%
218   \def\plmac@macname{\plmac@end@macro}%
219   \expandafter\let\expandafter\plmac@oldbody\csname end\plmac@envname\endcsname
220   \expandafter\def\expandafter\plmac@cleaned@macname\expandafter{%
221     \expandafter\string\plmac@macname}%

```

```

222 \@ifnextchar[{\plmac@newcommand@ii}{\plmac@newcommand@ii[0]}%]
223 }

```

3.1.4 Executing top-level Perl code

The macros defined in Sections 3.1.2 and 3.1.3 enable an author to inject subroutines into the Perl sandbox. The final Perl_TEX macro, `\perldo`, instructs the Perl sandbox to execute a block of code outside of all subroutines. `\perldo`'s implementation is much simpler than that of the other author macros because `\perldo` does not have to process subroutine arguments. Figure 3 illustrates the data that gets written to `plmac@tofile` (indirectly) by `\perldo`.

RUN
\plmac@tag
<i>Ignored</i>
\plmac@tag
\plmac@perlcode

Figure 3: Data written to `\plmac@tofile` to execute Perl code

`\perldo` Execute a block of Perl code and pass the result to L^AT_EX for further processing. This code is nearly identical to that of Section 3.1.2's `\plmac@haveargs` but ends by invoking `\plmac@have@run@code` instead of `\plmac@havecode`.

```

224 \def\perldo{%
225   \begingroup
226   \let\do\@makeother\dospecials
227   \catcode`\^^M=\active
228   \newlinechar`\^^M
229   \endlinechar=\^^M
230   \catcode`\{=1
231   \catcode`\}=2
232   \afterassignment\plmac@have@run@code
233   \global\plmac@perlcode
234 }

```

`\plmac@have@run@code` Pass a block of code to Perl to execute. `\plmac@have@run@code` is identical to `\plmac@run@code` but specifies the RUN tag instead of the DEF tag.

```

235 \def\plmac@have@run@code{%
236   \endgroup
237   \edef\plmac@run@code{%
238     \noexpand\plmac@write@perl{RUN\plmac@sep
239       \plmac@tag\plmac@sep
240       N/A\plmac@sep
241       \plmac@tag\plmac@sep
242       \the\plmac@perlcode
243     }%
244   }%

```

```

245 \plmac@run@code
246 }

```

3.1.5 Communication between L^AT_EX and Perl

As shown in the previous section, when a document invokes `\perl[re]newcommand` to define a macro, `perltex.sty` defines the macro in terms of a call to `\plmac@write@perl`. In this section, we learn how `\plmac@write@perl` operates.

At the highest level, L^AT_EX-to-Perl communication is performed via the filesystem. In essence, L^AT_EX writes a file (`\plmac@tofile`) corresponding to the information in either Figure 1 or Figure 2; Perl reads the file, executes the code within it, and writes a `.tex` file (`\plmac@fromfile`); and, finally, L^AT_EX reads and executes the new `.tex` file. However, the actual communication protocol is a bit more involved than that. The problem is that Perl needs to know when L^AT_EX has finished writing Perl code and L^AT_EX needs to know when Perl has finished writing L^AT_EX code. The solution involves introducing three extra files—`\plmac@toflag`, `\plmac@fromflag`, and `\plmac@doneflag`—which are used exclusively for L^AT_EX-to-Perl synchronization.

There’s a catch: Although Perl can create and delete files, L^AT_EX can only create them. Even worse, L^AT_EX (more specifically, `teTeX`, which is the T_EX distribution under which I developed PerlT_EX) cannot reliably poll for a file’s *nonexistence*; if a file is deleted in the middle of an `\immediate\openin, latex` aborts with an error message. These restrictions led to the regrettably convoluted protocol illustrated in Figure 4. In the figure, “Touch” means “create a zero-length file”; “Await” means “wait until the file exists”; and, “Read”, “Write”, and “Delete” are defined as expected. Assuming the filesystem performs these operations in a sequentially consistent order (not necessarily guaranteed on all filesystems, unfortunately), PerlT_EX should behave as expected.




Figure 4: L^AT_EX-to-Perl communication protocol

Although Figure 4 shows the read of `\plmac@fromfile` as the final step of the protocol, the file’s contents are in fact valid as soon as L^AT_EX detects that

`\plmac@fromflag` exists. Deferring the read to the end, however, enables PerlTeX to support recursive macro invocations.

`\plmac@await@existence` The purpose of the `\plmac@await@existence` macro is to repeatedly check
`\ifplmac@file@exists` the existence of a given file until the file actually exists. For conven-
`\plmac@file@existstrue` nience, we use L^AT_EX 2_ε's `\IfFileExists` macro to check the file and invoke
`\plmac@file@existsfalse` `\plmac@file@existstrue` or `\plmac@file@existsfalse`, as appropriate.

As a performance optimization we `\input` a named pipe. This causes the `latex` process to relinquish the CPU until the `perltex` process writes data (always just a comment plus “`\endinput`”) into the named pipe. On systems that don't support persistent named pipes (e.g., Microsoft Windows), `\plmac@pipe` is an ordinary file containing only a comment plus “`\endinput`”. While reading that file is not guaranteed to relinquish the CPU, it should not hurt the performance or correctness of the communication protocol between L^AT_EX and Perl.

```
247 \newif\ifplmac@file@exists
248 \newcommand{\plmac@await@existence}[1]{%
249   \begin{lrbox}{\@tempboxa}%
250     \input\plmac@pipe
251   \end{lrbox}%
252   \loop
253     \IfFileExists{#1}%
254       {\plmac@file@existstrue}%
255       {\plmac@file@existsfalse}%
256   \ifplmac@file@exists
257   \else
258   \repeat
259 }
```

`\plmac@outfile` We define a file handle for `\plmac@write@perl@i` to use to create and write `\plmac@tofile` and `\plmac@toflag`.

```
260 \newwrite\plmac@outfile
```

`\plmac@write@perl` `\plmac@write@perl` begins the L^AT_EX-to-Perl data exchange, following the protocol illustrated in Figure 4. `\plmac@write@perl` prepares for the next piece of text in the input stream to be read with “special” characters marked as category code 12 (“other”). This prevents L^AT_EX from complaining if the Perl code contains invalid L^AT_EX (which it usually will). `\plmac@write@perl` ends by passing control to `\plmac@write@perl@i`, which performs the bulk of the work.

```
261 \newcommand{\plmac@write@perl}{%
262   \begingroup
263     \let\do\@makeother\dospecials
264     \catcode`\^^M=\active
265     \newlinechar`\^^M
266     \endlinechar`\^^M
267     \catcode`\{=1
268     \catcode`\}=2
269     \plmac@write@perl@i
270 }
```

`\plmac@write@perl@i` When `\plmac@write@perl@i` begins executing, the category codes are set up so that the macro’s argument will be evaluated “verbatim” except for the part consisting of the \LaTeX code passed in by the author, which is partially expanded. Thus, everything is in place for `\plmac@write@perl@i` to send its argument to Perl and read back the (\LaTeX) result.

Because all of `perltex.sty`’s protocol processing is encapsulated within `\plmac@write@perl@i`, this is the only macro that strictly requires `perltex.pl`. Consequently, we wrap the entire macro definition within a check for `perltex.pl`.

```

271 \ifperl
272   \newcommand{\plmac@write@perl@i}[1]{%
    The first step is to write argument #1 to \plmac@tofile:
273     \immediate\openout\plmac@outfile=\plmac@tofile\relax
274     \let\protect=\noexpand
275     \def\begin{\noexpand\begin}%
276     \def\end{\noexpand\end}%
277     \immediate\write\plmac@outfile{#1}%
278     \immediate\closeout\plmac@outfile

```

(In the future, it might be worth redefining `\def`, `\edef`, `\gdef`, `\xdef`, `\let`, and maybe some other control sequences as “`\noexpand<control sequence>\noexpand`” so that `\write` doesn’t try to expand an undefined control sequence.)

We’re now finished using `#1` so we can end the group begun by `\plmac@write@perl`, thereby resetting each character’s category code back to its previous value.

```

279   \endgroup

```

Continuing the protocol illustrated in Figure 4, we create a zero-byte `\plmac@toflag` in order to notify `perltex.pl` that it’s now safe to read `\plmac@tofile`.

```

280   \immediate\openout\plmac@outfile=\plmac@toflag\relax
281   \immediate\closeout\plmac@outfile

```

To avoid reading `\plmac@fromfile` before `perltex.pl` has finished writing it we must wait until `perltex.pl` creates `\plmac@fromflag`, which it does only after it has written `\plmac@fromfile`.

```

282   \plmac@await@existence\plmac@fromflag

```

At this point, `\plmac@fromfile` should contain valid \LaTeX code. However, we defer inputting it until we the very end. Doing so enables recursive and mutually recursive invocations of Perl \TeX macros.

Because \TeX can’t delete files we require an additional \LaTeX -to-Perl synchronization step. For convenience, we recycle `\plmac@tofile` as a synchronization file rather than introduce yet another flag file to complement `\plmac@toflag`, `\plmac@fromflag`, and `\plmac@doneflag`.

```

283   \immediate\openout\plmac@outfile=\plmac@tofile\relax
284   \immediate\closeout\plmac@outfile
285   \plmac@await@existence\plmac@doneflag

```

The only thing left to do is to `\input` and evaluate `\plmac@fromfile`, which contains the \LaTeX output from the Perl subroutine.

```
286   \input\plmac@fromfile\relax
287 }
```

`\plmac@write@perl@i` The foregoing code represents the “real” definition of `\plmac@write@perl@i`. For the user’s convenience, we define a dummy version of `\plmac@write@perl@i` so that a document which utilizes `perltex.sty` can still compile even if not built using `perltex.pl`. All calls to macros defined with `\perl[re]newcommand` and all invocations of environments defined with `\perl[re]newenvironment` are replaced with “ \PerlTeX ”. A minor complication is that text can’t be inserted before the `\begin{document}`. Hence, we initially define `\plmac@write@perl@i` as a do-nothing macro and redefine it as “ $\text{\fbox{\PerlTeX}}$ ” at the `\begin{document}`.

```
288 \else
289   \newcommand{\plmac@write@perl@i}[1]{\endgroup}
```

`\plmac@show@placeholder` There’s really no point in outputting a framed “ \PerlTeX ” when a macro is defined *and* when it’s used. `\plmac@show@placeholder` checks the first character of the protocol header. If it’s “D” (DEF), nothing is output. Otherwise, it’ll be “U” (USE) and “ \PerlTeX ” will be output.

```
290   \gdef\plmac@show@placeholder#1#2\@empty{%
291     \ifx#1D\relax
292       \endgroup
293     \else
294       \endgroup
295       \fbox{\PerlTeX}%
296     \fi
297   }%

298   \AtBeginDocument{%
299     \renewcommand{\plmac@write@perl@i}[1]{%
300       \plmac@show@placeholder#1\@empty
301     }%
302   }
303 \fi
```

3.2 `perltex.pl`

`perltex.pl` is a wrapper script for `latex` (or any other \LaTeX compiler). It sets up client-server communication between \LaTeX and Perl, with \LaTeX as the client and Perl as the server. When a \LaTeX document sends a piece of Perl code to `perltex.pl` (with the help of `perltex.sty`, as detailed in Section 3.1), `perltex.pl` executes it within a secure sandbox and transmits the resulting \LaTeX code back to the document.

3.2.1 Header comments

Because `perltex.pl` is generated without a DocStrip preamble or postamble we have to manually include the desired text as Perl comments.

```
304 #! /usr/bin/env perl
305
306 #####
307 # Prepare a LaTeX run for two-way communication with Perl #
308 # By Scott Pakin <scott+pt@pakin.org> #
309 #####
310
311 #-----
312 # This is file `perltex.pl',
313 # generated with the docstrip utility.
314 #
315 # The original source files were:
316 #
317 # perltex.dtx (with options: `perltex')
318 #
319 # This is a generated file.
320 #
321 # Copyright (C) 2003-2019 Scott Pakin <scott+pt@pakin.org>
322 #
323 # This file may be distributed and/or modified under the conditions
324 # of the LaTeX Project Public License, either version 1.3c of this
325 # license or (at your option) any later version. The latest
326 # version of this license is in:
327 #
328 # http://www.latex-project.org/lppl.txt
329 #
330 # and version 1.3c or later is part of all distributions of LaTeX
331 # version 2006/05/20 or later.
332 #-----
333
```

3.2.2 Top-level code evaluation

In previous versions of `perltex.pl`, the `--nosafe` option created and ran code within a sandbox in which all operations are allowed (via `Opcode::full_opset()`). Unfortunately, certain operations still fail to work within such a sandbox. We therefore define a top-level “non-sandbox”, `top_level_eval()`, in which to execute code. `top_level_eval()` merely calls `eval()` on its argument. However, it needs to be declared top-level and before anything else because `eval()` runs in the lexical scope of its caller.

```
334 sub top_level_eval ($)
335 {
336     return eval $_[0];
337 }
```

3.2.3 Perl modules and pragmas

We use `Safe` and `Opcodes` to implement the secure sandbox, `Getopt::Long` and `Pod::Usage` to parse the command line, and various other modules and pragmas for miscellaneous things.

```
338 use Safe;
339 use Opcodes;
340 use Getopt::Long;
341 use Pod::Usage;
342 use File::Basename;
343 use Fcntl;
344 use POSIX;
345 use File::Spec;
346 use IO::Handle;
347 use warnings;
348 use strict;
```

3.2.4 Variable declarations

With `use strict` in effect, we need to declare all of our variables. For clarity, we separate our global-variable declarations into variables corresponding to command-line options and other global variables.

Variables corresponding to command-line arguments

<code>\$latexprog</code>	<code>\$latexprog</code> is the name of the L ^A T _E X executable (e.g., “ <code>latex</code> ”).
<code>\$runsafely</code>	If <code>\$runsafely</code> is 1 (the default), then the user’s Perl code runs in a secure sandbox; if it’s 0, then arbitrary Perl code is allowed to run.
<code>@permittedops</code>	<code>@permittedops</code> is a list of features made available to the user’s Perl code. Valid values are described in Perl’s <code>Opcodes</code> manual page.
<code>\$usepipe</code>	<code>perl_{tex}.pl</code> ’s default is a list containing only <code>:browse</code> . <code>\$usepipe</code> is 1 if <code>perl_{tex}.pl</code> should attempt to use a named pipe for communicating with <code>latex</code> or 0 if an ordinary file should be used instead.

```
349 my $latexprog;
350 my $runsafely = 1;
351 my @permittedops;
352 my $usepipe = 1;
```

Filename variables

<code>\$progname</code>	<code>\$progname</code> is the run-time name of the <code>perl_{tex}.pl</code> program.
<code>\$jobname</code>	<code>\$jobname</code> is the base name of the user’s <code>.tex</code> file, which defaults to the T _E X default of <code>texput</code> .
<code>\$toperl</code>	<code>\$toperl</code> defines the filename used for L ^A T _E X-to-Perl communication.
<code>\$fromperl</code>	<code>\$fromperl</code> defines the filename used for Perl-to-L ^A T _E X communication.
<code>\$toflag</code>	<code>\$toflag</code> is the name of a file that will exist only after L ^A T _E X creates <code>\$tofile</code> .
<code>\$fromflag</code>	<code>\$fromflag</code> is the name of a file that will exist only after Perl creates <code>\$fromfile</code> .
<code>\$doneflag</code>	<code>\$doneflag</code> is the name of a file that will exist only after Perl deletes <code>\$fromflag</code> .
<code>\$logfile</code>	<code>\$logfile</code> is the name of a log file to which <code>perl_{tex}.pl</code> writes verbose execution information.
<code>\$pipe</code>	<code>\$pipe</code> is the name of a Unix named pipe (or ordinary file on operating systems that lack

support for persistent named pipes or in the case that `$usepipe` is set to 0) used to convince the `latex` process to yield control of the CPU.

```
353 my $progname = basename $0;
354 my $jobname = "texput";
355 my $toperl;
356 my $fromperl;
357 my $toflag;
358 my $fromflag;
359 my $doneflag;
360 my $logfile;
361 my $pipe;
```

Other global variables

`@latexcmdline` `@latexcmdline` is the command line to pass to the `LATEX` executable. `$styfile` is the string `noperltex.sty` if `perltex.pl` is run with `--makesty`, otherwise undefined. `@macroexpansions` is a list of Perl_{T_EX} macro expansions in the order they were encountered. It is used for creating a `noperltex.sty` file when `--makesty` is specified. `$sandbox` is a secure sandbox in which to run code that appeared in the `LATEX` document. `$sandbox_eval` is a subroutine that evaluates a string within `$sandbox` (normally) or outside of all sandboxes (if `--nosafe` is specified). `$latexpid` is the process ID of the `latex` process.

```
362 my @latexcmdline;
363 my $styfile;
364 my @macroexpansions;
365 my $sandbox = new Safe;
366 my $sandbox_eval;
367 my $latexpid;
```

`$pipestring` `$pipestring` is a constant string to write to the `$pipe` named pipe (or file) at each `LATEX` synchronization point. Its particular definition is really a bug workaround for `XELATEX`. The current version of `XELATEX` reads the first few bytes of a file to determine the character encoding (UTF-8 or UTF-16, big-endian or little-endian) then attempts to rewind the file pointer. Because pipes can't be rewound, the effect is that the first two bytes of `$pipe` are discarded and the rest are input. Hence, the “`\endinput`” used in prior versions of Perl_{T_EX} inserted a spurious “`ndinput`” into the author's document. We therefore define `$pipestring` such that it will not interfere with the document even if the first few bytes are discarded.

```
368 my $pipestring = "%%%%% Generated by $progname\n\\endinput\n";
```

3.2.5 Command-line conversion

In this section, `perltex.pl` parses its own command line and prepares a command line to pass to `latex`.

Parsing perl_{tex}.pl's command line We first set `$latexprog` to be the contents of the environment variable `PERLTEX` or the value "latex" if `PERLTEX` is not specified. We then use `Getopt::Long` to parse the command line, leaving any parameters we don't recognize in the argument vector (`@ARGV`) because these are presumably latex options.

```
369 $latexprog = $ENV{"PERLTEX"} || "latex";
370 Getopt::Long::Configure("require_order", "pass_through");
371 GetOptions("help"      => sub {pod2usage(-verbose => 1)},
372           "latex=s"    => \$latexprog,
373           "safe!"      => \$runsafely,
```

The following two options are undocumented because the defaults should always suffice. We're not yet removing these options, however, in case they turn out to be useful for diagnostic purposes.

```
374           "pipe!"      => \$usepipe,
375           "synctext=s" => \$pipestring,

376           "makesty"    => sub {$styfile = "noperltex.sty"},
377           "permit=s"   => \@permittedops) || pod2usage(2);
```

Preparing a L^AT_EX command line

`$firstcmd` We start by searching `@ARGV` for the first string that does not start with "-" or "\". This string, which represents a filename, is used to set `$jobname`.

```
378 @latexcmdline = @ARGV;
379 my $firstcmd = 0;
380 for ($firstcmd=0; $firstcmd<=#latexcmdline; $firstcmd++) {
381     my $option = $latexcmdline[$firstcmd];
382     next if substr($option, 0, 1) eq "-";
383     if (substr($option, 0, 1) ne "\\") {
384         $jobname = basename $option, ".tex" ;
385         $latexcmdline[$firstcmd] = "\\input $option";
386     }
387     last;
388 }
389 push @latexcmdline, "" if $#latexcmdline==-1;
```

`$separator` To avoid conflicts with the code and parameters passed to Perl from L^AT_EX (see Figure 1 on page 16 and Figure 2 on page 16) we define a separator string, `$separator`, containing 20 random uppercase letters.

```
390 my $separator = "";
391 foreach (1 .. 20) {
392     $separator .= chr(ord("A") + rand(26));
393 }
```

Now that we have the name of the L^AT_EX job (`$jobname`) we can assign `$toperl`, `$fromperl`, `$toflag`, `$fromflag`, `$doneflag`, `$logfile`, and `$pipe` in terms of `$jobname` plus a suitable extension.

```
394 $toperl = $jobname . ".topl";
```

```

395 $fromperl = $jobname . ".frpl";
396 $toflag = $jobname . ".tfpl";
397 $fromflag = $jobname . ".ffpl";
398 $doneflag = $jobname . ".dfpl";
399 $logfile = $jobname . ".lgpl";
400 $pipe = $jobname . ".pipe";

```

We now replace the filename of the `.tex` file passed to `perltex.pl` with a `\definition` of the separator character, `\definitions` of the various files, and the original file with `\input` prepended if necessary.

```

401 $latexcmdline[$firstcmd] =
402     sprintf '\makeatletter' . '\def%s{%s}' x 7 . '\makeatother%s',
403     '\plmac@tag', $separator,
404     '\plmac@tofile', $topperl,
405     '\plmac@fromfile', $fromperl,
406     '\plmac@toflag', $toflag,
407     '\plmac@fromflag', $fromflag,
408     '\plmac@doneflag', $doneflag,
409     '\plmac@pipe', $pipe,
410     $latexcmdline[$firstcmd];

```

3.2.6 Increasing Perl_TE_X's robustness

```

411 $topperl = File::Spec->rel2abs($topperl);
412 $fromperl = File::Spec->rel2abs($fromperl);
413 $toflag = File::Spec->rel2abs($toflag);
414 $fromflag = File::Spec->rel2abs($fromflag);
415 $doneflag = File::Spec->rel2abs($doneflag);
416 $logfile = File::Spec->rel2abs($logfile);
417 $pipe = File::Spec->rel2abs($pipe);

```

`perltex.pl` may hang if `latex` exits right before the final pipe communication.

We therefore define a simple `SIGALRM` handler that lets `perltex.pl` exit after a given length of time has elapsed.

```

418 $SIG{"ALRM"} = sub {
419     undef $latexpid;
420     exit 0;
421 };

```

To prevent Perl from aborting with a “Broken pipe” error message if `latex` exits during the final pipe communication we tell Perl to ignore `SIGPIPE` errors. `latex`'s exiting will be caught via other means (the preceding `SIGALRM` handler or the following call to `waitpid`).

```

422 $SIG{"PIPE"} = "IGNORE";

```

`delete_files` On some operating systems and some filesystems, deleting a file may not cause the file to disappear immediately. Because Perl_TE_X synchronizes Perl and L^AT_EX via the filesystem it is critical that file deletions be performed when requested. We therefore define a `delete_files` subroutine that waits until each file named in the argument list is truly deleted.

```

423 sub delete_files (@)

```

```

424 {
425     foreach my $filename (@_) {
426         unlink $filename;
427         while (-e $filename) {
428             unlink $filename;
429             sleep 0;
430         }
431     }
432 }

```

`awaitexists` We define an `awaitexists` subroutine that waits for a given file to exist. If `latex` exits while `awaitexists` is waiting, then `perltex.pl` cleans up and exits, too.

```

433 sub awaitexists ($)
434 {
435     while (!-e $_[0]) {
436         sleep 0;
437         if (waitpid($latexpid, &WNOHANG)==-1) {
438             delete_files($toperl, $fromperl, $toflag,
439                         $fromflag, $doneflag, $pipe);
440             undef $latexpid;
441             exit 0;
442         }
443     }
444 }

```

3.2.7 Launching L^AT_EX

We start by deleting the `$toperl`, `$fromperl`, `$toflag`, `$fromflag`, `$doneflag`, and `$pipe` files, in case any of these were left over from a previous (aborted) run. We also create a log file (`$logfile`), a named pipe (`$pipe`)—or a file containing only `\endinput` if we can't create a named pipe—and, if `$styfile` is defined, a L^AT_EX 2_ε style file. As `@latexcmdline` contains the complete command line to pass to `latex` we need only `fork` a new process and have the child process overlay itself with `latex`. `perltex.pl` continues running as the parent.

```

445 delete_files($toperl, $fromperl, $toflag, $fromflag, $doneflag, $pipe);
446 open (LOGFILE, ">$logfile") || die "open(\"$logfile\"): $!\n";
447 autoflush LOGFILE 1;
448 if (defined $styfile) {
449     open (STYFILE, ">$styfile") || die "open(\"$styfile\"): $!\n";
450 }

451 if (!$usepipe || !eval {mkfifo($pipe, 0600)}) {
452     sysopen PIPE, $pipe, O_WRONLY|O_CREAT, 0755;
453     autoflush PIPE 1;
454     print PIPE $pipestring;
455     close PIPE;
456     $usepipe = 0;
457 }

458 defined ($latexpid = fork) || die "fork: $!\n";

```

```

459 unshift @latexcmdline, $latexprog;
460 if (!$latexpid) {
461     exec {$latexcmdline[0]} @latexcmdline;
462     die "exec('@latexcmdline'): $!\n";
463 }

```

3.2.8 Preparing a sandbox

`perltex.pl` uses Perl's `Safe` and `Opcodes` modules to declare a secure sandbox (`$sandbox`) in which to run Perl code passed to it from L^AT_EX. When the sandbox compiles and executes Perl code, it permits only operations that are deemed safe. For example, the Perl code is allowed by default to assign variables, call functions, and execute loops. However, it is not normally allowed to delete files, kill processes, or invoke other programs. If `perltex.pl` is run with the `--nosafe` option we bypass the sandbox entirely and execute Perl code using an ordinary `eval()` statement.

```

464 if ($runsafely) {
465     @permittedops=(":browse") if $#permittedops==--1;
466     $sandbox->permit_only (@permittedops);
467     $sandbox_eval = sub {$sandbox->reval($_[0])};
468 }
469 else {
470     $sandbox_eval = \&top_level_eval;
471 }

```

3.2.9 Communicating with L^AT_EX

The following code constitutes `perltex.pl`'s main loop. Until `latex` exits, the loop repeatedly reads Perl code from L^AT_EX, evaluates it, and returns the result as per the protocol described in Figure 4 on page 24.

```

472 while (1) {

```

\$entirefile Wait for `$toflag` to exist. When it does, this implies that `$topperl` must exist as well. We read the entire contents of `$topperl` into the `$entirefile` variable and process it. Figures 1 and 2 illustrate the contents of `$topperl`.

```

473     awaitexists($toflag);
474     my $entirefile;
475     {
476         local $/ = undef;
477         open (TOPERL, "<$topperl") || die "open($topperl): $!\n";
478         $entirefile = <TOPERL>;
479         close TOPERL;
480     }

```

\$optag We split the contents of `$entirefile` into an operation tag (either `DEF`, `USE`, `$macroname` or `RUN`), the macro name, and everything else (`@otherstuff`). If `$optag` is `DEF` then `@otherstuff` will contain the Perl code to define. If `$optag` is `USE`

then `@otherstuff` will be a list of subroutine arguments. If `$optag` is `RUN` then `@otherstuff` will be a block of Perl code to run.

```
481     $entirefile =~ s/\r//g;
482     my ($optag, $macroname, @otherstuff) =
483         map {chomp; $_} split "$separator\n", $entirefile;
```

We clean up the macro name by deleting all leading non-letters, replacing all subsequent non-alphanumerics with “_”, and prepending “`latex_`” to the macro name.

```
484     $macroname =~ s/^[^A-Za-z]+//;
485     $macroname =~ s/\W/_/g;
486     $macroname = "latex_" . $macroname;
```

If we’re calling a subroutine, then we make the arguments more palatable to Perl by single-quoting them and replacing every occurrence of “\” with “\\” and every occurrence of “'” with “\’”.

```
487     if ($optag eq "USE") {
488         foreach (@otherstuff) {
489             s/\\/\\\\/g;
490             s/\'/\\\'/g;
491             $_ = "'$_'";
492         }
493     }
```

`$perlcode` There are three possible values that can be assigned to `$perlcode`. If `$optag` is `DEF`, then `$perlcode` is made to contain a definition of the user’s subroutine, named `$macroname`. If `$optag` is `USE`, then `$perlcode` becomes an invocation of `$macroname` which gets passed all of the macro arguments. Finally, if `$optag` is `RUN`, then `$perlcode` is the unmodified Perl code passed to us from `perltex.sty`. Figure 5 presents an example of how the following code converts a Perl_T_E_X macro definition into a Perl subroutine definition and Figure 6 presents an example of how the following code converts a Perl_T_E_X macro invocation into a Perl subroutine invocation.

```
494     my $perlcode;
495     if ($optag eq "DEF") {
496         $perlcode =
497             sprintf "sub %s {%s}\n",
498                 $macroname, $otherstuff[0];
499     }
500     elsif ($optag eq "USE") {
501         $perlcode = sprintf "%s (%s);\n", $macroname, join(", ", @otherstuff);
502     }
503     elsif ($optag eq "RUN") {
504         $perlcode = $otherstuff[0];
505     }
506     else {
507         die "${programe}: Internal error -- unexpected operation tag \"\$optag\"\n";
508     }
```

```

LATEX: \perlnewcommand{\mymacro}[2]{%
          sprintf "Isn't $_[0] %s $_[1]?\n",
                $_[0]>=$_[1] ? ">=" : "<"
        }

```



```

Perl: sub latex_mymacro {
        sprintf "Isn't $_[0] %s $_[1]?\n",
              $_[0]>=$_[1] ? ">=" : "<"
      }

```

Figure 5: Conversion from L^AT_EX to Perl (subroutine definition)

```

LATEX: \mymacro{12}{34}

```



```

Perl: latex_mymacro ('12', '34');

```

Figure 6: Conversion from L^AT_EX to Perl (subroutine invocation)

Log what we’re about to evaluate.

```

509     print LOGFILE "#" x 31, " PERL CODE ", "#" x 32, "\n";
510     print LOGFILE $perlcode, "\n";

```

\$result We’re now ready to execute the user’s code using the `$sandbox_eval` function.

\$msg If a warning occurs we write it as a Perl comment to the log file. If an error occurs (i.e., `$@` is defined) we replace the result (`$result`) with a call to L^AT_EX 2_ε’s `\PackageError` macro to return a suitable error message. We produce one error message for sandbox policy violations (detected by the error message, `$@`, containing the string “trapped by”) and a different error message for all other errors caused by executing the user’s code. For clarity of reading both warning and error messages, we elide the string “at (eval *<number>*) line *<number>*”. Once `$result` is defined—as either the resulting L^AT_EX code or as a `\PackageError`—we store it in `@macroexpansions` in preparation for writing it to `noperltex.sty` (when `perltex.pl` is run with `--makesty`).

```

511     undef $_;
512     my $result;
513     {
514         my $warningmsg;
515         local $SIG{__WARN__} =
516             sub {chomp ($warningmsg=$_[0]); return 0};
517         $result = $sandbox_eval->($perlcode);
518         if (defined $warningmsg) {

```

```

519         $warningmsg =~ s/at \(\eval \d+\) line \d+\W+//;
520         print LOGFILE "# ==> $warningmsg\n\n";
521     }
522 }
523 $result = "" if !$result || $optag eq "RUN";
524 if ($?) {
525     my $msg = $?;
526     $msg =~ s/at \(\eval \d+\) line \d+\W+//;
527     $msg =~ s/\n/\MessageBreak\n/g;
528     $msg =~ s/\s+ / /;
529     $result = "\\PackageError{perltex}{$msg}";
530     my @helpstring;
531     if ($msg =~ /\btrapped by\b/) {
532         @helpstring =
533             ("The preceding error message comes from Perl. Apparently,",
534             "the Perl code you tried to execute attempted to perform an",
535             "`unsafe' operation. If you trust the Perl code (e.g., if",
536             "you wrote it) then you can invoke perltex with the --
nosafe",
537             "option to allow arbitrary Perl code to execute.",
538             "Alternatively, you can selectively enable Perl features",
539             "using perltex's --permit option. Don't do this if you don't",
540             "trust the Perl code, however; malicious Perl code can do a",
541             "world of harm to your computer system.");
542     }
543     else {
544         @helpstring =
545             ("The preceding error message comes from Perl. Apparently,",
546             "there's a bug in your Perl code. You'll need to sort that",
547             "out in your document and re-run perltex.");
548     }
549     my $helpstring = join ("\\MessageBreak\n", @helpstring);
550     $helpstring =~ s/\. /\.\space\space /g;
551     $result .= "{$helpstring}";
552 }
553 push @macroexpansions, $result if defined $styfile && $optag eq "USE";

```

Log the resulting L^AT_EX code.

```

554 print LOGFILE "%" x 30, " LATEX RESULT ", "%" x 30, "\n";
555 print LOGFILE $result, "\n\n";

```

We add `\endinput` to the generated L^AT_EX code to suppress an extraneous end-of-line character that T_EX would otherwise insert.

```

556 $result .= '\endinput';

```

Continuing the protocol described in Figure 4 on page 24 we now write `$result` (which contains either the result of executing the user's or a `\PackageError`) to the `$fromperl` file, delete `$toflag`, `$toperl`, and `$doneflag`, and notify L^AT_EX by touching the `$fromflag` file. As a performance optimization, we also write `\endinput` into `$pipe` to wake up the latex process.

```

557     open (FROMPERL, ">$fromperl") || die "open($fromperl): $!\n";
558     syswrite FROMPERL, $result;
559     close FROMPERL;
560     delete_files($toflag, $toperl, $doneflag);
561     open (FROMFLAG, ">$fromflag") || die "open($fromflag): $!\n";
562     close FROMFLAG;
563     if (open (PIPE, ">$pipe")) {
564         autoflush PIPE 1;
565         print PIPE $pipestring;
566         close PIPE;
567     }

```

We have to perform one final L^AT_EX-to-Perl synchronization step. Otherwise, a subsequent `\perl[re]newcommand` would see that `$fromflag` already exists and race ahead, finding that `$fromperl` does not contain what it's supposed to.

```

568     awaitexists($toperl);
569     delete_files($fromflag);
570     open (DONEFLAG, ">$doneflag") || die "open($doneflag): $!\n";
571     close DONEFLAG;

```

Again, we awaken the `latex` process, which is blocked on `$pipe`. If writing to the pipe takes more than one second we assume that `latex` has exited and trigger the `SIGALRM` handler (page 32).

```

572     alarm 1;
573     if (open (PIPE, ">$pipe")) {
574         autoflush PIPE 1;
575         print PIPE $pipestring;
576         close PIPE;
577     }
578     alarm 0;
579 }

```

3.2.10 Final cleanup

If we exit abnormally we should do our best to kill the child `latex` process so that it doesn't continue running forever, holding onto system resources.

```

580 END {
581     close LOGFILE;
582     if (defined $latexpid) {
583         kill (9, $latexpid);
584         exit 1;
585     }
586
587     if (defined $styfile) {

```

This is the big moment for the `--makesty` option. We've accumulated the output from each Perl_T_EX macro invocation into `@macroexpansions`, and now we need to produce a `noperltex.sty` file. We start by generating a boilerplate header in which we set up the package and load both `perltex` and `filecontents`.

```

588     print STYFILE <<"STYFILEHEADER1";
589 \\NeedsTeXFormat{LaTeX2e}[1999/12/01]
590 \\ProvidesPackage{noperltex}
591     [2007/09/29 v1.4 Perl-free version of PerlTeX specific to $jobname.tex]
592 STYFILEHEADER1
593     ;
594     print STYFILE <<'STYFILEHEADER2';
595 \\RequirePackage{filecontents}
596
597 % Suppress the "Document must be compiled using perltex" error from perltex.
598 \\let\noperltex@PackageError=\PackageError
599 \\renewcommand{\PackageError}[3]{\}
600 \\RequirePackage{perltex}
601 \\let\PackageError=\noperltex@PackageError
602

```

`\plmac@macro@invocation@num` `noperltex.sty` works by redefining the `\plmac@show@placeholder` macro, which normally outputs a framed “PerlTeX” when `perltex.pl` isn’t running, changing it to input `noperltex-⟨number⟩.tex` instead (where `⟨number⟩` is the contents of the `\plmac@macro@invocation@num` counter). Each `noperltex-⟨number⟩.tex` file contains the output from a single invocation of a PerlTeX-defined macro.

```

603 % Modify \plmac@show@placeholder to input the next noperltex-*.tex file
604 % each time a PerlTeX-defined macro is invoked.
605 \\newcount\plmac@macro@invocation@num
606 \\gdef\plmac@show@placeholder#1#2\@empty{%
607   \\ifx#1U\\relax
608     \\endgroup
609     \\advance\plmac@macro@invocation@num by 1\\relax
610     \\global\plmac@macro@invocation@num=\plmac@macro@invocation@num
611     \\input{noperltex-\\the\plmac@macro@invocation@num.tex}%
612   \\else
613     \\endgroup
614   \\fi
615 }
616 STYFILEHEADER2
617     ;

```

Finally, we need to have `noperltex.sty` generate each of the `noperltex-⟨number⟩.tex` files. For each element of `@macroexpansions` we use one `filecontents` environment to write the macro expansion verbatim to a file.

```

618     foreach my $e (0 .. $#macroexpansions) {
619         print STYFILE "\\n";
620         printf STYFILE "% Invocation #%d\\n", 1+$e;
621         printf STYFILE "\\begin{filecontents}{noperltex-
622 %d.tex}\\n", 1+$e;
623         print STYFILE $macroexpansions[$e], "\\endinput\\n";
624         print STYFILE "\\end{filecontents}\\n";
625     }

```

```

625     print STYFILE "\\endinput\n";
626     close STYFILE;
627 }
628
629     exit 0;
630 }
631
632 __END__

```

3.2.11 `perltex.pl` POD documentation

`perltex.pl` includes documentation in Perl’s POD (Plain Old Documentation) format. This is used both to produce manual pages and to provide usage information when `perltex.pl` is invoked with the `--help` option. The POD documentation is not listed here as part of the documented `perltex.pl` source code because it contains essentially the same information as that shown in Section 2.3. If you’re curious what the POD source looks like then see the generated `perltex.pl` file.

3.3 Porting to other languages

Perl is a natural choice for a \LaTeX macro language because of its excellent support for text manipulation including extended regular expressions, string interpolation, and “here” strings, to name a few nice features. However, Perl’s syntax is unusual and its semantics are rife with annoying special cases. Some users will therefore long for a $\langle\textit{some-language-other-than-Perl}\rangle\text{\TeX}$. Fortunately, porting \PerlTeX to use a different language should be fairly straightforward. `perltex.pl` will need to be rewritten in the target language, of course, but `perltex.sty` modifications will likely be fairly minimal. In all probability, only the following changes will need to be made:

- Rename `perltex.sty` and `perltex.pl` (and choose a package name other than “ \PerlTeX ”) as per the \PerlTeX license agreement (Section 4).
- In your replacement for `perltex.sty`, replace all occurrences of “`plmac`” with a different string.
- In your replacement for `perltex.pl`, choose different file extensions for the various helper files.

The importance of these changes is that they help ensure version consistency and that they make it possible to run $\langle\textit{some-language-other-than-Perl}\rangle\text{\TeX}$ alongside \PerlTeX , enabling multiple programming languages to be utilized in the same \LaTeX document.

4 License agreement

Copyright © 2003–2019 Scott Pakin <scott+pt@pakin.org>

These files may be distributed and/or modified under the conditions of the L^AT_EX Project Public License, either version 1.3c of this license or (at your option) any later version. The latest version of this license is in <http://www.latex-project.org/lppl.txt> and version 1.3c or later is part of all distributions of L^AT_EX version 2006/05/20 or later.

Acknowledgments

Thanks to Andrew Mertz for writing the first draft of the code that produces the Perl_TE_X-free `noperltex.sty` style file and for testing the final draft; to Andrei Alexandrescu for providing a few bug fixes; to Nick Andrewes for identifying and helping diagnose a problem running Perl_TE_X with X_YT_EX and to Jonathan Kew for suggesting a workaround; to Linus Källberg for reporting and helping diagnose some problems with running Perl_TE_X on Windows; and to Ulrike Fischer for reporting and helping correct a bug encountered when using `noperltex.sty` with newer versions of L^AT_EX. Also, thanks to the many people who have sent me fan mail or submitted bug reports, documentation corrections, or feature requests. (The `\perldo` macro and the `--makesty` option were particularly popular requests.)

Change History

v1.0	General: Initial version 1	non-expandable 26
v1.0a	General: Made all <code>unlink</code> calls wait for the file to actually disappear 27	General: Added new <code>\perlnewenvironment</code> and <code>\perlrenewenvironment</code> macros 21
	Undefined <code>\$/</code> only locally 34	
	<code>awaitexists</code> : Bug fix: Added “ <code>undef \$latexpid</code> ” to make the <code>END</code> block correctly return a status code of 0 on success . 33	v1.2
v1.1	<code>\plmac@havecode</code> : Added a <code>\plmac@next</code> hook to support Perl _T E _X ’s new environment-defining macros . 19	<code>\plmac@write@perl@i</code> : Moved the <code>\input</code> of the generated Perl code to the end of the routine in order to support recursive Perl _T E _X macro invocations. . . 26
	<code>\plmac@write@perl@i</code> : Added a dummy version of the macro to use if <code>latex</code> was launched directly, without <code>perltex.pl</code> . 27	General: Renamed <code>perlmacros.sty</code> to <code>perltex.sty</code> for consistency. . . 1
	Made argument-handling more rational by making <code>\protect</code> , <code>\begin</code> , and <code>\end</code>	v1.3
		<code>\perldo</code> : Introduced <code>\perldo</code> to support code execution outside of all subroutines. 23
		<code>\plmac@run@code</code> : Added to assist <code>\perldo</code> 23
		General: Modified <code>perltex.pl</code> to eschew the sandbox altogether when <code>--nosafe</code> is specified . . . 28

v1.4	General: Added support for a <code>--makesty</code> option that generates a PerlTeX-free style file called <code>noperltex.sty</code>	38	spurious text into the document	25
v1.5	<code>\plmac@file@existsfalse</code> : Modified to read from a named pipe before checking file existence	25	General: Introduced handlers for SIGALRM and SIGPIPE to make <code>perltex.pl</code> more robust to latex exiting at an inopportune time	32
v1.6	General: Added an (undocumented) <code>--nopipe</code> option to <code>perltex.pl</code> to help it work with X _Y TeX	31	<code>awaitexists</code> : Hoisted <code>\$awaitexists</code> from the main loop and made it a top-level subroutine	33
v1.7	<code>\$pipestring</code> : Introduced this variable as a workaround for X _Y TeX's attempt to rewind <code>\$pipe</code>	30	<code>delete_files</code> : Replaced all <code>unlink...while -e</code> statements with calls to a new <code>delete_files</code> subroutine	32
	General: Added an (undocumented) <code>--synctext</code> option to alter the text written to <code>\$pipe</code>	31	v2.0	<code>\$msg</code> : Substituted <code>\MessageBreak</code> for newline when reporting error messages produced by user code
v1.8	<code>\plmac@requiredfalse</code> : Introduced an optional package option to suppress the "must be compiled using perl _{tex} " error message	13	General: Refer to each communication file using its absolute path. This makes <code>perltex.pl</code> robust to user code that changes the current directory	32
	<code>\plmac@write@perl@i</code> : Renamed <code>\ifplmac@have@perltex</code> to <code>\ifperl</code> to help authors write mixed L ^A T _E X/PerlTeX documents	26	v2.1	<code>@otherstuff</code> : Normalized line endings across Unix/Windows/Macintosh
v1.9	<code>\plmac@await@existence</code> : Put the <code>\input\plmac@pipe</code> within an <code>lrbox</code> environment to prevent a partial read from introducing		General: Replaced <code>abs_path()</code> with <code>File::Spec->rel2abs()</code> because the latter seems to be more robust to nonexistent files	32
			v2.2	<code>\perlfalse</code> : Let-bind <code>\plmac@tag</code> to <code>\relax</code> if <code>\plmac@tag</code> is undefined. This corrects a problem when <code>noperltex</code> is used with newer versions of L ^A T _E X

Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in *roman* refer to the code lines where the entry is used.

	Symbols	<code>\%</code>	11X, 54X, 368
<code>\\$</code>			372–375

<code>\&</code>	470		
<code>\@tempboxa</code>	249		
<code>\{</code>	20X, 136, 230, 267		
<code>\}</code>	20X, 137, 231, 268		
<code>\^</code>	133–135, 141, 227–229, 264–266		
A		L	
<code>\afterassignment</code>	138, 232	<code>@latexcmdline</code>	<u>362</u>
<code>\AtBeginDocument</code>	298	<code>\$latexpid</code>	<u>362</u>
<code>awaitexists</code>	<u>433</u>	<code>\$latexprog</code>	<u>349</u>
		<code>\$logfile</code>	<u>353</u>
B		M	
<code>\BODY</code>	42X	<code>@macroexpansions</code>	<u>362</u>
		<code>\$macroname</code>	<u>481</u>
		<code>\$msg</code>	<u>511</u>
C		N	
<code>\closeout</code>	278, 281, 284	<code>\NewEnviron</code>	42X
		<code>\newlinechar</code>	134, 228, 265
		<code>\noperltx@PackageError</code>	598, 601
D		O	
<code>\DeclareOption</code>	66	<code>\openout</code>	273, 280, 283
<code>delete_files</code>	<u>423</u>	<code>\$optag</code>	<u>481</u>
<code>\do</code>	132, 226, 263	<code>\$option</code>	<u>378</u>
<code>\dolinkwords</code>	8X, 42X	<code>optional</code> (package option)	6, 10
<code>\$doneflag</code>	<u>353</u>	<code>@otherstuff</code>	<u>481</u>
<code>\dospecials</code>	132, 226, 263	P	
E		package options	
<code>\endinput</code>	556	<code>optional</code>	6, 10
<code>\endlinechar</code>	135, 229, 266	<code>\PackageError</code>	80, 598, 599, 601
<code>\$entirefile</code>	<u>473</u>	packages	
<code>environ</code> (package)	10	<code>environ</code>	10
		<code>filecontents</code>	38
F		<code>hyperref</code>	10
<code>\fbox</code>	295	<code>pertex</code>	1, 4–6, 10,
<code>filecontents</code> (package)	38	12–14, 16, 21, 24, 26, 27, 35, 38, 40	
<code>\$firstcmd</code>	<u>378</u>	<code>\$perlcode</code>	<u>494</u>
<code>\$fromflag</code>	<u>353</u>	<code>\perldo</code>	<u>224</u>
<code>\$fromperl</code>	<u>353</u>	<code>\perlfalse</code>	<u>68</u>
		<code>\perlnewcommand</code>	8X, <u>94</u>
H		<code>\perlnewenvironment</code>	<u>190</u>
<code>hyperref</code> (package)	10	<code>\perlrenewcommand</code>	<u>94</u>
		<code>\perlrenewenvironment</code>	<u>190</u>
I		<code>pertex</code> (package)	1, 4–6, 10,
<code>\IfFileExists</code>	253	12–14, 16, 21, 24, 26, 27, 35, 38, 40	
<code>\ifperl</code>	6X, <u>68</u> , 271	<code>\perltrue</code>	<u>68</u>
<code>\ifplmac@file@exists</code>	<u>247</u>	<code>@permittedops</code>	<u>349</u>
<code>\ifplmac@required</code>	<u>64</u> , 79	<code>\$pipe</code>	<u>353</u>
<code>\input</code>	250, 286, 611	<code>\$pipestring</code>	<u>368</u>
		<code>\plmac@argnum</code> ..	<u>142</u> , 160, 162, 166, 167
J		<code>\plmac@await@existence</code> ..	<u>247</u> , 282, 285
<code>\$jobname</code>	<u>353</u>	<code>\plmac@body</code>	<u>154</u>

<code>\plmac@cleaned@macname</code>	<code>\plmac@show@placeholder</code> 290, 300, <u>603</u>
..... <u>104</u> , 148, 157, <u>200</u> , <u>213</u>	<code>\plmac@starchar</code> ... <u>104</u> , 173, 180, <u>200</u>
<code>\plmac@command</code>	<code>\plmac>tag</code>
..... <u>94</u> , 173, 180, <u>190</u>	147, 149, 156, 165, 239, 241, 403
<code>\plmac@defarg</code>	<code>\plmac@tofile</code>
..... <u>121</u> , 171, 181	273, 283, 404
<code>\plmac@define@command</code>	<code>\plmac@toflag</code>
..... <u>170</u>	280, 406
<code>\plmac@define@sub</code>	<code>\plmac@write@perl</code>
..... <u>145</u> 146, 175, 182, 238, <u>261</u>
<code>\plmac@doneflag</code>	<code>\plmac@write@perl@i</code> ... 269, <u>271</u> , <u>288</u>
..... 285, 408	<code>\$progname</code>
<code>\plmac@end@environment</code> <u>353</u>
192, 197, <u>213</u>	
<code>\plmac@end@macro</code>	
..... 215, 218	
<code>\plmac@envname</code>	
..... <u>200</u> , 215, 219	
<code>\plmac@file@existsfalse</code>	
..... <u>247</u>	
<code>\plmac@file@existstrue</code>	
..... <u>247</u>	
<code>\plmac@fromfile</code>	
..... 286, 405	
<code>\plmac@fromflag</code>	
..... 282, 407	
<code>\plmac@hash</code>	
..... <u>159</u>	
<code>\plmac@have@run@code</code>	
..... 232, <u>235</u>	
<code>\plmac@haveargs</code>	
..... 123, 127, <u>129</u>	
<code>\plmac@havecode</code>	
..... 138, <u>143</u>	
<code>\plmac@macname</code>	
..... <u>104</u> , 170, 173, 180, 186, <u>200</u> , <u>213</u>	
<code>\plmac@macro@invocation@num</code> ...	
..... <u>603</u>	
<code>\plmac@newcommand@i</code>	
..... 97, 102, <u>104</u>	
<code>\plmac@newcommand@ii</code> 114, <u>116</u> , 211, 222	
<code>\plmac@newcommand@iii@no@opt</code> 119, <u>121</u>	
<code>\plmac@newcommand@iii@opt</code> ..	
118, <u>121</u>	
<code>\plmac@newenvironment@i</code> 193, 198, <u>200</u>	
<code>\plmac@next</code>	
..... <u>94</u> , 188, <u>190</u> , <u>213</u>	
<code>\plmac@numargs</code>	
..... <u>116</u> , 162, 174, 181	
<code>\plmac@oldbody</code>	
..... <u>104</u> , 186, <u>200</u> , <u>213</u>	
<code>\plmac@outfile</code>	
..... <u>260</u> ,	
273, 277, 278, 280, 281, 283, 284	
<code>\plmac@perlcode</code> ...	
..... <u>129</u> , 150, 233, 242	
<code>\plmac@pipe</code>	
..... 250, 409	
<code>\plmac@requiredfalse</code>	
..... <u>64</u>	
<code>\plmac@requiredtrue</code>	
..... <u>64</u>	
<code>\plmac@run@code</code>	
..... <u>235</u>	
<code>\plmac@sep</code>	
..... <u>141</u> ,	
146–149, 155, 156, 165, 238–241	
	R
	<code>\renewcommand</code>
	101, 196, 299, 599
	<code>\RequirePackage</code>
	595, 600
	<code>\$result</code>
	<u>511</u>
	<code>\$runsafely</code>
	<u>349</u>
	S
	<code>\$sandbox</code>
	<u>362</u>
	<code>\$sandbox_eval</code>
	<u>362</u>
	<code>\$separator</code>
	<u>390</u>
	SIGALRM
	32, 38
	SIGPIPE
	32
	<code>\stopwords</code>
	52X, 54X
	<code>\$styfile</code>
	<u>362</u>
	T
	<code>\$toflag</code>
	<u>353</u>
	<code>\$toperl</code>
	<u>353</u>
	<code>\typeout</code>
	89, 90
	U
	<code>\usepackage</code>
	2–4X
	<code>\$usepipe</code>
	<u>349</u>
	W
	<code>\write</code>
	277