

xint-regression

Classic regressions, with `xint`.

Version 0.1.0 - 05/06/2024

Cédric Pierquet

c pierquet - at - outlook . fr

<https://forge.apps.education.fr/pierquetcedric/package-latex-xintreg>

```
\def\LISTEX{1,2,3,4,5,6}
\def\LISTEY{8.74,8.80,9.52,10.42,11.83,14.62}

\xintexpr [Alt]{\LISTEX}{\LISTEY}           %raw results
$a \approx \expresa$ and $b \approx \expresb$

\xintexpr [Alt,round=2]{\LISTEX}{\LISTEY}      %rounded results
$a \approx \expresa$ and $b \approx \expresb$\\
So $y \approx \expresa x+\expresb$.
```

$a \approx 0.1014398394374648$ and $b \approx 7.343111895430519$
 $a \approx 0.1$ and $b \approx 7.34$

So $y \approx 0.1x + 7.34$.

```
\def\LISTEXX{0,50,100,140}
\def\LISTEYY{275,290,315,350}

\xintexpr [offset=250]{\LISTEXX}{\LISTEYY}           %raw results
$a \approx \expresoffa$ and $b \approx \expresoffb$

\xintexpr [offset=250,round=2/1]{\LISTEXX}{\LISTEYY}    %rounded results
$a \approx \expresoffa$ and $b \approx \expresoffb$\\
So $y \approx 250+\expresoffb e^{\expresoffa x}$
```

$a \approx 0.009866939273663047$ and $b \approx 24.69189584551776$
 $a \approx 0.01$ and $b \approx 24.7$

So $y \approx 250 + 24.7e^{0.01x}$

Contents

1	Introduction	3
1.1	Global usage	3
1.2	Packages used	3
1.3	Warnings	3
2	The commands	4
2.1	Linear regression	4
2.2	Quadratic regression	4
2.3	Cubic regression	5
2.4	Hyperbolic regression	5
2.5	Logarithmic regression	6
2.6	Power regression	6
2.7	Exponential regression	6
3	Integration with other packages	8
3.1	Number formatting	8
3.2	Plotting	8
4	History	9

1 Introduction

1.1 Global usage

This package offers `xint`-based commands for working with classical regressions :

- linear regression $ax + b$;
- quadratic regression $ax^2 + bx + c$;
- cubic regression $ax^3 + bx^2 + cx + d$;
- power regression ax^b ;
- exponential regression ab^x or e^{ax+b} or be^{ax} or $C + be^{ax}$;
- logarithmic regression $a + b \log(x)$;
- hyperbolic regression $a + \frac{b}{x}$.

For each type of regression, results can be stored in macros, either raw or with rounding (with individuals [optional keys]).

1.2 Packages used

This package uses `simplekv`, `xintexpr`, `listofitems` and `xstring`.

```
%loading
\usepackage{xint-regression}
```

1.3 Warnings

The precision of the (determination) results seems to be good, which should normally guarantee satisfactory calculations and plots.

Nevertheless, it is advisable to be cautious about the results obtained and those expected.

2 The commands

2.1 Linear regression

The equation is $ax + b$.

```
\xintlinreg[coeffa=...,coeffb=...,round=...]{xlist}{ylist}
```

By default, `coeffa=linrega` ; `coeffb=linregb` and `round` is empty.
`round=...` can be given within `round=global` or `round=a/b/....`

```
\def\LLX{83,71,64,69,69,64,68,59,81,91,57,65,58,62}%
\def\LLY{183,168,171,178,176,172,165,158,183,182,163,175,164,175}%
```

```
%default output
\xintlinreg{\LLX}{\LLY}%
$a \approx \linrega$ and $b \approx \linregb$
```

$a \approx 0.6232992732637560$ and $b \approx 129.5720998852522$

```
%personal macros + global rounding
\xintlinreg[coeffa=LINa,coeffb=LINb,round=2]{\LLX}{\LLY}%
$a \approx \LINa$ and $b \approx \LINb$
```

$a \approx 0.62$ and $b \approx 129.57$

```
%personal macros + individual rounding
\xintlinreg[coeffa=LINEARa,coeffb=LINEARb,round=2/0]{\LLX}{\LLY}%
$a \approx \LINEARa$ and $b \approx \LINEARb$
```

$a \approx 0.62$ and $b \approx 130$

2.2 Quadratic regression

The equation is $ax^2 + bx + c$.

```
\xintquadreg[coeffa=...,coeffb=...,coeffc=...,round=...]{xlist}{ylist}
```

By default, `coeffa=quadrega` ; `coeffb=quadregb`, `coeffc=quadrega` and `round` is empty.
`round=...` can be given within `round=global` or `round=a/b/....`

```
\def\LLX{83,71,64,69,69,64,68,59,81,91,57,65,58,62}%
\def\LLY{183,168,171,178,176,172,165,158,183,182,163,175,164,175}%
```

```
%default output
\xintquadreg{\LLX}{\LLY}%
$a \approx \quadrega$ ; $b \approx \quadregb$ and $c \approx \quadregc$
```

$a \approx -0.01683564807640720$; $b \approx 3.086723202993391$ and $c \approx 41.37453964053522$

```
%personal macros + global rounding
\xintquadreg[coeffa=QUADa,coeffb=QUADb,coeffc=QUADc,round=2]{\LLX}{\LLY}%
$a \approx \QUADa$ ; $b \approx \QUADb$ and $c \approx \QUADc$
```

$a \approx -0.02$; $b \approx 3.09$ and $c \approx 41.37$

```
%personal macros + individual rounding
\xintquadreg[coeffa=QUADRAa,coeffb=QUADRAb,coeffc=QUADRAc,round=4/3/2]{\LLX}{\LLY}%
$a \approx \QUADRAa$ ; $b \approx \QUADRAb$ and $c \approx \QUADRAc$
```

$a \approx -0.0168$; $b \approx 3.087$ and $c \approx 41.37$

2.3 Cubic regression

The equation for cubic is
$$ax^3 + bx^2 + cx + d$$
.

```
\xintcubreg[coeffa=...,coeffb=...,coeffc=...,coeffd=...,round=...]{xlist}{ylist}
```

By default, `coeffa=cubrega` ; `coeffb=cubregb` ; `coeffc=cubregc` and `coeffd=cubregd`.

```
\def\LLX{83,71,64,69,69,64,68,59,81,91,57,65,58,62}%
\def\LLY{183,168,171,178,176,172,165,158,183,182,163,175,164,175}%
```

```
%individual roundings
\xintcubreg[round=5/3/2/1]{\LLX}{\LLY}%
$a \approx \cubrega$ ; $b \approx \cubregb$ ; $c \approx \cubregc$ and $d \approx \cubregd$
```

$a \approx 0.0001$; $b \approx -0.039$; $c \approx 4.7$ and $d \approx 3.2$

2.4 Hyperbolic regression

The equation for hyperbolic is
$$a + \frac{b}{x}$$
.

```
\xinthypreg[coeffa=...,coeffb=...,round=...]{xlist}{ylist}
```

By default, `coeffa=hyprega` and `coeffb=hypregb`.

```
\def\LLX{83,71,64,69,69,64,68,59,81,91,57,65,58,62}%
\def\LLY{183,168,171,178,176,172,165,158,183,182,163,175,164,175}%
```

```
%global roundings
\xinthypreg[round=2]{\LLX}{\LLY}%
$a \approx \hyprega$ and $b \approx \hypregb$
```

$a \approx 220.77$ and $b \approx -3264.23$

2.5 Logarithmic regression

The equation for logarithmic is $a + b \log(x)$.

```
\xintlogreg[coeffa=...,coeffb=...,round=...]{xlist}{ylist}
```

By default, `coeffa=logrega` and `coeffb=logregb`.

```
\def\LLX{83,71,64,69,69,64,68,59,81,91,57,65,58,62}%
\def\LLY{183,168,171,178,176,172,165,158,183,182,163,175,164,175}%
```

```
%individual roundings
\xintlogreg[round=1/4]{\LLX}{\LLY}%
$a \approx \logrega$ and $b \approx \logregb$
```

$a \approx -20.2$ and $b \approx 45.6282$

2.6 Power regression

The equation for power is $a \times x^b$.

```
\xintpowreg[coeffa=...,coeffb=...,round=...]{xlist}{ylist}
```

By default, `coeffa=powrega` and `coeffb=powregb`.

```
\def\LLX{83,71,64,69,69,64,68,59,81,91,57,65,58,62}%
\def\LLY{183,168,171,178,176,172,165,158,183,182,163,175,164,175}%
```

```
%default output
\xintpowreg{\LLX}{\LLY}%
$a \approx \powrega$ and $b \approx \powregb$
```

$a \approx 56.48337543648656$ and $b \approx 0.2641537564865711$

2.7 Exponential regression

Available regressions are :

- $a \times b^x$;
- e^{ax+b} ;
- $b e^{ax}$;
- $C + b e^{ax}$.

```
%a*b^x
\xintexpabreg[coeffa=...,coeffb=...,round=...]{xlist}{ylist}
```

By default, `coeffa=expabrega` and `coeffb=expabregb`.

```
%e^(ax+b)
\xintexpreg[coeffa=...,coeffb=...,round=...]{xlist}{ylist}
```

By default, `coeffa=exprega` and `coeffb=expregb`.

```
%b*e^(ax)
\xintexpreg[Alt,coeffa=...,coeffb=...,round=...]{xlist}{ylist}
```

By default, `coeffa=exprega` and `coeffb=expregb`.

```
%C+b*e^(ax)
\xintexpoffreg[offset=C,coeffa=...,coeffb=...,round=...]{xlist}{ylist}
```

By default, `coeffa=expregoffa` and `coeffb=expregoffb`.

```
\def\LLX{83,71,64,69,69,64,68,59,81,91,57,65,58,62}%
\def\LLY{183,168,171,178,176,172,165,158,183,182,163,175,164,175}%
```

```
%a*b^x
\xintexpabreg{\LLX}{\LLY}
$a \approx \expabreg{a} \text{ and } $b \approx \expabreg{b}
```

```
%e^(ax+b)
\xintexpreg{\LLX}{\LLY}
$a \approx \exprega \text{ and } $b \approx \expregb
```

```
%b*e^(ax)
\xintexpreg[Alt]{\LLX}{\LLY}
$a \approx \exprega \text{ and } $b \approx \expregb
```

```
%C+b*e^(ax)
\xintexpoffreg[offset=50]{\LLX}{\LLY}
$a \approx \expregoffa \text{ and } $b \approx \expregoffb
```

$a \approx 134.4457921893217$ and $b \approx 1.003610918317193$
 $a \approx 0.003604414603197639$ and $b \approx 4.901161085752989$
 $a \approx 0.003604414603197639$ and $b \approx 134.4457921893208$
 $a \approx 0.005074417221205945$ and $b \approx 86.19808037780071$

3 Integration with other packages

3.1 Number formatting

It is possible to format the results, according to locale rules, for example with `siunitx`.

With `[locale=FR]` :

```
%a*b^x
\xintexprabreg[round=1/3]{\LLX}{\LLY}%
So we obtain $y \approx \num{\expabreg{a}} \times e^{\num{\expabreg{b}} \times x}$
```

So we obtain $y \approx 134,4 \times e^{1,004 \times x}$


3.2 Plotting

It is also possible to integrate the package's commands into a plotting environment, such as `tikz` or `pgfplots`.

For example, with `tkz-grapheur` package :

```
\def\LISTEXX{0,50,100,140}%
\def\LISTEYY{275,290,315,350}%

\begin{GraphiqueTikz}
[x=0.05cm,y=0.04cm,Xmin=0,Xmax=160,Xgrille=20,Xgrilles=10,
OrigY=250,Ymin=250,Ymax=400,Ygrille=25,Ygrilles=5]
>window
\TracerAxesGrilles[Elargir=2.5mm,Police=\footnotesize]{auto}{auto}
%points
\TracerNuage[Style=o,CouleurNuage=red]{\LISTEXX}{\LISTEYY}
%regression expoffset C+b*epx(ax)
\xintexprabreg[offset=250]{\LISTEXX}{\LISTEYY}
\DefinirCourbe[Nom=ajust,Couleur=blue,Trace]
<ajust>
{250+\expabreg{b}*exp(\expabreg{a}*x)}
%constructions
\PlacerImages[Couleurs=cyan/magenta,Traits]{ajust}{80}
\PlacerAntecedents[Style=x,Couleurs=blue/green!50!black,Traits]{ajust}{325}
\end{GraphiqueTikz}
```



4 History

0.1.0 : Initial version